

Proposed Sheet Piling General Arrangement for Fish Jetty & South Pier [1:200]

_All ground anchors to be GEWI

Plus S670/800 thread bar 35mmØ at 2.4m spacing

Refer to "Fish Jetty

Corner 2 Details"

16Nr Arcelor Pu18 Sheet Piles Grade S355 (Total length 9.632m)

8Nr Arcelor Pu18 Sheet Piles Grade S355 (Total length 4.835m)

Refer to "South Pier

Corner 1 & 2 Details"

The contractor shall verify dimensions against such other drawings or site conditions as pertain to this part of the work.

> Any information concerning the location of existing services indicated on this drawing is intended for general guidance only. It shall be the responsibility of the contractor to determine and verify the exact horizontal and vertical alignment of all cables, pipes, etc. (both underground and overhead) before work commences.

Hard copies, dwf and pdf will form a controlled issue of the drawing. All other formats (dwg, dxf etc.) are deemed to be an uncontrolled issue and any work carried out based on these files is at the recipients own risk. RPS will not accept any responsibility for any errors arising from the use of these files, either by human error by the recipient, listing of un-dimensioned measurements, compatibility issues with the recipient's software, and any errors arising when these files are used to aid the recipients drawing production, or setting out on site.

4. Datum. Chart D	4. Datum. Chart Datum				
5. CONCRETE	MIX TYPE	COVER	FINISH		

- 1. FOR GENERAL SECTION DETAILS REFER TO DWG IBM0745-RPS-IN-T-DR-C-0503
- 2. FOR MAIN AND ANCHOR WALL SHEET PILE DETAILS REFER TO DWG IBM0745-RPS-IN-T-DR-C-0503
- 3. MAIN WALL PILES TO BE ARCELOR PU18 SHEET PILES OR
- 4. ANCHOR WALL PILES TO BE ARCELOR GU8N SHEET PILES OR
- SIMILAR APPROVED AND OF GRADE S355. 5. WALERS TO BE GRADE S355. TRIMMED TO SUIT FOR SPLICE
- LOCATION ON SITE TO SUIT ENDS AT 1/5 OF TIE ROD 6. TIE RODS AND TURNBUCKLES TO BE MINIMUM YIELD
- STRENGTH OF 460 N/mm² AND ULTIMATE TENSILE STRENGTH OF 610 N/mm². WITH ROLLED UP ENDS AND BITUMINOUS COATING SYSTEM AS DENSO PASTE PRIMER TO 200 MICRONS THICK FOLLOWED BY DENSO PETROLATUM TAPE (DENSOTAPE) WRAPPED AT 55% OVERLAP AND WITH AND OUTERWRAP OF DENSO SELF ADHESIVE PVC TAPE WITH 55% OVERLAP OR EQUAL PROTECTION. (DENSO POL 60 TAPE NOT REQUIRED)"
- ALL TIE RODS AND BOLTS TO HAVE ROUND WASHERS AND NUTS.
- 8. EXPOSED ENDS OF TIE RODS TO BE PAINTED WITH MINIMUM 400um (NOMINAL 450um) OF POLYAMIDE CURED COAL TAR EPOXY COATING BEFORE FEEDING THROUGH WALER AND TIGHTENING NUT.
- 9. ALL WASHERS, WASHER PLATES, SPLICE PLATES AND BEARING PLATES TO BE GRADE \$355.
- 10. BOLTS TO BE GRADE 8.8
- 11. TIE BAR DIMENSIONS ARE BASED ON A 25m TIE BAR WITH MINIMUM 250mm THREADED LENGTH ?????????



face of sheet pile wall

Fish Jetty - Corner 2 Details [1:50]

T +44 (0) 28 90 667914 F +44 (0) 28 90 668286 W www.rpsgroup.com/ireland E ireland@rpsgroup.com

Aberdeenshire Council

Stonehaven Harbour Sheet Pile Inspection

Proposed Sheet Piling General

Arrangement Drawing Scale Sheet Size Project Number

Drawing Number

IBM0745

|IBM0745-RPS-IN-T-DR-C-0502

1:100

Drawn By	Status	Revision
M.M	Tender	-
Checked By S.G	Approved By S.G	