


A2



FOOTPATH SECTION (1:50)

SPECIFICATION OF FOOTPATH:

NEW WALKWAY TO BE TO THE SIZES SHOWN WITH ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE.

WALKWAY TO BE FORMED USING 1200x1200 x7200mm TYBLOCS AND TO BE ON 50mm WEAK CONCRETE MIX BEDDING LAYER ON 1000 GAUGE VISQUEEN OR EQUIVALENT. ALL THIS TO BE WELL BEDDED IN GOOD QUALITY INERT INFILL AS SHOWN IN THE SECTION.

FINAL FINISH ON TOP TO BE 30mm THICK ASPHALT OR SIMILAR ON 50mm DENSE MACADAM BASE-COURSE ON 100mm TYPE 1 GRANULAR MATERIAL ON 50mm TYPE 1 SUB-BASE WITH ASPHALT TO HAVE A 50mm FALL FOR DRAINAGE AS SHOWN.

INTERMEDIATE WALKWAY ON ROCK ARMOUR IS TO PROVIDE IMPROVED ACCESS TO THE PONTOONS.



NOTES

All work to current British Standards.
 Electrics to be to IEE regs. 17th edition and to BS7671 2011.
 All demolition work to be to BS6187:1982 and Health & Safety at Work Act 2000.
 All drainage to be to the satisfaction of the local authority.
 No HAC to be used and no notching of joists.
 All finishes to be made good.

DO NOT SCALE FROM DRAWINGS.
ALL DIMENSIONS MUST BE CHECKED ON SITE.

B August 2018 Details amended
 A May 2017 Details amended.
 Rev: Date: Description:


CLIENT:
 Sandpoint Marina,
 Woodyard Road,
 Dumbarton.

PROJECT:
 Proposed Footpath on Boundary of Sandpoint Marina, Woodyard Road, Dumbarton.

SCALE: 1:50, 1:10
DATE: May 2017

TITLE:
 Proposed Sections and Fence Details.

DRWG No.: 003B



BOUNDARY FENCE ELEVATION (1:10)

BOUNDARY FENCE TO BE FORMED USING 50mm DIA. TUBULAR STEEL SUPPORTS AND HANDRAIL AT THE HEIGHTS AND CENTERS SHOWN. FENCE TO BE SET 100mm FROM THE TOE OF THE FOOTPATH AND SUPPORTS TO BE BOLTED TO THE NEW FOOTPATH AT BASE.

FENCE PANELS TO CONSIST OF PVC FINISHED MESH AS SHOWN ALL FIXED TO THE SUPPORTS AND THE HANDRAIL ACCORDING TO THE MANUFACTURERS INSTRUCTIONS.

