

**EIA Report Volume 3a: Figures** 

Moray Offshore Windfarm (West) Limited

**Table of Contents** 

# **Table of Contents**

# **EIA Report - Volume 3a Figures**

#### **Chapter 1: Introduction**

Figure 1.5.1: Site Location

# Chapter 2: Policy and Legislative Context

No figures

#### **Chapter 3: Site Selection and Alternatives**

Figure 3.4.1: Round 3 Wind Farms in the Moray Firth Zone

Figure 3.6.1: Grid Connection Options

Figure 3.6.2: Landfall Options

#### **Chapter 4: Description of Development**

Figure 4.3.1: Development Boundary

Figure 4.4.1: Indicative Turbine Layout

#### Chapter 5: EIA Methodology

No figures

## **Chapter 6: Physical Processes**

Figure 6.4.1: Study Area

Figure 6.4.2: Data and Deployment Locations in the Moray Firth

Figure 6.4.3: Seabed Sediments within the Study Area

Figure 6.4.4: Designated Sites and Identified Receptors in the Moray Firth

Figure 6.7.1: Typical Sediment Plume Resulting from Dredging Overspill (Tenth Foundation in Sequence)

Figure 6.7.2: Spring Tidal Excursion Ellipses and Buffer

Figure 6.7.3: Effect of the Development on Tidal Currents

Figure 6.7.4: Effect of the Development on Wave Height (1:1 year)

Figure 6.7.5: Effect of the Development on Wave Height (1:10 year)

Figure 6.7.6: Effect of the Development on Wave Height (1:50 year)

Figure 6.8.1: The Offshore Export Cable Landfall Area

Figure 6.9.1: Cumulative Effect of All Sites on Tidal Currents

Figure 9.6.2: Cumulative Effect of All Sites on Wave Height (1:1 year)

Figure 9.6.3: Cumulative Effect of All Sites on Wave Height (1:10 year)

Figure 9.6.4: Cumulative Effect of All Sites on Wave Height (1:50 year)

#### Chapter 7: Benthic and Intertidal Ecology

- Figure 7.3.1: Benthic Ecology Baseline Characterisation Survey Area & Stations
- Figure 7.3.2: Intertidal Ecology Baseline Characterisation Survey Area & Transects
- Figure 7.4.1: Seabed Sediments (derived from survey) within the Moray West Site
- Figure 7.4.2: Seabed Sediments (derived from survey) within the Offshore Export Cable Corridor
- Figure 7.4.3: Moray West Site -Biotopes (derived from survey)
- Figure 7.4.4: Offshore Export Cable Corridor Biotopes (derived from survey)
- Figure 7.4.5: Landfall Biotopes (derived from survey)

### Chapter 8: Fish and Shellfish Ecology

- Figure 8.4.1: Moray West Fish & Shellfish Study Area
- Figure 8.4.2: Sandeel and Nephrops Spawning and Nursery Grounds
- Figure 8.4.3: Herring & Lemon Sole Spawning and Nursery Grounds
- Figure 8.4.4: Cod & Sprat Spawning and Nursery Grounds
- Figure 8.4.5: Plaice & Haddock Spawning and Nursery Grounds
- Figure 8.4.6: Whiting Spawning and Nursery Grounds
- Figure 8.4.7: Spurdog, Tope, Thornback & Spotted Ray Nursery Grounds
- Figure 8.4.8: Blue Whiting, Ling, Hake, Anglerfish, Mackerel & Saithe Nursery Grounds
- Figure 8.4.9: Herring Spawning Areas from Coull et al. (1998) and 2007/2008 2016/2017 IHLS Abundance Heatmap

#### Chapter 9: Marine Mammal Ecology

- Figure 9.4.1: Seal Designated Haul-outs, SAC and MU
- Figure 9.4.2: ECOMMAS Porpoise Positive Days 2016
- Figure 9.4.3: Cetacean Sightings During HiDef Surveys
- Figure 9.4.4: Harbour Porpoise Predicted Density (#/cell)
- Figure 9.4.5: ECOMMAS Dolphin Positive Days 2016
- Figure 9.4.6: Bottlenose Dolphin Density (#/cell)
- Figure 9.4.7: Minke Whale Density (#/km²)
- Figure 9.4.8: Harbour Seal August Haul-out Counts
- Figure 9.4.9: Harbour Seal Telemetry Tracks (n=37)
- Figure 9.4.10: Harbour Seal Density Surface (#/cell)
- Figure 9.4.11: Grey Seal August Haul-out Counts
- Figure 9.4.12: Grey Seal Telemetry Tracks

- Figure 9.4.13: Grey Seal Density Surface (#/cell)
- Figure 9.7.1: Noise Modelling Locations
- Figure 9.7.2: Minke Whale PTS Impact Range Concurrent Pin Pile 3,000 kJ
- Figure 9.7.3: Porpoise Density Noise Level Contours Monopile 5,000 kJ
- Figure 9.7.4: Porpoise Density Noise Level Contours Pin Pile 3,000 kJ
- Figure 9.7.5: Dolphin Density Noise Level Contours Monopile 5,000 kJ
- Figure 9.7.6: Dolphin Density Noise Leve I Contours Monopile 3,500 kJ
- Figure 9.7.7: Dolphin Density Noise Level Contours Monopile 1,000 kJ
- Figure 9.7.8: Dolphin Density Noise Level Contours Pin Pile 3,000 kJ
- Figure 9.7.9: Minke Whale Noise Level Contours Monopile 5,000 kJ
- Figure 9.7.10: Minke Whale Noise Level Contours Pin Pile 3,000 kJ
- Figure 9.7.11: Harbour Seal Noise Level Contours Monopile 5,000 kJ
- Figure 9.7.12: Harbour Seal Noise Level Contours Pin Pile 3,000 kJ
- Figure 9.7.13: Grey Seal Density Noise Level Contours Monopile 5,000 kJ
- Figure 9.7.14: Grey Seal Density Noise Level Contours Pin Pile 3,000 kJ
- Figure 9.7.15: Porpoise Density Noise Level Contours Concurrent Monopile 5,000 kJ
- Figure 9.7.16: Dolphin Density Noise Level Contours Concurrent Monopile 5,000 kJ
- Figure 9.7.17: Minke Whale Noise Level Contours Concurrent Monopile 5,000 kJ
- Figure 9.7.18: Harbour Seal Noise Level Contours Concurrent Monopile 5,000 kJ
- Figure 9.7.19: Grey Seal Density Noise Level Contours Concurrent Monopile 5,000 kJ
- Figure 9.8.1: Projects Included Quantitatively in the Cumulative Impact Assessment

### Chapter 10: Ornithology

Figure 10.5.1: Moray West Arial Surveys

#### Chapter 11: Commercial Fisheries

- Figure 11.4.1: Commercial Fisheries Study Area
- Figure 11.4.2: Surveillance Sightings by Nationality (2012-2016)
- Figure 11.4.3 Surveillance Sightings by Method (2012-2016)
- Figure 11.4.4: UK Average Landings by Method (2012-2016)
- Figure 11.4.5: Average Landings Values (2012-2016) by Species
- Figure 11.4.6: Creeling Fishing Grounds Identified through Consultation with Local Fisherman 2017
- Figure 11.4.7: Mackerel Grounds Identified through Consultation with Local Fishermen 2017
- Figure 11.4.8: Average VMS Value by Demersal Mobile Nets UK (2012-2016)

- Figure 11.4.9: Average VMS Effort by Demersal Mobile Nets for UK (2012-2016)
- Figure 11.4.10: Nephrops Grounds Identified by Local Fishermen Following Consultation 2017
- Figure 11.4.11: Squid Grounds Identified through Consultation with Local Fishermen 2017
- Figure 11.4.12: Average VMS Value by Dredging (2012-2016)
- Figure 11.4.13: Average VMS Effort by Dredging (2012-2016)
- Figure 11.4.14: AIS Tracks for Scallop Dredges May November 2017
- Figure 11.4.15: VMS Value by Dredge (2012-2016) UK Wide
- Figure 11.4.16: VMS Effort by Dredging (2012-2016) UK Wide
- Figure 11.4.17: Scallop Fishing Grounds Identified Through Local Fishermen Consultation 2017
- Figure 11.4.18: AIS tracks of Known Scallop Dredgers that Target the Moray Firth
- Figure 11.8.1: Average VMS Value by Demersal Mobile Nets around Scotland (2012-2016)
- Figure 11.8.2: Average VMS Effort by Demersal Mobile Nets around Scotland (2012-2016)
- Figure 11.8.3: Average VMS Value by Dredge for UK (2012-2016)
- Figure 11.8.4: Average VMS Effort by Dredging around UK (2012-2016)
- Figure 11.8.5: Creeling Grounds Identified through Consultation with Local Fishermen 2017
- Figure 11.8.6: Mackerel Grounds Identified by Local Fishermen Following Consultation 2017
- Figure 11.8.7: Nephrops Grounds Identified by Local Fishermen Following Consultation 2017
- Figure 11.8.8: Squid Grounds Identified by Local Fishermen Following Consultation 2017
- Figure 11.8.9: Scallop Grounds Identified by Local Fishermen Following Consultation 2017
- Figure 11.8.10: Average VMS Value by Dredge for UK (2012-2016)

#### Chapter 12: Shipping and Navigation

- Figure 12.4.1: Navigational Features Overview
- Figure 12.4.2: AIS, Visual and Radar Data within Moray West Offshore Wind Farm Study Area (25 Days Summer 2017)
- Figure 12.4.3: AIS Data within Moray West Offshore Wind Farm Study Area (28 Days Winter 2016)
- Figure 12.4.4: AIS Density Moray West Offshore Wind Farm Study Area (25 Days Summer 2017)
- Figure 12.4.5: AIS Density within Moray West Offshore Wind Farm Study Area (28 Days Winter 2016
- Figure 12.4.6: 90th Percentile of Identified Main Routes within Vicinity of Moray West Offshore Wind Farm Study Area (53 Days Summer 2017 and Winter 2016)
- Figure 12.4.7: AIS, Visual and Radar Fishing Vessels within the Moray West Offshore Wind Farm Study Area and the OfTI Study Area (53 Days Summer 2017 and Winter 2016

Figure 12.4.8: RYA Cruising Routes and AIS, Visual and Radar Recreational Vessels within the Moray West Offshore Wind Farm Study Area and OfTI Study Area (25 Days Summer 2017)

## **Chapter 13: Military and Civil Aviation**

Figure 13.4.1: Study Area

#### Chapter 14: Seascape, Landscape and Visual Impact Assessment

Figure 14.4.1: SLVIA Study Area

Figure 14.4.2: Visual Receptor Concentrations

Figure 14.4.3: Representative Viewpoint Location Plan

Figure 14.4.4 Landscape Character Types

Figure 14.4.5: National Coastal Character Types

Figure 14.4.6a: Regional Coastal Character Areas (context)

Figure 14.4.6b-h: Regional Coastal Character Areas (detail)

Figure 14.4.7: Landscape Planning Designations

Figure 14.4.8: Wild Land Areas

Figure 14.6.1: Rochdale Envelope- SLVIA Layouts

Figure 14.6.2: Rochdale Envelope- SLVIA Layouts (Night Layout)

Figure 14.6.3: Rochdale Envelope- SLVIA Assessment Layout

Figure 14.6.4: Rochdale Envelope- SLVIA Alternate Night Assessment Layout

Figure 14.7.1a: Blade Tip ZTV with Viewpoints (Overview)

Figure 14.7.1b: Blade Tip ZTV with Viewpoints (Detail)

Figure 14.7.1c: Comparative ZTV -Model 4f and Model 2 Layouts

Figure 14.7.1d: Comparative ZTV -Model 4f and Model 3 Layouts

Figure 14.7.2a: Hub Height ZTV

Figure 14.7.2b Hub Height ZTV Comparison - Layout 4f / Layout 2

Figure 14.7.3 Horizontal Angle ZTV

Figure 14.7.4 Landscape Character Types With ZTV

Figure 14.7.5a Regional Coastal Character Areas (context) with ZTV

Figure 14.7.5b-h Regional Coastal Character Areas (detail) with ZTV

Figure 14.7.6 Landscape Designations & Wild Land Areas With ZTV

Figure 14.7.7a Visual Receptor Concentrations with ZTV (Context)

Figure 14.7.7b: Visual Receptor Concentrations with ZTVA9: Suredale to Latheron

Figure 14.7.7c Visual Receptor Concentrations with ZTVA9: Brora to Latheron

Figure 14.7.7d Visual Receptor Concentrations with ZTVA99: Latheron to Wick

Figure 14.7.7e Visual Receptor Concentrations with ZTVA99: Wick to John o' Groats

Figure 14.7.7f Visual Receptor Concentrations with ZTV Lossiemouth to Logie Head

Figure 14.8.1: Cumulative Wind Farm Locations

Figure 14.8.2: Cumulative ZTV with Operational / Under Construction Wind Farms

Figure 14.8.3: Cumulative ZTV with Operational / Under Construction & Consented Wind Farms

Figure 14.8.4: Cumulative ZTV with Operational / Under Construction / Consented & Application Wind Farms

Figure 14.8.5: Cumulative ZTV with Beatrice Demonstrator Turbines

Figure 14.8.6: Cumulative ZTV with BOWL

Figure 14.8.7: Cumulative ZTV with Moray East

Figure 14.8.8: Cumulative ZTV with Burn of Whilk

Figure 14.8.9: Cumulative ZTV with Buolfruich

Figure 14.8.10: Cumulative ZTV with Achairn, Flex Hill, Wathegar 1&2

Figure 14.8.11: Cumulative ZTV with Camster

Figure 14.8.12: Cumulative ZTV with Causeymire, Achachan 1&2, Bad a Cheo, Halsary

Figure 14.8.13: Cumulative ZTV with Gordonbush and Extension

Figure 14.8.14: Cumulative ZTV with Stroupster

Figure 14.8.15: Cumulative ZTV with Kilbraur

Figure 14.8.6: Cumulative ZTV with Rumster

Figure 14.8.17: Cumulative ZTV with Cogle Moss

Figure 14.8.18: Cumulatiove ZTV with Lochend Farm

Figure 14.8.19: Cumulative ZTV with Navidale

Figure 14.8.20: Cumulative ZTV with Golticlay

Figure 14.8.21: Cumulative ZTV with West Garty

Figure 14.8.22: Cumulative ZTV with Boyndie and Extension

Figure 14.8.23: Cumulative ZTV with Aultmore

Figure 14.8.24: Cumulative ZTV with Lurg Hill, Netherton of Windyhill

# <u>Chapter 15: Socioeconomics, Tourism and Recreation</u>

No figures.

# Chapter 16: Archaeology and Cultural Heritage

Figure 16.4.1: Location Map

Figure 16.4.2: Seabed Features of Archaeological Potential within Moray West Site

- Figure 16.4.3: Seabed Features of Archaeological Potential within the Export Cable Route
- Figure 16.4.4: Onshore Receptors within the ZTV Identified for Setting Impacts
- Figure 16.7.1: Dunbeath Inver Forth (SM5073) and Latheronwheel Promontory Fort (SM5182): Cumulative Wirelines
- Figure 16.7.2: The Tulloch (Usshilly), Broch and Field System (SM599) and Dunbeath Castle (LB7936): Cumulative Wirelines
- Figure 16.7.3: Dunrobin Castle (LB7044) and Covesea Skerries Lighthouse, Keeper's Cottage and Steading (LB3705): Cumulative Wirelines

# **Chapter 17: Other Human Activities**

- Figure 17.4.1: Other Human Study Area
- Figure 17.4.2: Other Offshore Wind Farm Developments
- Figure 17.4.3: Oil and Gas Infrastructure and Licenced Blocks
- Figure 17.4.4: Open Marine Disposal Sites
- Figure 17.4.5: Subsea Cables and Pipelines

# **Chapter 18: Whole Project Assessment**

Figure 18.2.1: OnTI Location: Planning Application Boundary and Substation Site