

Preface

This Environmental Statement (ES) has been prepared by Moray Offshore Renewables Ltd (MORL) to accompany the consent applications under Section 36 of the Electricity Act 1989, Marine and Coastal Access Act 2009 and Marine (Scotland) Act 2010, to construct, operate and decommission three wind farm sites (Telford Offshore Wind Farm, Stevenson Offshore Wind Farm and MacColl Offshore Wind Farm). MORL has applied for a Marine Licence for each wind farm site to allow deposition of infrastructure on the seabed. A single Marine Licence application has been submitted to support the offshore aspects of MORL's Transmission Infrastructure (TI).

An application for planning permission for the onshore aspects of the TI will be submitted to the relevant authorities, supported by this ES and such further information as is required to support the planning application.

The consent applications will be determined by the Scottish Ministers, acting through Marine Scotland Licensing Operations Team (MS-LOT). Onshore consent will be determined by the Local Planning Authority (LPA) Aberdeenshire Council.

This ES comprises the following volumes:

- **Volume 1** – Non Technical Summary;
- **Volume 2** – Project Background, Project Details and Description of the Environment;
- **Volume 3** – Offshore Generating Station Environmental Impact Assessment;
- **Volume 4** – Transmission Infrastructure Environmental Impact Assessment;
- **Volume 5** – Whole Project Assessment and Cumulative Impact Assessment;
- **Volume 6** – Figures;
- **Volume 7** – Seascape, Landscape and Visual Receptor Figures and Photomontages; and
- **Volumes 8-11** – Technical Appendices.

The ES will be available to view at the following locations:

- **The Highland Council**, Planning Office, Glenurquart Road, Inverness, IV3 5NX
- **Caithness Planning Office**, Market Square, Wick, KW1 4AB
- **Moray Council**, Planning Office, High Street, Elgin, IV30 1BX
- **Peterhead Planning Office**, Aberdeenshire Council, Arbutnot House, Peterhead, AB42 1DA
- **Helmsdale Library and Service Point**, Dunrobin Street, Helmsdale, KW8 6JX
- **Buckie Library**, Cluny place, Buckie, AB56 1HB
- **Golspie Service Point**, Olsen House, Main Street, Golspie, KW10 6RA
- **Brora Library**, Gower Street, Brora, Highland, KW9 6PD

The Environmental Statement can also be viewed at the Scottish Government Library at Victoria Quay, Edinburgh, EH6 6QQ.

Copies of the Environmental Statement may be obtained from MORL (Tel: 0131 556 7602, Email: info@morayoffshorerenewables.co.uk) at a charge of £350 or on CD for £10 (including p & p). Copies of a short Non-Technical Summary may be obtained free of charge from MORL.

The ES is also available to download online at www.morayoffshorerenewables.com.

Table of Contents

Volume 2

Section 1 – The Project

- 1. Project Background**
 - 1.1. Introduction
 - 1.2. Regulatory and Policy Context
 - 1.3. Environmental Impact Assessment
 - 1.4. Stakeholder Consultation

- 2. Project Details**
 - 2.1. Assessment of Alternatives
 - 2.2. Project Description

Section 2 – Description of the Environment

- 3. Physical Environment**
 - 3.1. Bathymetry
 - 3.2. Geology
 - 3.3. Wind Climate
 - 3.4. Hydrodynamics (Wave Climate and Tidal Regime)
 - 3.5. Sedimentary and Coastal Processes
 - 3.6. Underwater Noise
 - 3.7. Hydrology, Geology and Hydrogeology
 - 3.8. Noise (Onshore)

- 4. Biological Environment**
 - 4.1. Designated Sites
 - 4.2. Benthic Ecology
 - 4.3. Fish and Shellfish Ecology
 - 4.4. Marine Mammals
 - 4.5. Ornithology
 - 4.6. Intertidal Ecology
 - 4.7. Terrestrial Ecology

- 5. Human Environment**
 - 5.1. Commercial Fisheries
 - 5.2. Shipping and Navigation
 - 5.3. Military and Civil Aviation
 - 5.4. Seascape, Landscape and Visual Receptors
 - 5.5. Archaeology and Visual Receptors
 - 5.6. Socio-Economics, Recreation and Tourism
 - 5.7. Traffic and Transport
 - 5.8. Other Human Activities

Volume 3**Section 3 – Offshore Generating Station Impact Assessment****6. Physical Environment**

- 6.1. Hydrodynamics (Wave Climate and Tidal Regime)
- 6.2. Sedimentary and Coastal Processes

7. Biological Environment

- 7.1. Benthic Ecology
- 7.2. Fish and Shellfish Ecology
- 7.3. Marine Mammals
- 7.4. Ornithology

8. Human Environment

- 8.1. Commercial Fisheries
- 8.2. Shipping and Navigation
- 8.3. Military and Civil Aviation
- 8.4. Seascape, Landscape and Visual Receptors
- 8.5. Archaeology and Visual Receptors
- 8.6. Socio-economics, Recreation and Tourism
- 8.7. Other Human Activities

Volume 4**Section 4 – Transmission Infrastructure Impact Assessment****9. Physical Environment**

- 9.1. Hydrodynamics (Wave Climate and Tidal Regime)
- 9.2. Sedimentary and Coastal Processes
- 9.3. Hydrology, Geology and Hydrogeology
- 9.4. Noise (Onshore)

10. Biological Environment

- 10.1. Benthic Ecology
- 10.2. Fish and Shellfish Ecology
- 10.3. Marine Mammals
- 10.4. Ornithology
- 10.5. Intertidal Ecology
- 10.6. Terrestrial Ecology

11. Human Environment

- 11.1. Commercial Fisheries
- 11.2. Shipping and Navigation
- 11.3. Military and Civil Aviation
- 11.4. Seascape, Landscape and Visual Receptors
- 11.5. Archaeology and Visual Receptors
- 11.6. Socio-economics, Recreation and Tourism
- 11.7. Traffic and Transport
- 11.8. Other Human Activities

Volume 5

Section 5 - Whole Project Assessment

12. Whole Project Impact Assessment

- 12.1. Whole Project Assessment
- 12.2. Habitat Regulations Appraisal Summary

Section 6 – Cumulative Impact Assessment

13. Physical Environment

- 13.1. Hydrodynamics (Wave Climate and Tidal Regime)
- 13.2. Sedimentary and Coastal Processes
- 13.3. Hydrology, Geology and Hydrogeology
- 13.4. Noise (Onshore)

14. Biological Environment

- 14.1. Benthic Ecology
- 14.2. Fish and Shellfish Ecology
- 14.3. Marine Mammals
- 14.4. Ornithology
- 14.5. Intertidal Ecology
- 14.6. Terrestrial Ecology

15. Human Environment

- 15.1. Commercial Fisheries
- 15.2. Shipping and Navigation
- 15.3. Military and Civil Aviation
- 15.4. Seascape, Landscape and Visual Receptors
- 15.5. Archaeology and Visual Receptors
- 15.6. Socio-economics, Recreation and Tourism
- 15.7. Traffic and Transport
- 15.8. Other Human Activities

Volume 6 a Figures

Introduction

Environmental Impact Assessment

Assessment of Alternatives

Bathymetry

Wind Climate

Hydrodynamics (Wave Climate and Tidal Regime)

Sedimentary and Coastal Processes

Underwater Noise

Hydrology, Geology and Hydrogeology

Designated Sites

Benthic Ecology

Fish and Shellfish Ecology

Marine Mammals

Volume 6b Figures

Ornithology
 Intertidal Ecology
 Terrestrial Ecology
 Commercial Fisheries
 Shipping and Navigation
 Archaeology and Visual Receptors
 Socio-Economics, Recreation and Tourism
 Traffic and Transport
 Other Human Activities

Volume 7

Seascape, Landscape and Visual Impact Assessment Figures and Photomontages

Volume 8 Technical Appendices – The Project**1.2 Regulatory and Policy Context**

Appendix 1.2 A Relevant Legislation

1.3 Environmental Impact Assessment

Appendix 1.3 A Draft Environmental Management Plan
 Appendix 1.3 B Scoping Opinion (Offshore Generating Station and Transmission Infrastructure)
 Appendix 1.3 C Draft ES Consultation Responses
 Appendix 1.3 D MFOWDG Cumulative Assessment Document
 Appendix 1.3 E Preliminary Decommissioning Programme

1.4 Stakeholder Consultation

Appendix 1.4 A Grouped Stakeholder List
 Appendix 1.4 B Stakeholder Engagement Strategy
 Appendix 1.4 C Stakeholder Meetings
 Appendix 1.4 D Results of Opinion Survey
 Appendix 1.4 E Media Releases and Coverage 2010 and 2011 Including Advertising
 Appendix 1.4 F Summary Responses to Draft ES

2.1 Assessment of Alternatives

- Appendix 2.1 A Export Cable Feasibility Study (Metoc-Hyder, 2011)
Appendix 2.1 B Concept Engineering Study (JP Kenny, 2011)

Volume 9 Technical Appendices – Physical Environment

3.4 Hydrodynamics (Wave Climate and Tidal Regime)

- Appendix 3.4 A Metocean and Coastal Processes Baseline
Appendix 3.4 B Metocean and Coastal Processes Numerical Modelling
Appendix 3.4 C Metocean and Coastal Processes Impact Assessment

3.6 Underwater Noise

- Appendix 3.6 A Underwater Noise Technical Report

3.7 Hydrology, Geology and Hydrogeology

- Appendix 3.7 A Hydrology, Geology and Hydrogeology Technical Report

Volume 10 Part 1 Technical Appendices – Biological Environment

4.2 Benthic Ecology

- Appendix 4.2 A Benthic Ecology Characterisation Study (Wind Farm Sites)
Appendix 4.2 B Benthic Ecology Characterisation Study (Transmission Infrastructure)

4.3 Fish and Shellfish Ecology

- Appendix 4.3 A Fish and Shellfish Ecology Technical Report
Appendix 4.3 B Salmon, Sea Trout and Fisheries Technical Report
Appendix 4.3 C Sandeel Survey Report
Appendix 4.3 D Electromagnetic Fields Modelling

Volume 10 Part 2 Technical Appendices – Biological Environment

4.4/7.3 Marine Mammals

Appendix 4.4 A	Marine Mammals Baseline
Appendix 7.3 A	Marine Mammals Environmental Impact Assessment
Appendix 7.3 B	Framework for assessing the impacts of pile-driving noise from offshore wind farm construction on Moray Firth harbour seal population
Appendix 7.3 C	MORL SAFESIM noise impact assessment for seals and cetaceans
Appendix 7.3 D	A comparison of behavioural responses by harbour porpoises and bottlenose dolphins to noise: Implications for wind farm risk assessments
Appendix 7.3 E	Identification of appropriate noise exposure criteria for assessing auditory injury for Pinnipeds using offshore wind farm sites
Appendix 7.3 F	Noise propagation and SAFESIMM model outputs for marine mammal risk assessment
Appendix 7.3 G	Habitat Regulations Appraisal: Marine Mammals
Appendix 7.3 H	EPS Assessment: Supplementary Information

Volume 10 Part 3 Technical Appendices – Biological Environment

4.5 Ornithology

Appendix 4.5 A	Ornithology Baseline and Impact Assessment
Appendix 4.5 B	Aerial Ornithology Surveys for the Moray Firth Zone, Summer 2011
Appendix 4.5 C	Seabird Tracking and Modelling Report

4.6 Intertidal Ecology

Appendix 4.6 A	Intertidal Benthic Ecological Characterisation Survey
----------------	---

4.7 Terrestrial Ecology

Appendix 4.7 A	Terrestrial Ecology Technical Report
----------------	--------------------------------------

Volume 11 Technical Appendices – Human Environment

5.1 Commercial Fisheries

Appendix 5.1 A Commercial Fisheries Technical Report

5.2 Shipping and Navigation

Appendix 5.2 A Hazard Log
Appendix 5.2 B Consequences Assessment
Appendix 5.2 C MCA MGN 371 Checklist
Appendix 5.2 D Navigational Risk Assessment (Wind Farm Sites)
Appendix 5.2 E Navigational Risk Assessment (OfTI)

5.3 Military and Civil Aviation

Appendix 5.3 A Initial Aviation Assessment
Appendix 5.3 B Helicopter Impact Assessment
Appendix 5.3 C Radar Propagation Modelling

5.4 Seascape, Landscape and Visual Receptors

Appendix 5.4 A SLVIA Methodology
Appendix 5.4 B Met Office Meteorological Data
Appendix 5.4 C SLVIA Secondary Assessments

5.5 Archaeology and Visual Receptors

Appendix 5.5 A Archaeology Technical Report

5.6 Socio-economics, Recreation and Tourism

Appendix 5.6 A Socio-economic Technical Report

5.7 Traffic and Transport

Appendix 5.7 A Consultee Responses
Appendix 5.7 B Traffic Flow Data Conversion
Appendix 5.7 C Future Traffic Baseline

5.8 Other Human Activities

Appendix 5.8 A UXO Threat and Risk Assessment

Confidential Appendix (Supplied Separately)

4.7 Terrestrial Ecology

Appendix 4.7B Terrestrial Ecology Confidential Appendix

List of Acronyms and Abbreviations

%	—	Percentage
AADT	—	Average Annual Daily Traffic
AC	—	Alternating Current
AD	—	Anno Domini
AIS	—	Automatic Identification System
ALARP	—	As Low as Reasonably Practicable
ALB	—	All—Weather Lifeboat
AOD	—	Above Ordnance Datum
ASCOBANS	—	Agreement on the Conservation of Small Cetaceans in the Baltic and North Seas
ASFB	—	Association of Salmon Fishery Boards
ASMS	—	Active Safety Management System
AtoN	—	Aid to Navigation
B	—	Magnetic field
BAP	—	Biodiversity Action Plan
BC	—	Before Christ
BERR	—	Department for Business Enterprise & Regulatory Reform
BGS	—	British Geological Survey
BMM	—	Brown and May Marine Limited
BoCC	—	Birds of Conservation Concern
BOWL	—	Beatrice Offshore Wind Farm Ltd
BP	—	Before Present
BTO	—	British Trust for Ornithology
BWEA	—	British Wind Energy Association
CA	—	Cruising Association
CAA	—	Civil Aviation Authority
CBC	—	Common Bird Census
CCTV	—	Closed Circuit Television
CEFAS	—	Centre for Environment, Fisheries and Aquaculture Science
CEMP	—	Construction Environmental Management Plan
CFPA	—	Cromarty Firth Port Authority
CI	—	Coefficient Interval
CIADD	—	Cumulative Impact Assessment Discussion Document
cm	—	Centimetre
COWRIE	—	Collaborative Offshore Wind Research into the Environment

CPA	—	Coast Protection Act 1949
CPC	—	Cable Protection Committee
CPT	—	Cone Penetration Tests
CSLVIA	—	Cumulative Seascape, Landscape and Visual Receptors Impact Assessment
CSM	—	Conceptual site model
CV	—	Coefficient of Variation
DC	—	Direct Current
dB	—	Decibel
dB _{ht}	—	Decibel Hearing Threshold
dB _{ht} (Species)	—	Decibel Hearing Threshold (for a particular species)
DDV	—	Drop Down Video
DECC	—	Department of Energy and Climate Change
DEFRA	—	Department for Environment, Food and Rural Affairs
DFO	—	District Fishery Office
DfT	—	Department for Transport
DSFB	—	District Salmon Fishery Board
DTI	—	Department for Trade and Industry
EA	—	Environment Agency (England)
EAR	—	Ecological Acoustic Reader
EC	—	European Commission
ECoW	—	Ecological Clerk of Works
EHO	—	Environmental Health Officer
E	—	Electric field
E _i	—	Induced Electrical field
EIA	—	Environmental Impact Assessment
EMF	—	Electromagnetic field
EMP	—	Environmental Management Plan
EOWDC	—	European Offshore Wind Deployment Centre
EPS	—	European Protected Species
ERCoP	—	Emergency Response Cooperation Plan
ERRV	—	Emergency Response and Rescue Vessel
ES	—	Environmental Statement
ESAS	—	European Seabirds at Sea
FAD	—	Fish Aggregation Device
FEPA	—	Food and Environment Protection Act
FIR	—	Fishing Industry Representative

FL	—	Flight Level
FLOW	—	Fishing Liaison for Offshore Wind
FSA	—	Formal Safety Assessment
ft	—	Feet
FTE	—	Full time equivalent
Ftm	—	Fathom
GAM	—	Generalised Additive Models
GAMM	—	Generalised Additive Mixed Models
GBS	—	Gravity Base Structure
GEE	—	Generalised Estimation Equation
GIS	—	Geographical Information System
GMS	—	Goose Management Scheme
GPS	—	Global Positioning System
GSD	—	Ground Sample Distance
GVA	—	Gross Value Added
GW	—	Giga Watt
GWDE	—	Ground and Water-Dependant Terrestrial Ecosystems
ha	—	Hectare
HAT	—	Highest Astronomical Tide
HCHET	—	Highland Council Historic Environment Team
HDD	—	Horizontal Directional Drilling
HGV	—	Heavy Goods Vehicle, including Abnormal Loads
HIE	—	Highlands and Islands Enterprise
hp	—	Horsepower
hr	—	Hour
HVAC	—	High Voltage Alternating Current
HVDC	—	High Voltage Direct Current
Hz	—	Hertz
IAIP	—	Integrated Aeronautical Information Package
IALA	—	International Association of Marine Aids to Navigation and Lighthouses
ICES	—	International Council for the Exploration of the Sea
ICOMOS	—	International Council on Monuments and Sites
IEEM	—	Institute of Ecology and Environmental Management
IfA	—	Institute of Archaeologists
IHO	—	International Hydrographic Organisation
IMO	—	International Maritime Organisation

in	—	Inches
IUCN	—	International Union for Conservation of Nature
JNAPC	—	Joint Nautical Archaeology Policy Committee
JNCC	—	Joint Nature Conservation Committee
kg	—	Kilogram
kg / s	—	Kilogram per second
KIS—CA	—	Kingfisher Information Services—Cable Awareness
kJ	—	Kilojoule
km	—	Kilometres
km ²	—	Square kilometres
km ² -hrs	—	Square kilometres per hours
kN	—	Kilonewton
kN / m ²	—	Kilonewton per square metre
kN / m ³	—	Kilonewton per cubic metre
kV	—	Kilovolt
l / s	—	Litres per second
L _{Aeq}	—	Equivalent continuous A-weighted sound pressure level
LAT	—	Lowest Astronomical Tide
LBAP	—	Local Biodiversity Action Plan
LGV	—	Light Goods Vehicle, including cars
LNR	—	Local Nature Reserve
Lw, dB	—	Sound power level
m	—	Metre
M	—	Million
m ²	—	Square metres
m ³	—	Cubic metres
m / h	—	Metres per hour
m / s	—	Metres per second
ms ⁻¹	—	Metres per second
m ³ / s	—	Cubic metres per second (often called cumecs)
MAIB	—	Marine Accident Investigation Branch
mAOD	—	Metres Above Ordnance Datum
MBES	—	Multibeam Echosounder
MCA	—	Maritime and Coastguard Agency
mCD	—	Metres Chart Datum
MCEU	—	Marine Consents and Environment Unit

MEHRA	—	Marine Environmental High Risk Area
MESH	—	Marine European Seabed Habitats
MFOWDG	—	Moray Firth Offshore Wind Developers Group
MFSTP	—	Moray Firth Sea Trout Project
mg / l	—	Milligrams per litre
MGN	—	Marine Guidance Notice
M _{hf}	—	M-weighted Sound Exposure Level for High Frequency Cetaceans
MHWS	—	Mean High Water Springs
M _{lf}	—	M-weighted Sound Exposure Level for Low Frequency Cetaceans
Mil AIP	—	Military Aeronautical Information Package
mm	—	Millimetre
M _{mf}	—	M-weighted Sound Exposure Level for Mid Frequency Cetaceans
MMMP	—	Marine Mammal Mitigation Protocol
MMO	—	Marine Management Organisation
MoD	—	Ministry of Defence
MORL	—	Moray Offshore Renewables Ltd
MPCP	—	Marine Pollution Contingency Plan
MPFSPG	—	Moray and Pentland Firths Salmon Protection Group
mph	—	Miles per hour
M _{pw}	—	M-weighted Sound Exposure Level for Pinnipeds (in water)
MRCC	—	Maritime Rescue Coordination Centre
MRSC	—	Maritime Rescue Sub-Centre
MS	—	Marine Scotland
ms ⁻¹	—	Metres per second
MSS	—	Marine Scotland Science
MSW	—	Multi—Sea Winter
mT	—	Millitesla
MtCO ₂	—	Metric Tonne (ton) carbon dioxide equivalent
MW	—	Megawatt
NBN	—	National Biodiversity Network
NESBReC	—	North East Scotland Biological Records Centre
NE LBAP	—	North East Scotland Local Biodiversity Action Plan
NIS	—	Non Indigenous Species
NLB	—	Northern Lighthouse Board
nm	—	Nautical mile
nm ²	—	Squared nautical mile

NMRS	—	National Monument Records of Scotland
NPS	—	Natural Power Consultants
NRA	—	Navigation Risk Assessment
NSRAC	—	North Sea Regional Advisory Council
NTS	—	Non Technical Summary
NtM	—	Notice to Mariners
NUTS	—	Nomenclature of Territorial Units for Statistics
NVC	—	National Vegetation Classification
NVQ	—	National Vocational Qualifications
OFGEM	—	Office of Gas and Electrical Markets
OfTI	—	Offshore Transmission Infrastructure
OFTO	—	Offshore Transmission Owner
OnTI	—	Onshore Transmission Infrastructure
OREI	—	Offshore Renewable Energy Installations
OSP	—	Offshore Substation Platform
Pa	—	Pascal
Pa.s	—	Pascals per second
PAD	—	Protocol for Archaeological Discoveries
PAM	—	Passive Acoustic Monitoring
PAN	—	Planning Advice Note
PCH	—	Potential Collision Height
PCPT	—	Piezocone Cone Penetration Test
PEXA	—	Practice and Exercise Area
PMF	—	Priority Marine Feature
PPG	—	Pollution Prevention Guidelines
PSD	—	Particle Size Distribution
PSR	—	Primary Surveillance Radar
pSLAs	—	Proposed Special Landscape Areas
PTS	—	Permanent Threshold Shift
PVA	—	Population Viability Analysis
RAF	—	Royal Air Force
RBMP	—	River Basin Management Plan
RCAHMS	—	Royal Commission on the Ancient and Historical Monuments of Scotland
REZ	—	Renewable Energy Zone
RNLI	—	Royal National Lifeboat Institution
ROW	—	Receiver of Wreck

rpm	—	Rotation per minute
RSPB	—	Royal Society for the Protection of Birds
RYA	—	Royal Yachting Association
s	—	Second
SAC	—	Special Area of Conservation
SAR	—	Search and Rescue
SBL	—	Scottish Biodiversity List
SBP	—	Sub-Bottom Profiler
SCA	—	Scottish Canoe Association
SCADA	—	Supervisory Control and Data Acquisition
SCANS	—	Small Cetaceans in the European Atlantic and North Sea
SE	—	Scottish Enterprise
SEA	—	Strategic Environmental Assessment
SEL	—	Sound Exposure Level
SEPA	—	Scottish Environment Protection Agency
SFF	—	Scottish Fishermen's Federation
SHEP	—	Scottish Historic Environment Policy
SHETL	—	Scottish Hydro Electric Transmission Limited
SLVIA	—	Seascape, Landscape and Visual Impact Assessment
SMRU	—	Sea Mammal Research Unit (University of St Andrews)
SMS	—	Safety Management Systems
SNCA	—	Statutory Nature Conservation Agency
SNFAS	—	Salmon Net Fishing Association of Scotland
SNH	—	Scottish Natural Heritage
SPA	—	Special Protected Area
SPL	—	Sound Pressure Level
SPV	—	Special Purpose Vehicle
SSC	—	Suspended Sediment Concentration
SSE	—	Scottish and Southern Energy
SSR	—	Secondary Surveillance Radar
SSS	—	Sidescan Sonar: A sonar survey system that maps the seabed
SSSI	—	Site of Special Scientific Interest
STW	—	Scottish Territorial Waters
SuDS	—	Sustainable Urban Drainage System
SWT	—	Scottish Wildlife Trust
TCE	—	The Crown Estate



tCO ₂	—	Tonnes of CO ₂
Te	—	Tonne (as used in offshore industry)
T-POD	—	Timing Porpoise Detectors
TTS	—	Temporary Threshold Shift
TWH	—	Terawatts per hour
UK BAP	—	United Kingdom Biodiversity Action Plan
UKCS	—	United Kingdom Continental Shelf
UKHO	—	United Kingdom Hydrographic Office
UNESCO	—	United Nations Educational, Scientific and Cultural Organisation
UXO	—	Unexploded Ordnance
VC	—	Vibrocore
VER	—	Valued Ecological Receptor
VMS	—	Vessel Monitoring System
Vph	—	Vehicles per hour
WeBS	—	Wetland Bird Survey
WSI	—	Written Scheme for Investigation
WTG	—	Wind Turbine Generator
yr	—	Year
ZTV	—	Zone of Theoretical Visibility
1SW	—	One—Sea Winter
μPA	—	Micro pascal
μPa ² s	—	Micro pascal squared second
μpa ² Hz ⁻¹	—	Micro pascal squared per Hertz
μT	—	Micro Tesla

Technical Terminology

Abnormal Loads: Loads that require oversize vehicles for transport *i.e.* turbine components, transformers. Such deliveries require special approval.

Above Ordnance Datum: (AoD) In the UK this is the elevation above or below the Mean Sea Level at Newlyn in Cornwall between 1915 and 1921.

Abundance: An ecological concept referring to the relative representation of a species in a particular ecosystem. How species abundances are distributed within an ecosystem, defined location or community is referred to as relative abundance.

Acoustic masking: Loss of perception of one sound source because of another louder source.

Acoustic particle velocity: The time rate of change of the displacement of fluid particles created by the forces exerted on the fluid by acoustic pressure in the presence of a sound wave. The units of velocity are meters per second (m / s).

Acoustic Pressure: The force per unit area exerted by a sound wave above and below the ambient or static equilibrium pressure is called the acoustic pressure or sound pressure. The units of pressure are pounds per square inch (psi) or, in the SI system of units, Pascals (Pa). In underwater acoustics the standard reference is one-millionth of a Pascal, called a micro-Pascal (1 μ Pa).

Aids to Navigation: Aid to Navigation is any device specifically intended to assist navigators in determining their position or safe course, or to warn them of dangers or obstructions to navigation.

Ambient sound: Normal background noise in the environment, which has no distinguishable sources.

Anomaly survey data: Possible manmade or target of anthropogenic origin identified in the geophysical

Anthropogenic noise: Production of noise above that which is naturally found in the environment, human in origin.

A-weighting, dB(A): The unit of sound level, weighted according to the A-scale, which takes into account the increased sensitivity of the human ear at some frequencies.

Appropriate Assessment: Required when a development affecting a European designated site is not connected with management of the site for nature conservation, and is likely to have a significant effect on the site.

Aquifer: Any water: bearing strata, be this bedrock or superficial deposits.

Aquifer-fed naturally fluctuating water bodies: Natural water bodies with an intrinsic regime of extreme fluctuation in water level, with periods of complete or almost complete drying out as part of the natural cycle. They have no inflow or outflow streams at the surface, except at times of very high water level, when temporary out-flows may develop. Instead, they are directly connected to the underlying groundwater system and periodically empty and recharge via swallow holes or smaller openings in their beds.

Area of sea excluded (km²-hours): The area of sea excluded with each activity; this gives an idea of the area expected to be excluded to an animal, based on a given dBht (Species) criteria over a period of time. This means direct comparisons can be made against the area of sea excluded during a short piling operation or a dredging operation lasting all day. These results have been given as kilometres squared excluded times hours (km²-hours), for example, if 10 km²-hours of sea are excluded this could mean that 1 km² of sea is excluded for ten hours or that 10 km² of sea is excluded for 1 hour.

Area Restricted Search: Modelling term. When all other things are equal, organisms should spend more time in areas where resources are plentiful than in areas where resources are scarce. For example: predators may increase their turning rate and reduce their speed as a response to increased prey intake rate. When the prey has an aggregated spatial distribution, area-restricted search behaviour will tend to concentrate the search activity of the predators in areas of high prey density.

As Low As Reasonably Practicable: Reasonably practicable involves weighing a risk against the trouble, time and money needed to control it. Thus, ALARP describes the level to which we expect to see workplace risks controlled.

ASCOBANS: Concluded in 1991 as the Agreement on the Conservation of Small Cetaceans of the Baltic and North Seas (ASCOBANS) under the auspices of the Convention on Migratory Species (CMS or Bonn Convention) and entered into force in 1994. In February 2008, an extension of the agreement area came into force which changed the name to "Agreement on the Conservation of Small Cetaceans of the Baltic, North East Atlantic, Irish and North Seas". Since migrating cetaceans regularly cross national boundaries, their effective protection can only be achieved by international cooperation. ASCOBANS' aim is to promote close cooperation amongst its Parties with a view to achieving and maintaining a favourable conservation status for small cetaceans.

Assets: Parts of the historic environment that has local, regional and national significance, such as Designated Wrecks, aircraft losses and Listed Buildings.

Atlantic decalcified fixed dunes: Mature, stable dunes where the initial calcium carbonate content of the dune sand is low. The surface soil layers rapidly lose their remaining calcium carbonate through leaching, and become acidified.

Baleen whales: Alternative name for the cetacean sub-order, Mysticeti, characterised by having baleen plates for filtering food from water. In contrast to the toothed whales (Odontoceti). The smallest member of this sub-order is the minke whale.

Bandwidth: The range of frequencies over which a sound is produced or received.

Base level: The lowest point to which erosion by running water can occur.

Baseflow: The flow of groundwater within both bedrock and superficial deposits that supplies a river or stream.

Bathymetry: The measurement of the depth of the seabed from the water surface

Bayesian state-space model: Statistical model that enables probabilistic inference about parameters and trends based on summaries of posterior probability distributions (vs. null hypothesis testing), they permit the use of multiple data types collected at different scales and use of prior information, and they enable model selection and multi-model inference in a straightforward manner.

Bedrock: The underlying solid geology.

Benthic: Relating to the uppermost layers of the seabed.

Bentonite: A manufactured impermeable very fine clay that is often used in cement and as a well sealant.

Biogenic: A substance produced by life processes. It may be either constituents, or secretions of plants or animals.

Biotope: A specific uniform habitat type and its associated community of plants and animals.

Blown sand: Windblown modern deposits of sand commonly associated with beaches, sand dunes, dune slacks and raised beaches.

British Geological Survey: (BGS) the UK national geological survey / service.

Broad migration front: Migration in which the birds are spread over wide areas instead of being confined to relatively narrow 'corridors'.

Buffer: A fixed distance outward from the cable route corridor boundary used to create a survey area.

Buoyage: A distinctively shaped and coloured float, anchored to the bottom, for designating moorings, navigable channels or obstructions in a body of water.

Carboniferous: The period of geological time between 360 and 300 million years ago.

Cargo Vessel: A vessel designed to carry cargo in bulk including unitised cargo.

Catchment: The area from which a river, stream or burn drains both groundwater and rainwater. This is usually defined by the limit of the watershed (i.e. the limits of a river's drainage area).

Cetacean: Mammals belonging to the order Cetacea, which includes whales, dolphins and porpoises.

Charted Navigational Features: Features appearing on a nautical chart including depths of water and heights of land (topographic map), natural features of the seabed, details of the coastline, navigational hazards, locations of natural and man-made aids to navigation, information on tides and currents, local details of the Earth's magnetic field and man-made structures such as harbour's, buildings and bridges.

Chironomid midge: Flies within the taxonomic family Chironomidae.

Circa: In approximately (in the context of time or dates).

Circalittoral: The seabed in areas of comparatively deeper water, generally where light availability is limited.

Classification tree analysis: Used to predict membership of cases or objects in the classes of a categorical dependent variable from their measurements on one or more predictor variables.

Cluttered Out: Altering settings on marine Radar to reduce the effect of interference from occurrences such as rain.

Collaborative Offshore Wind Research into the Environment: (COWRIE) A registered Charity set up to advance and improve understanding and knowledge of the potential environmental impacts of offshore wind farm development in UK waters.

COLREGS: The International Regulations for Preventing Collisions at Sea 1972 (COLREGS) are published by the IMO and set out, inter alia, the "rules of the road" or navigation rules to be followed by ships and other vessels at sea, in order to prevent collisions between two or more vessels.

Commercial routes: Routes used by vessels operating commercially.

Conservation (Natural Habitats, &c.) Regulations 1994 (as amended in Scotland): Transposed the Habitats Directive into national law. The Regulations came into force on 30 October 1994, and have been subsequently amended several times. They apply to land and to territorial waters out to 12 nautical miles from the coast.

Conspecific: Of, or belonging to, the same species.

Construction Environmental Management Plan (CEMP): an Environmental Management Plan (see definition) for the construction phase of the Project.

Creeling: The Scottish designation for potting.

Dalradian: The name given to a group of metamorphic bedrocks grouped due to their complex stratigraphy and mixed origins.

DEAD Wreck: Previously identified anomaly that has not been detected through further survey, therefore considered not to exist.

Decibel (dB): A customary scale most commonly used (in various ways) for reporting levels of sound. A difference of 10 dB corresponds to a factor of 10 in sound power. The actual sound measurement is compared to a fixed reference level and the "decibel" value is defined to be $10 \log_{10}(\text{actual} / \text{reference})$, where (actual / reference) is a power ratio. Because sound power is usually proportional to sound pressure squared, the decibel value for sound pressure is $20 \log_{10}(\text{actual pressure} / \text{reference pressure})$. As noted above, the standard reference for underwater sound pressure is 1 micro-Pascal (μPa). The dB symbol is followed by a second symbol identifying the specific reference value (i.e. re 1 μPa).

Decommissioning Programme: the Department of Energy and Climate Change (DECC) require, under Section 105(2) of the Energy Act 2004, that MORL prepare a decommissioning programme for the Project prior to construction commencement. MORL has prepared a 'preliminary' Decommissioning Programme for the Project, which forms an appendix to the Environmental Statement (ES). This programme will be finalised following consent and in advance of wind farm construction starting.

Delivery: This is two vehicle movements, e.g. one vehicle movement to the point of interest and one vehicle movement away from the point of interest.

Demersal: Activities or species located near or on the sea bed.

Density surface modelling: Prediction of the density of animals across a site using detection function modelling and covariate data.

Density surface: A visual representation of predicted densities of animals across a site based on density surface models.

Density: A measurement of population per unit area or unit volume.

Designated Anchorages: Areas marked on a nautical chart where anchoring occurs, usually linked to a particular port.

Designated Wreck: A historic wreck, protected by law to ensure the remains are not put at risk from unauthorised access, undisciplined activities or investigation, the Protection of Wrecks Act 1973.

Development Area: The limits of Development Areas are charted around certain oil or gas fields. Surface vessels, subsea craft and divers may be engaged in constructing and servicing installations within these areas. Other vessels are strongly advised to keep out of the charted limits.

Devonian: The period of geological time between 415 and 360 million years ago.

Diadromous: Migratory between fresh and salt waters.

Diffuse pollutants: The release of potential pollutants from a range of activities that individually may have no effect on the water environment, but at the scale of a catchment can have a meaningful impact.

Distance sampling: A widely-used group of closely related methods for estimating the density and / or abundance of populations. The main methods of data collection are line transects and point transects.

Dolerite: A medium grained igneous rock intrusion.

Domin scale: A scale ranging from 1 to 10 which estimates the quantitative contribution of a species within a vegetation sample.

Drinking Water Protection Zone: These are protected areas designated under the Water Framework Directive (2000 / 60 / EC) in the UK.

Ducted propellers: A propeller fitted with a non-rotating nozzle. It is used to improve the efficiency of the propeller and is especially used on heavily loaded propellers or propellers with limited diameter.

Dune Slacks: The spaces and depressions between the peaks of a sand dune system are called the dune slack.

Dyke: An igneous intrusion that generally crosses vertically through the beds of the wider geology.

Ecological Acoustic Recorder (EAR): A digital, low power hydrophone that records ambient sounds at frequencies up to 30 kHz on a programmable schedule. Can also respond to transient acoustic events that meet specific criteria, such as signals indicating a vessel passing nearby. Advantage over C-PODs is that it has the potential to differentiate between different dolphin species.

Ei field: Induced electric field. An electric field induced in the medium surrounding a cable by the magnetic field emitted from the cable.

Electromagnetic field (EMF): A physical field produced by moving electrically charged objects.

Embryonic shifting dunes: Embryonic shifting of dune vegetation exists in a highly dynamic state and is dependent on the continued operation of physical processes at the dune / beach interface. It is the first type of vegetation to colonise areas of incipient dune formation at the top of a beach.

Encounter: An encounter can be defined as approaching vessels passing within a specified minimum distance of each other or if either vessel manoeuvres so as to prevent this critical value for the closest point of approach.

Environmental Management Plan (EMP): The EMP is the lead environmental management document that defines the procedures for achieving the environmental performance targets for the Project. MORL has prepared a draft EMP, which forms an appendix to the Environmental Statement (ES). The draft EMP details the commitments made in the Environmental Statement (ES). The EMP will be finalised following consent, taking into account any requirements of consent conditions, and in advance of wind farm construction starting.

Ephemeral short perennial: Short, patchy plant associations typical of derelict urban sites, quarries and railway ballast. The land is freely draining and usually has shallow stony soil. The vegetation typically lacks a clear dominant species, but consists of a mixture of low-growing plants, often less than 25 cm high.

Epibenthic: Relating to the seabed surface.

Epifauna: Animals living on the surface of the seabed.

European Protected Species (EPS): EPS are animals and plants that receive protection under the Habitats Directive under Annex IV of the Directive. This includes all species of cetacean.

Eutrophic: The state of a lake or pond with waters rich in mineral and organic nutrients that promote a proliferation of plant life, especially algae, which reduces the dissolved oxygen content.

Façade: At a distance of 1 m in front of a large sound reflecting object such as a building façade.

Far field: A region far enough away from a source that the sound pressure behaves in a predictable way, and the particle velocity is related to only the fluid properties and exists only because of the propagation sound wave (see Near field).

Fast Time Weighting: An averaging time used in sound level meters.

Fauna: Animals both invertebrates and vertebrates.

Felsic: A term used to describe igneous rocks enriched in crystalline minerals such as feldspars and quartz. The term is generally associated with granite geologies where mineral crystals are large.

Firing Practice Area: An area marked by floating navigational marks when the Ministry of Defence undertake firing practice exercises. Entry requirements vary and are usually annotated on the relevant nautical chart.

First Passage Time: The first-passage time is defined as the time required for an animal to cross a circle with a given radius. It is a measure of how much time an animal uses within a given area. First-passage time is scale dependent, and a plot of variance in first-passage time vs. spatial scale reveals the spatial scale at which the animal concentrates its search effort. It is a reasonable measure for the search effort along a pathway.

Fitness (reduction in): Ability to produce subsequent generations.

Flint: Form of quartz mineral (chert) used to make tools in prehistoric societies.

Flora: The plants of a particular region.

Fluvioglacial: The materials deposited within the flood plains, streams and rivers resulting from past glacial melt water.

Fractured Flow: A term given to the flow of groundwater along geological fractures, faults, fissures and other discontinuities within the bedrock.

Free-Field: Far from the presence of sound reflecting objects (except the ground), usually taken to mean at least 3.5 m away.

Fucoid algae: Algae within the taxonomic order Fucales.

Full Time Equivalent (FTE): The number of jobs with part-time employment assessed on a pro rata basis, based on full-time work as a 30 hour week i.e. two jobs working 15 hours part-time equals 1 FTE.

Gas Holder: A circular structure above or below ground that is used to contain natural or historical coal gas produced by a gasworks.

Gasometre: Another name for a gas holder.

Gasworks: This is an industrial land use (now ceased) where by gas (often called coal gas or town gas) was produced by the heating of coal. This often resulted in the gasworks site becoming contaminated.

Generalised Additive Mixed Model (GAMM): A statistical model containing both fixed and random effects (i.e. mixed effects). Use additive, non-parametric regression to model covariate effects while accounting for correlation between observations by using random effects. GAMMs are proposed for over-dispersed and correlated data.

Generalised Additive Models (GAM): Statistical model that allows fitting a smooth relationship between two or more non-linear variables.

Generalised Estimating Equation (GEE): Semi parametric regression technique used to estimate the parameters of a generalised linear model with possible unknown correlation between outcomes.

Geographic Information System: (GIS) generally referring to ESRI ArcGIS v10 in this document.

Geoparks: A geopark status is an area of outstanding interest for its rocks and landforms designated by SNH, local communities, local authorities and / or earth scientists.

Geophysical Survey: A non-intrusive investigative survey method including sidescan sonar, magnetometer and sub-bottom profiler for on and below the seabed features.

Geotechnical Survey: An intrusive survey method that penetrates the seabed recovering samples for analysis.

Glacial sand and gravel: Sand and gravel deposits associated with a multitude of glacial advance and retreat processes.

Glaciolacustrine: A term given to deposits that were deposited within glacial lakes.

Glass eel: An eel in its transparent, post larval stage.

Gley: A type of soil formed by the absence of, or very low levels of oxygen that allows the reduction of oxides causing the soil to become white to grey coloured.

Grab Samples: A sample taken from the seabed sediments.

Grey dunes: Dune vegetation occurring mainly on the largest dune systems. These dunes typically occur inland of the zone dominated by marram on coastal dunes and represent the vegetation that replaces marram as the dune stabilises and the organic content of the sand increases.

Gross Value Added (GVA): Gross Value Added (GVA) is an indicator of economic prosperity. It measures the contribution to the economy of each individual producer, industry or sector. Put simply, GVA is the value of goods and services produced by an area, sector or producer minus the cost of the raw materials and other inputs used to produce them. GVA is mainly composed of the income made by employees (earnings) and the business (profits / surplus) as a result of production.

Ground Sample Distance (GSD): Refers to the size of the pixels in a digital photo of the ground from air or space, expressed in ground units. For example: in an image with a 1 m GSD, adjacent pixels image locations that are 1 m apart on the ground.

Groundwater Vulnerability: The term given to the assessment of the potential for a groundwater body to be at risk from human activity.

Guard Vessels: Vessels employed protect an installation or work activity at sea though its presence and current promulgation of information. A guard vessel could also be used as a means of escape in an emergency situation.

Habitats Directive (and annexes): Also known as the "Council Directive 92 / 43 / EEC on the Conservation of natural habitats and of wild fauna and flora", known as the Habitats Directive was adopted in 1992. The Directive is the means by which the European Union meets its obligations under the Bern Convention. The Directive applies to the UK and to its

Overseas Territory of Gibraltar. The main aim of the Habitats Directive is to promote the maintenance of biodiversity by requiring Member States to take measures to maintain or restore natural habitats and wild species listed on the Annexes to the Directive at a favourable conservation status, introducing robust protection for those habitats and species of European importance. In applying these measures, Member States are required to take account of economic, social and cultural requirements, as well as regional and local characteristics. The strategy for conservation of species set out in the Directive comprises measures related to site designation for species listed in Annex II, strict protection of all populations of species listed in Annex IV, and the managed exploitation of species listed in Annex V.

Habituate: Being accustomed or used to a potential disturbing stimulus such as vessel noise.

Habituation: A decrease in response to a stimulus after repeated presentations. For example: a novel structure in the environment, such as a turbine, may initially elicit an avoidance response in birds. However, after they become accustomed to its presence, they pay less attention to it and no longer avoid it. This diminished response is habituation.

Hertz: The units of frequency where 1 hertz = 1 cycle per second. The abbreviation for hertz is "Hz."

Holocene: Period of geological time spanning from 12,000 years BP to the present day.

Homing: Relating to an animal's ability to return to a place or territory after travelling a distance away from it.

Humid dune slacks: Low-lying areas within dune systems that are seasonally flooded and where nutrient levels are low.

Igneous Intrusion: The name given to volcanic formations that were formed below ground which now appear at the surface due to erosion. These formations include Sills which form between beds of rock (i.e. Windsill), Batholiths which are former magma chambers (i.e. Dartmoor) and Dykes which cut vertically through rock beds.

Igneous: A geological term relating to the typology of a rock formed by the cooling of magma (intrusive) or lava (extrusive).

IMO Routing Measures: Defined by the International Maritime Authority ships' routing systems contribute to safety of life at sea, safety and efficiency of navigation and / or protection of the marine environment. Ships' routing systems are recommended for use by, and may be made mandatory for, all ships, certain categories of ships or ships carrying certain cargoes. Routing measure can include Traffic Separation Schemes, Areas to be Avoided and Deep Water Routes.

Impulse sound: Transient sound produced by a rapid release of energy, usually electrical or chemical such as circuit breakers or explosives. Impulse sound has extremely short duration and extremely high peak sound pressure.

Infauna: Animals living in seabed sediments.

Infiltration: The percolation of rainwater through soils.

Infralittoral: The seabed in areas of shallow water, generally where light availability is not limited.

Intergranular Flow: A term given to the flow of groundwater through the voids between permeable superficial deposits and bedrocks such as sandstone.

Intertidal: The area of coast / beach between low water spring tide and high water spring tide.

J Tube: A conduit for offshore subsea cable from the seabed to the offshore structure.

Japanese Knotweed: A non-native invasive plant species that typically requires special removal and treatment under development scenarios.

L_{10,T}: A noise level index. The noise level exceeded for 10 % of the time over the period T. L10 can be considered to be the 'average maximum' noise level. Generally used to describe road traffic noise.

L_{90,T}: A noise level index. The noise level exceeded for 90 % of the time over the period T. L90 can be considered to be the 'average minimum' noise level and is often used to describe the background noise.

Leachate: Percolating water affected by the elements and compounds with a soil due to physical contact during migration of water.

L_{eq,T}: A noise level index called the equivalent continuous noise level over the time period T. This is the level of a notional steady sound that would contain the same amount of sound energy as the actual, possibly fluctuating, sound that was recorded.

LIFT Wreck: A salvaged wreck.

Lithic: Stone tools that may be associated with prehistoric cultures.

LIVE Wreck: Wreck considered to exist.

L_{max,T}: A noise level index defined as the maximum noise level during the period T. Lmax is sometimes used for the assessment of occasional loud noises, which may have little effect on the overall L_{eq} noise level but will still affect the noise environment. Unless described otherwise, it is measured using the 'fast' sound level meter response.

Macrofossils: Fossils that can be identified by eye (e.g. shell fragments).

Main Routes: The mean of a defined route which has high densities of traffic or is used by regular operators on a timetabled service.

Marine Environmental High Risk Area: MEHRAs are defined as areas having high environmental sensitivities and being at risk from shipping activity. In due course they will be marked on Admiralty charts as an encouragement to mariners to take extra care in those areas and for their existence to be taken into account during passage planning.

Maritime Rescue Coordination Centre: Maritime Rescue Coordination Centres (MRCCs) form a network of command and control centres for responding to reports of maritime and coastal distress. Watch keeping staff in these centres provide a 24 hour service to mariners and coastal users by receiving incoming distress calls and sending resources to their rescue.

Marshalling Yard: Another name for a railway yard for the storage of trains and carriages.

Mean High Water Springs: Highest level that spring tides (highest astronomical tide) reach on the average over a tidal period.

Mesolithic: Archaeological period of time of past cultures approximately 9,000 to 4,000 BC.

Mesotrophic: The state of a lake or pond with an intermediate level of productivity, greater than oligotrophic lakes, but less than eutrophic lakes. These lakes are commonly clear water lakes and ponds with beds of submerged aquatic plants and medium levels of nutrients.

Metamorphic: A geological term relating to the typology of a rock which has been changed by the application of heat and pressure during tectonic processes.

Microfossils: Small fossils that can only be viewed under a microscope e.g. pollen

Natura site: Natura 2000 is the name of the European Union-wide network of nature conservation sites established under the EC Habitats and Birds Directives. This network comprises Special Areas of Conservation (SACs) and Special Protection Areas (SPAs).

Near field: A region close to a sound source that, depending on the size of the source relative to the wavelength of the sound, has either irregular sound pressure or exponentially increasing sound pressure towards the source, and a high level of acoustic particle velocity because of kinetic energy added directly to the fluid by motion of the source. This additional kinetic energy does not propagate with the sound wave. The extent of the near field depends on the wavelength of the sound and / or the size of the source.

Neolithic: Archaeological period of time of past cultures approximately 4,000 to 2,500 BC.

Noise Level Indices: Noise levels usually fluctuate over time, so it is often necessary to consider an average or statistical noise level. This can be done in several ways, so a number of different noise indices have been defined, according to how the averaging or statistics are carried out.

Not Under Command: Under Part A of the International Regulations for Preventing Collisions at Sea (COLREGS), the term "vessel not under command" means a vessel which, through some exceptional circumstance, is unable to manoeuvre as required by these Rules and is therefore unable to keep out of the way of another vessel.

Offshore Marine Regulations 2009: Transposes the Habitats Directive into national law for UK offshore waters (i.e. from 12 nm from the coast out to 200 nm or to the limit of the UK Continental Shelf Designated Area).

Oligotrophic: The state of a lake or pond with low nutrient content, a large amount of dissolved oxygen and very clear waters due to low algal production.

Ontogeny: The origin and development of an individual organism from embryo to adult.

Ordovician: The period of geological time between 490 and 445 million years ago.

OSPAR convention: Current legal instrument guiding international cooperation on the protection of the marine environment of the North East Atlantic. Work under the Convention is managed by the OSPAR Commission, made up of representatives of the Governments of 15 Contracting Parties and the European Commission, representing the European Union.

Outfall: The discharge point of an artificial flow into a surface water body.

Overpump flow: The removal of silted water from a dammed work area within a river or burn.

Palaeochannel: Submerged former course of a fluvial feature such as a former river typically filled with sediment.

Palaeoenvironmental: Past environmental conditions.

Palaeolithic: Prehistoric era distinguished by the development of stone tools, 18,000 to 780,000 years BP.

Pamguard: An open-source software community, developing marine mammal acoustic detection and localisation software to benefit the marine environment.

PAN 33: Planning Advice Note 33 – Development of Contaminated Land (2000) issued by the Scottish Government in October 2000.

Passerine: Birds within the taxonomic order Passeriformes. This order includes more than half of all bird species. Passerines are sometimes known as perching birds or, less accurately, as songbirds.

Passive Acoustic Monitoring (PAM): Refers to the use of hydrophones (underwater microphones) to detect and monitor the presence of vocalising marine mammals.

Peak pressure: The highest pressure above or below ambient that is associated with a sound wave.

Peat: An organic material formed by decayed vegetation matter that can preserve important environmental and archaeological evidence.

Pelagic: Activities or species located in the water column.

Pelite: A term given to a metamorphosed fine grained bedrock.

Permanent threshold shift (PTS): A permanent loss of hearing caused by some kind of acoustic or drug trauma. PTS results in irreversible damage to the sensory hair cells of the ear and, thus a permanent loss of hearing.

Permian: The period of geological time between 300 and 250 million years ago.

Pinniped: Mammals belonging to the order Pinnipedia, which includes seals, walruses and sea lions.

Piscivorous: Habitually feeding on fish.

Pleistocene: Period of geological time spanning 1.8 million years ago to the Holocene.

Podzol: A type of soil with a distinct vertical structure (i.e. organic, leached and iron pan horizons) formed by the leaching of compounds. These soils are often associated with igneous / basic geologies.

Point Source Pollution: The release of potential pollutants from a range of activities that individually may result in an effect on the environment. These activities may include discharges regulated by the Controlled Activities Regulations (CAR)

Population Viability Analysis (PVA): A modelling technique which uses demographic parameters for a species, takes into account threats faced by populations of that species, and evaluates the likelihood that they will persist for a given time into the future.

Port Approaches: Areas with port jurisdiction and used by vessels to access a port or harbour area.

Potential Collision Height: (PCH) the altitude band for birds in flight which corresponds to the rotor swept area of a turbine.

Predicted annual collision rate: The annual number of bird collisions with wind turbines, as predicted by collision risk modelling, in which flight activity, size and speed of bird species and dimensions and rotational speed of turbine blades are analysed.

Priority Marine Feature (PMF): Habitats and species considered to be of greatest marine nature conservation importance in Scottish territorial waters. The draft PMF list contains 53 habitats and species and will be used to guide future research and support the advice SNH gives on marine biodiversity.

Psammite: A term given to metamorphosed medium grained bedrock.

Pulse: A transient sound wave having finite time duration. A pulse may consist of one to many sinusoidal cycles at a single frequency, or it may contain many frequencies and have an irregular waveform.

Pupping: Term for when seals give birth.

Quadrat: A square frame used to isolate a sample of vegetation (usually 1m²) to estimate cover and composition.

Qualifications (socio-economics): The qualifications are as follows – NVQ 4 equivalent and above: e.g. HND, Degree and Higher Degree level qualifications or equivalent; NVQ 3 equivalent: e.g. two or more A levels, advanced GNVQ, NVQ 3, two or more higher or advanced higher national qualifications (Scotland) or equivalent; NVQ 2 equivalent: e.g. five or more GCSEs at grades A-C, intermediate GNVQ, NVQ 2, intermediate two national qualification (Scotland) or equivalent; NVQ 1 equivalent: e.g. fewer than five GCSEs at grades A-C, foundation GNVQ, NVQ 1, intermediate one national qualification (Scotland) or equivalent; other qualifications; foreign qualifications and other professional qualifications not identified above

Quartzite: A metamorphic rock consisting mainly of quartz, formed by the alteration of sandstone by heat and pressure.

Quaternary: Of or belonging to the geological time, system of rocks or sedimentary deposits from the end of the Tertiary Period through to the present.

Quota: A measure of the quantity of a species that can legally be landed within a set period.

Radar: Radar is an object-detection system which uses radio waves to determine the range, altitude, direction or speed of objects.

RAMSAR: Sites designated under the Convention on Wetlands of International Importance. The Convention covers all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. The Convention defines wetlands as "areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed six metres". Wetlands "may incorporate riparian and coastal zones adjacent to the wetlands, and islands or bodies of marine water deeper than six metres at low tide lying within the wetlands".

Receptor: Any environmental or other defined feature that is sensitive to or has the potential to be affected by an impact.

Recreational routes: Routes used by any water craft engaged in a recreational activity.

Regosol: A type of poorly developed mineral soil.

Resonance frequency: The frequency at which a system or structure will have maximum motion when excited by sound or an oscillatory force.

River flow regime: Variability in river discharge in response to precipitation, temperature, evapo-transpiration and drainage basin characteristics.

Rochdale Envelope: The 'Rochdale Envelope' is the range of parameters setting out the minimum and maximum extents of Project components that have been assessed.

Rolling Safety Zone: A marked area of a defined size from which traffic is excluded for safety reasons; provides safe area for work to be undertaken and moves with the construction activity. Application process required.

Ruderal: Plant species which are the first to colonise disturbed land.

Run-off: Generally the overland flow of rainwater.

Safety Zone: A marked area of a defined size from which traffic is excluded for safety reasons; provides safe area for work to be undertaken. Application process required.

Saturated Zone: The portion of ground below the water table.

SCANS / SCANS II: European LIFE-Nature funded projects aiming to estimate small cetacean abundance in European Atlantic waters allowing the assessment and management of

bycatch through the development of improved methods for monitoring. First conducted in 1994 and repeated in 2005.

Schedule 1 Birds: Designated under the Wildlife & Countryside act 1981. Part 1 - Birds and their young, for which it is an offence to intentionally or recklessly disturb at, on or near an 'active' nest. Part 2 - Birds afforded special protection during the close season which is 1 February to 31 August (21 February to 31 August below high water mark) but which may be killed or taken outside this period.

Scheduled Monument: Nationally important archaeological sites which have legal protection assigned to them.

Scottish Data Zones: The data zone geography covers the whole of Scotland and nests within local authority boundaries. The 6,505 data zones are created from groups of 2001 Census output areas and have populations of between 500 and 1,000 household residents. Where possible they have been made to respect physical boundaries and natural communities. They have a regular shape and contain households with similar social characteristics.

Sea State: The general condition of the free surface on a large body of water; with respect to wind waves and swell at a certain location. This has been defined in the ES using the following link -<http://www.metoffice.gov.uk/weather/marine/guide/beaufortscale.html>.

SeaZone: SeaZone Solutions Ltd. who provide marine data supplied through the UK Hydrographic Office.

Sedimentary: A geological term relating to the typology of a rock which has originated from erosional and depositional processes. These rock types include sandstone, mudstone and conglomerates.

Sedimentation: The deposition of silt, sand and gravel within areas of low flow within rivers and lochs.

Semipelite: A term given to a metamorphosed fine grained bedrock including minerals such as mica.

Set aside: Land not used for any agricultural purpose.

Settlement lagoons / sediment trap: A pond where surface runoff is held for sufficient time to allow for settlement and / or treatment of solids or contaminants.

Shock wave: A propagating sound wave that contains a discontinuity in pressure, density, or particle velocity.

Sidecasting: The placement of excavated materials adjacent to the excavation at the surface.

Silt: A geological deposit that can contain evidence of past sea levels and landscapes.

Site of Special Scientific Interest: (SSSI) designated by SNH under the Nature Conservation (Scotland) Act 2004.

Smithy(ies): An old English name for a small blacksmith workshop.

Smolt: A young salmon (or trout) after the parr stage, when it becomes silvery and migrates to the sea for the first time.

Soft Start: Commencement of a dangerously noisy procedure (i.e. piling) with low energy release and building gradually and uniformly to operational levels.

SOSS: The Crown Estate Strategic Ornithological Support Services. A steering group, providing advice to the offshore wind farm industry with the aim of resolving the consenting challenges posed by the potential for offshore wind farms to impact bird populations.

Sound attenuation: Reduction of the level of sound pressure. Sound attenuation occurs naturally as a wave travels in a fluid or solid through dissipative processes (e.g. friction) that convert mechanical energy into thermal energy and chemical energy.

Sound exposure level (SEL): The constant sound level acting for one second, which has the same amount of acoustic energy, as indicated by the square of the sound pressure, as the original sound. It is the time-integrated, sound-pressure-squared level. SEL is typically used to compare transient sound events having different time durations, pressure levels and temporal characteristics.

Sound exposure spectral density: The relative energy in each narrow band of frequency that results from the Fast Fourier Transform (FFT - a mathematical operation that is used to express data recorded in the time domain as a function of frequency) of a transient waveform. It is a measure of the frequency distribution of a transient signal.

Sound exposure: The integral over all time of the square of the sound pressure of a transient waveform.

Sound Power Level: Sound power measured on a decibel scale, relative to a reference value of 10 to 12 W.

Sound Power: The sound energy radiated per unit time by a sound source. Measured in Watts (W).

Sound pressure level (SPL): The sound pressure level or SPL is an expression of the sound pressure using the decibel (dB) scale and the standard reference pressures of 1 μPa for water and biological tissues, and 20 μPa for air and other gases.

Sound pressure: Sound, or sound pressure, is a fluctuation in air pressure over the static ambient pressure.

Special Area Conservation (SAC): Special Areas of Conservation are strictly protected sites designated under the EC Habitats Directive. Article 3 of the Habitats Directive requires the establishment of a European network of important high-quality conservation sites that will make a significant contribution to conserving the 189 habitat types and 788 species identified in Annexes I (habitats) and II (species) of the Directive (as amended). The listed habitat types and species are those considered to be most in need of conservation at a European level (excluding birds). Of the Annex I habitat types, 78 are believed to occur in the UK. Of the Annex II species, 43 are native to, and normally resident in, the UK. This includes harbour porpoise, bottlenose dolphin, harbour seal and grey seal.

Special Protected Area (SPA): Special Protection Areas are strictly protected sites classified in accordance with Article 4 of the EC Birds Directive. Classified for rare or vulnerable birds.

Spectrum: A graphical display of the contribution of each frequency component contained in a sound.

Statocyst: A small organ of balance and orientation in some aquatic invertebrates, consisting of a sensory vesicle or cell containing statoliths.

Sub-bottom Profiler: (SBP) Low frequency echosounder that maps the seabed and underlying sediments.

Subtidal: Undersea areas below low water spring tide.

Superficial deposits: A geological term given to any unconsolidated material above the bedrock such as clay, silt, sand, gravel, cobbles and boulders.

Superficial geology: Quaternary geological deposits, these recent, unconsolidated sediments may include residual, alluvial, or glacial deposits lying on pre-quaternary bedrock.

Surrogate: An animal / person or thing acting as a substitute.

Sustainable Drainage System (SuDS): The management practice and control measures designed to drain run-off or surface water in a more sustainable manner than conventional techniques.

Swales: A narrow vegetated channel designed to direct and retain surface water.

Swim bladder: A gas-filled sac present in the body of many bony fishes, used to maintain and control buoyancy.

Tanker: A vessel designed to carry liquids in bulk.

Telemetry: A technology that allows measurements to be made at a distance, via radio wave or IP network transmission and reception of the information.

Temporary threshold shift (TTS): Temporary loss of hearing as a result of exposure to sound over time. Exposure to high levels of sound over relatively short time periods will cause the same amount of TTS as exposure to lower levels of sound over longer time periods. The mechanisms underlying TTS are not well understood, but there may be some temporary damage to the sensory cells. The duration of TTS varies depending on the nature of the stimulus, but there is generally recovery of full hearing over time.

Threshold Shift: Animals exposed to intense sound may exhibit an increase in their hearing threshold i.e. a change in the level at which they register sound. The magnitude of the shift normally reduces with time once the sound has ceased (temporary threshold shift, TTS). When a complete recovery is not achieved, this is considered a permanent threshold shift (PTS) and is described as a physical injury.

Threshold: The threshold generally represents the lowest signal level an animal will detect in some statistically predetermined percent of presentations of a signal. Most often, the threshold is the level at which an animal will indicate detection 50 % of the time. Auditory thresholds are the lowest sound levels detected by an animal at the 50 % level.

Till: A glacial deposit comprising unsorted deposits of clay, sand and gravel originating from basal glacial erosion during the last glacial period known as the Quaternary.

Traffic Flows: The movement of vehicles on roads.

Traffic Volumes: The number of vehicles on a road.

Transect: A fixed path along which a surveyor records occurrences of the study, e.g. birds.

Trawling: Trawling is a method of fishing that involves pulling a fishing net through the water behind one or more boats. The net that is used for trawling is called a trawl.

Trip: A single vehicle movement.

Turbidity: The cloudiness of water caused by suspended particles.

UK Biodiversity Action Plan (UK BAP): The UK Biodiversity Action Plan was published in 1994, and is the UK Government's response to the Convention on Biological Diversity (CBD), which the UK signed up to in 1992 in Rio de Janeiro. The CBD called for the development and enforcement of national strategies and associated action plans to identify, conserve and protect existing biological diversity, and to enhance it wherever possible.

Under sail: Any craft that's means of propulsion is a sail or sails.

Unsaturated Zone: The portion of ground above the water table.

Unweighted sound levels: Sound levels which are 'raw' or have not been adjusted in any way, for example, to account for the hearing ability of a species.

Vehicle Movement: A vehicle travelling in one direction from a starting point to a separate finish point.

Vessel Traffic Services: A VHF and Radar service, linked to ports or dense traffic areas, which provide marine traffic management of an advisory nature, and occasional emergency control, to reduce risk.

Weathered: A general term given to the processes that break down rocks and form the basis for associated soils.

Weighted sound levels: A sound level which has been adjusted with respect to a 'weighting envelope' in the frequency domain, typically to make an unweighted level relevant to a particular species. Examples of this are, the dB(A), where the overall sound level has been adjusted to account for the hearing ability of humans, or dBht(Species) for fish and marine mammals.

White dunes: This encompasses most of the vegetation of unstable dunes where there is active sand movement. Under these conditions sand-binding marram is always a prominent feature of the vegetation and is usually dominant.

List of Plates and Figures

ES Chapter Embedded Plates

Environmental Impact Assessment

Plate 1.3-1 Example of Inter-linkages within the EIA

Stakeholder Consultation

Plate 1.4-1 The EIA Process & Engagement Activities

Plate 1.4-2 Public Support for Outer Moray Firth Offshore Wind Development

Project Description

Plate 2.2-1 Diagram of Ownership of the Required Infrastructure Assuming a Connection at Peterhead

Plate 2.2-2 Results of Hindcast Calculation in Moray Firth

Plate 2.2-3 Indicative Installation Programme

Plate 2.2-4. Illustration of an Indicative 7 / 8 MW Turbine

Plate 2.2-5 Indicative Grid Layout

Plate 2.2-6 Indicative Diamond Layout

Plate 2.2-7 Indicative Geometry / Shape of GBS Concepts

Plate 2.2-8 Diagram of a Typical GBS Substructure and Gravel Bed Foundation

Plate 2.2-9 Diagram of a Typical Jacket Substructure with Pin Piles

Plate 2.2-10 Typical Looped Configuration

Plate 2.2-11 Typical Branched Configuration

Plate 2.2-12 Plan View of the Seabed, Showing Area Affected by the Platform GBS Substructure and Gravel Bed Foundations

Plate 2.2-13 Pin Pile Foundations

Plate 2.2-14 Suction Caisson Foundations

Plate 2.2-15 Diagram to show Indicative Dimensions of the Proposed Met Mast

Underwater Noise

Plate 3.6-1 Summary of Power Spectral Density Levels of Background Underwater Noise at Sea State 1 at Sites Around the UK Coast

Plate 3.6-2 Summary of Power Spectral Density Levels of Background Underwater Noise at Sea State 3 at Sites Around the UK Coast

Plate 3.6-3 Spatial Extent of Impact of Various Activities (90 dB_{ht}) on Herring (2.5 m pile)

Plate 3.6-4 Spatial Extent of Impact of Various Activities (90 dB_{ht}) on Harbour Seal (2.5 m pile)

Plate 3.6-5 Estimated Impact Ranges for Various Species Resulting from Impact Piling (90 dB_{ht}), Using a 2.5 m Diameter Pile

Hydrology, Geology and Hydrogeology

Plate 3.7-1 Typical Views of Key Rivers and their Floodplains

Plate 3.7-2 Coastline at Proposed Landfall Point near Fraserburgh (looking north)

Benthic Ecology

Plate 4.2-1 Sampling Equipment Including (a) Quantitative Seabed (Grab) Sampler, (b) Seabed Video Equipment and Frame and (c) 2 m Scientific Beam Trawl

Plate 4.2-2 Example Seabed Photographs Showing Typical Sediment Types within Three Proposed Wind Farm Areas Including (a) Slightly Gravelly Sand with (b) Patches Of Coarser More Mixed Shelly Gravelly Sand

Plate 4.2-3 Typical Sediment Fauna Found within the boundaries of the Three Proposed Wind Farm Areas

Plate 4.2-4 Examples of Coarse Sediment Habitats Within the Boundaries of the Stevenson Wind Farm Areas

Plate 4.2-5 Example Seabed Photograph of Potential *Sabellaria spinulosa* Reef Taken at Station 36

Plate 4.2-6 Example Photographs of the *Salmacina dysteri* / *Filograna implexa* Reefs Found at Station 25

Plate 4.2-7 Example Seabed Photographs of (a) Bedrock Reef and (b) Stony Reef

Fish and Shellfish

Plate 7.2-1 Magnetic Field Expected from 66 kV AC Inter-Array Cables Assuming 1 m Burial

Plate 10.2-1 Magnetic Field Expected from 220 kV 800 mm² AC Inter-Platform Cables Assuming 1 m Burial

Plate 10.2-2 Magnetic Field Expected from 320 kV DC Export Cables Assuming 1 m Burial and Bundled Cables (touching)

Plate 10.2-3 Magnetic Field Expected from 320kV DC Export Cables Assuming Cable Protection (0.25 m under rock placement) and Bundled Cables (touching)

Marine Mammals

Plate 4.4-1 Trends in the Mean Pupping Season Count of Harbour Seals at Haul-Out Sites Within the Dornoch Firth (Triangles) and Loch Fleet (Circles)

Plate 4.4-2 Monthly Values for the Percentage of Days that Harbour Porpoise (Squares) and Dolphins (Circles) were Detected Within the MORL Zone Development Areas

Plate 4.4-3 The Results of the Classification of Whistle Events in the EAR Data Using the Whistle Classifier

Plate 7.3-1 Spatial Extent of 90 dB_{ht} Effect of Various Construction Related Activities on Harbour Porpoise

Plate 7.3-2 Spatial Extent of 90 dB_{ht} Effect of Various Construction Related Activities (excluding piling) on Harbour Porpoises

Plate 7.3-3 Baseline Models Against which Scenarios are Compared

- Plate 7.3-4** Population Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs and Conservative Relationship between Perceived Noise and Displacement
- Plate 7.3-5** Population Modelling for the Bottlenose Dolphin Population in the Moray Firth. Data Based on 198 dB SAFESIMM Model Outputs and Conservative Relationship between Perceived Noise and Displacement
- Plate 7.3-6** Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs and Conservative Relationship between Perceived Noise and Displacement
- Plate 7.3-7** Population Modelling for the Bottlenose Dolphin Population in the Moray Firth. Data Based on 198 dB SAFESIMM Model Outputs and Conservative Relationship between Perceived Noise and Displacement
- Plate 10.3-1** Extent of Effect of Various Construction Activities (90 dB_{nt}) on Harbour Porpoise
- Plate 10.3-2** Population Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs
- Plate 14.3-1** Scenario D (BOWL followed by MORL) - Population Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs
- Plate 14.3-2** Scenario E (BOWL, overlapping for one year with MORL, followed by MORL) - Population Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs
- Plate 14.3-3** Scenario F (BOWL coinciding with MORL in 2016 to 2017) - Population Modelling for the Harbour Seal Population in the Moray Firth. Data Based on 186 dB SAFESIMM Model Outputs
- Plate 14.3-4** Scenarios D, E and F - Population Modelling for the Bottlenose Dolphin Population in the Moray Firth. Data Based on 198 dB SAFESIMM Model Outputs

Commercial Fisheries

- Plate 5.1-1** Moray Firth Commercial Landings of Shellfish, 2008
- Plate 5.1-2** Moray Firth Commercial Landings of Demersal Fish, 2009
- Plate 5.1-3** Moray Firth Commercial Fisheries Distribution, 2010
- Plate 5.1-4** Annual Catch in Scotland by Net Fisheries (Fixed Engines and Net and Coble) for the period 1952 to 2009
- Plate 5.1-5** Annual Fixed Engines Effort (MaxNoof Traps) by SFD (2001 to 2010)
- Plate 5.1-6** Annual Net and Coble Effort (MaxCrew) by SFD (2001 to 2010)
- Plate 5.1-7** Seasonality of the Rod-and-line Reported Catch by Species in the Spey District (Average 2000 to 2009)
- Plate 5.1-8** Seasonality of the Rod-and-line Reported Catch by Species in the Deveron District (average 2000 to 2009)
- Plate 5.1-9** Seasonality of the Rod-and-line Reported Catch by Species in the Ugie District (Average 2000 to 2009)
- Plate 5.1-10** Seasonality of the Rod-and-Line Reported Catch by Species in the Nairn District (Average 2000 to 2009)

- Plate 5.1-11** Seasonality of the Rod-and-Line Reported Catch by Species in the Lossie District (Average 2000 to 2009)
- Plate 5.1-12** Seasonality of the Rod-and-Line Reported Catch by Species in the Findhorn District (Average 2000 to 2009)
- Plate 5.1-13** Seasonality of the Rod-and-Line Reported Catch by Species in the Ness District (Average 2000 to 2009)
- Plate 5.1-14** Seasonality of the Rod-and-Line Reported Catch by Species in the Beaully District (Average 2000 to 2009)
- Plate 5.1-15** Seasonality of the Rod-and-Line Reported Catch by Species in the Conon District (Average 2000 to 2009)
- Plate 5.1-16** Seasonality of the Rod-and-Line Reported Catch by Species in the Alness District (Average 2000 to 2009)
- Plate 5.1-17** Seasonality of the Rod-and-Line Reported Catch by Species in the Kyle of Sutherland District (Average 2000 to 2009)
- Plate 5.1-18.** Seasonality of the Rod-and-Line Reported Catch by Species in the Brora District (Average 2000 to 2009)
- Plate 5.1-19** Seasonality of the Rod-and-Line Reported Catch by Species in the Helmsdale District (Average 2000 to 2009)
- Plate 5.1-20** Seasonality of the Rod-and-Line Reported Catch by Species in the Wick District (Average 2000 to 2009)
- Plate 5.1-21** Seasonality of the Rod-and-Line Reported Catch by Species in the Dunbeath District (Average 2000 to 2009)
- Plate 5.1-22** Seasonality of the Rod-and-Line Reported Catch by Species in the Berriedale District (Average 2000 to 2009)

Shipping and Navigation

- Plate 8.2-1** Overview of Methodology for the Risk Assessment

Socio-economics, Recreation and Tourism

- Plate 5.6-1** Unemployment Rates Within the Study Area
- Plate 5.6-2** GVA Per Head (NUTS for the three geographies within the Study Area)
- Plate 5.6-3** Individual Median Annual Gross Pay 2002 to 2010
- Plate 5.6-4** Proportion of Neighbourhoods in the Best and Worst 20 % in Scottish SIMD Rankings by Local Authority
- Plate 5.6-5** Key sectors in the Study Area Relative to Scotland
- Plate 8.6-1** Study Area Employment by Year – Base Case and High Case (excludes TI)
- Plate 8.6-2** Scotland (including Study Area) Employment by Year – Base Case and High Case (excludes TI)

ES Volume 6 a Figures

Introduction

- Figure 1.1-1** MORL Development Areas
- Figure 1.1-2** MORL Zone Boundaries
- Figure 1.1-3** Bathymetry Map Eastern Development Area
- Figure 1.1-4** Export Cable Route to Peterhead via Fraserburgh
- Figure 1.1-5** Potential Onshore Converter and Substation Locations

Environmental Impact Assessment

- Figure 1.3-1** Offshore Renewable Energy Development
- Figure 1.3-2** Onshore Planning Applications

Assessment of Alternatives

- Figure 2.1-1** MORL Spatial Constraints
- Figure 2.1-2** Offshore Export Cable Options Metoc-Hyder
- Figure 2.1-3** Onshore and Offshore Cable Routes – Stage 1 Concept Engineering Study
- Figure 2.1-4** Hub and Export Cable Route Options (Fraserburgh & Rattray)

Bathymetry

- Figure 3.1-1** Study Area
- Figure 3.1-2** Swathe Bathymetry of the Project Area

Wind Climate

- Figure 3.3-1** Wind Rose for Wick Airport (January 1996 to January 2011)

Hydrodynamics

- Figure 3.4-1** Data and Deployment Locations in the Moray Firth
- Figure 3.4-2** Modelled Near-Field Spring Tidal Flow Patterns
- Figure 3.4-3** Modelled Far-Field Spring Tidal Flow Patterns
- Figure 3.4-4** Observational Wave Records from Within and Nearby to the Project Area
- Figure 3.4-5** Significant Wave Heights Resulting from Key Wind Directions
- Figure 3.4-6** Identified Physical and Coastal Process Receptors

- Figure 6.1-1** Effect of the Project on Tidal Water Levels
- Figure 6.1-2** Effect of the Project on Tidal Current Speed
- Figure 6.1-3** Effect of the Project on Wave Height (T3, 1 in 50 yr)
- Figure 6.1-4** Effect of the Project on Wave Height (S3, 1 in 50 yr)

- Figure 6.1-5** Effect of the Project on Wave Height (M3, 1 in 50 yr)
- Figure 6.1-6** Effect of the Project on Wave Height (T3, S5, M5) 1 in 1 yr
- Figure 6.1-7** Effect of the Project on Wave Height (T3, S5, M5) 1 in 10 yrs
- Figure 6.1-8** Effect of the Project on Wave Height (T3, S5, M5) 1 in 50 yrs
- Figure 6.1-9** Effect of the Project on Wave Height (T5, S3, M5) 1 in 50 yrs
- Figure 6.1-10** Effect of the Project on Wave Height (T5, S5, M3) 1 in 50 yrs

- Figure 13.1-1** Location of Cumulative Developments
- Figure 13.1-2** Cumulative Effect of MORL and BOWL Developments on Tidal Water Levels
- Figure 13.1-3** Cumulative Effect of MORL and BOWL Developments on Tidal Current Speed
- Figure 13.1-4** Cumulative Effect of MORL and BOWL Developments on Wave Height (1 in 1 yr)
- Figure 13.1-5** Cumulative Effect of the MORL and BOWL Developments on Wave Height (1 in 50 yr)

Sedimentary and Coastal Processes

- Figure 3.5-1** Seabed Sediments Within and Near the Application Site
- Figure 3.5-2** MORL EDA Sediment Samples on the Folk (1954) Classification

- Figure 6.2-1** Bedload and Longshore Sediment Transport in the Moray Firth
- Figure 6.2-2** Suspended Particulate Matter Concentrations
- Figure 6.2-3** Typical Sediment Plume Resulting from Dredging Overspill
- Figure 6.2-4** Maximum Deposition Thickness of Fine Sediments (T3, S5, M5, dredging)

Underwater Noise

- Figure 3.6-1** Background Underwater Noise Measurements (UK)
- Figure 3.6-2** Soil Province Map and Borehole Locations
- Figure 3.6-3** Locations of Modelled Pile Driving Activity for Cumulative Noise Impact Studies

Hydrology, Geology and Hydrogeology

- Figure 3.7-1** Surface Water Catchments and Abstractions
- Figure 3.7-2** Potential Flood Risk Sheet (1 of 2)
- Figure 3.7-2** Potential Flood Risk Sheet (2 of 2)
- Figure 3.7-3** Groundwater Receptor Sensitivity
- Figure 3.7-4** Superficial Geology Receptor Sensitivity

*Designated Sites***Figure 4.1-1** Designated Sites (1)**Figure 4.1-2** Designated Sites (2)**Figure 4.1-3** Designated Sites (3)*Benthic Ecology***Figure 4.2-1** Moray Firth MESH Habitats**Figure 4.2-2** Survey Sample Locations**Figure 4.2-3** Windfarm and Export Cable Sediment Classification**Figure 4.2-4** Subtidal Biotopes**Figure 4.2-5** Offshore Export Cable Biotope Map**Figure 14.1-1** Subtidal Biotopes for MORL and BOWL*Fish and Shellfish Ecology***Figure 4.3-1** Study Areas**Figure 4.3-2** Relative live weight (tonnes) by species in the Regional Study Area (average 2000-2009)**Figure 4.3-3** Spawning and nursery grounds of cod (modified from Ellis et al, 2010), giving the original polygons provided in Coull et al (1998)**Figure 4.3-4** Spawning and nursery grounds of herring (modified from Ellis et al, 2010), giving the original polygons provided in Coull et al (1998)**Figure 4.3-5** Spawning and nursery grounds of lemon sole (modified from Coull et al, 1998)**Figure 4.3-6** Spawning and nursery grounds of Nephrops (modified from Coull et al, 1998)**Figure 4.3-7** Spawning and nursery grounds of plaice (modified from Ellis et al, 2010), giving the original polygons provided in Coull et al (1998)**Figure 4.3-8** Spawning and nursery grounds of sandeel (modified from Ellis et al, 2010), giving the original polygons provided in Coull et al (1998)**Figure 4.3-9** Spawning and nursery grounds of sprat (modified from Coull et al, 1998)**Figure 4.3-10** Spawning and nursery grounds of whiting (modified from Ellis et al, 2010), giving the original polygons provided in Coull et al (1998)**Figure 4.3-11** Nursery grounds of Anglerfish, Blue Whiting, Hake, Saithe, Mackerel and Ling (modified from Ellis et al 2010 and Coull et al 1998)**Figure 4.3-12** Nursery grounds of Haddock, Thornback Ray, Spurdog, Spotted Ray and Tope (modified from Ellis et al 2010 and Coull et al 1998)**Figure 4.3-13** Sandeel dredge survey: Distribution of sandeel abundance and sediment types (BGS)**Figure 7.2-1** Typical sediment plume resulting from dredging overspill (Tenth Foundation in Sequence)**Figure 7.2-2** 90 dBht (Species) impact ranges for salmon, dab, herring and cod

- Figure 7.2-3** 75 dBht and 90 dBht dab impact range with plaice spawning grounds (Coull et al, 1998)
- Figure 7.2-4** 75 dBht and 90 dBht Salmon impact ranges with Scottish salmon SACs
- Figure 7.2-5** 75 dBht and 90 dBht cod impact ranges with cod spawning grounds (Coull et al, 1998)
- Figure 7.2-6** 75 dBht and 90 dBht herring impact ranges with gravel and sandy-gravel and herring spawning grounds (Coull et al, 1998)
- Figure 7.2-7** Worst case loss of habitat with gravel and sandy-gravel areas and herring spawning grounds (Coull et al, 1998)
-
- Figure 10.2-1** 90 dBht (Species) impact ranges for salmon, dab, herring and cod
- Figure 10.2-2** 75 dBht and 90 dBht dab impact ranges with plaice spawning grounds (Coull et al, 1998)
- Figure 10.2-3** 75 dBht and 90 dBht Salmon impact ranges with Scottish salmon SACs
- Figure 10.2-4** 75 dBht and 90 dBht cod impact ranges with cod spawning grounds (Coull et al, 1998)
- Figure 10.2-5** 75 dBht and 90 dBht herring impact ranges with gravel and sandy-gravel and herring spawning grounds (Coull et al, 1998)

Marine Mammals

- Figure 4.4-1** Designated Sites (SACs)
- Figure 4.4-2** Predicted Seal Habitat Distribution
- Figure 4.4-3** Predicted Harbour Seal Occurrence
- Figure 4.4-4** The extent of grey seal pup movements from the breeding sites where they were tagged
- Figure 4.4-5** Tracks of grey seals (aged one year and above) which, at least once while they were tagged, entered a 100 km buffer zone around the proposed MORL wind farm sites
- Figure 4.4-6** Spatial Usage of Grey Seals Around MORL and BOWL
- Figure 4.4-7** At-Sea Usage of Grey Seals Around MORL and BOWL
- Figure 4.4-8** Detection days for Harbour Porpoise
- Figure 4.4-9** Detection days for Dolphins
- Figure 4.4-10** Detection of Harbour Porpoise (Wind Farm)
- Figure 4.4-11** Predicted Harbour Porpoise Grid
- Figure 4.4-12** Dolphin Species Grid
- Figure 4.4-13** Predicted Number Bottlenose Dolphins
- Figure 4.4-14** Boat Based Survey Area (2010 – 2012)
- Figure 4.4-15a** Harbour Porpoise Density (April 2010 – July 2011)
- Figure 4.4-15b** Minke Whale Density (April 2010 – July 2011)

Figure 4.4-15c Grey Seal Density (April 2010 – July 2011)

Figure 4.4-15d Combined Seal Density (April 2010 – July 2011)

ES Volume 6 b Figures

Ornithology

- Figure 4.5-1** Boat Based Survey Area (2010 – 2012)
- Figure 4.5-2** Predicted Density of Fulmar Using the Sea
- Figure 4.5-3** Predicted Density of Gannet Using the Sea
- Figure 4.5-4** Predicted Density of Kittiwake Using the Sea
- Figure 4.5-5** Predicted Density of Guillemot Using the Sea
- Figure 4.5-6** Predicted Density of Razorbill Using the Sea
- Figure 4.5-7** Predicted Density of Puffin Using the Sea
- Figure 4.5-8** Aerial Survey Area (2009 - 2010)
- Figure 4.5-9** Aerial Survey Area (Summer 2011)
- Figure 4.5-10** Guillemot Flight Directions from Aerial Surveys
- Figure 4.5-11** Razorbill Flight Directions from Aerial Surveys
- Figure 4.5-12** Puffin Flight Directions from Aerial Surveys
- Figure 4.5-13** Fulmar Flight Directions from Aerial Surveys
- Figure 4.5-14** Kittiwake Flight Directions from Aerial Surveys
- Figure 4.5-15** Great Black Backed Gull Flight Directions from Aerial Surveys
- Figure 4.5-16** Density Surface Model Outputs for Guillemots from all Surveys
- Figure 4.5-17** Density Surface Model Outputs for Razorbill from all Surveys
- Figure 4.5-18** Density Surface Model Outputs for Puffin from all Surveys
- Figure 4.5-19** Density Surface Model Outputs for Fulmar from all Surveys
- Figure 4.5-20** Density Surface Model Outputs for Kittiwake from all Surveys
- Figure 4.5-21** Density Surface Model Outputs for Great Black Backed Gulls from all Surveys
- Figure 4.5-22** Coastal Migration Survey Locations
- Figure 4.5-23** Seabird Tracking Study Summary - Fulmars
- Figure 4.5-24** Seabird Tracking Study Summary - Kittiwakes
- Figure 4.5-25** Seabird Tracking Study Summary - Guillemots
- Figure 4.5-26** Seabird Tracking Study Summary - Razorbills
- Figure 4.5-27** Predicted Distribution of Breeding Fulmar
- Figure 4.5-28** Predicted Distribution of Breeding Guillemot
- Figure 4.5-29** Predicted Distribution of Breeding Kittiwake
- Figure 4.5-30** Predicted Distribution of Breeding Razorbill

Intertidal Ecology

Figure 4.6-1 Intertidal Biotope - Fraserburgh

Terrestrial Ecology

Figure 4.7-1 Breeding Bird Survey Area

Figure 4.7-2 Phase 1 Habitat, Protected Species and Bat Roost and Habitat Suitability Survey Areas

Figure 4.7-3 Freshwater Pearl Mussel Survey Area

Figure 4.7-4 Breeding Bird Survey Results (1 of 3)

Figure 4.7-5 Breeding Bird Survey Results (2 of 3)

Figure 4.7-6 Breeding Bird Survey Results (3 of 3)

Figure 4.7-7 Protected Species Survey Results (1 of 3)

Figure 4.7-8 Protected Species Survey Results (2 of 3)

Figure 4.7-9 Protected Species Survey Results (3 of 3)

Commercial Fisheries

Figure 5.1-1 Study Areas

Figure 5.1-2 Salmon and Sea Trout Study Areas

Figure 5.1-3 Landings Value by Species in the National Study Area (Average 2001-2010)

Figure 5.1-4 Landings Value by Species in the Regional Study Area (Average 2001-2010)

Figure 5.1-5 Landings Value by Methods in the Regional Study Area (Average 2001-2010)

Figure 5.1-6 Landings Value by Vessel Category in the Regional Study Area (Average 2001-2010)

Figure 5.1-7 2009 VMS Dredge Gear

Figure 5.1-8 Scallop Fishing Grounds by Vessel

Figure 5.1-9 Value of Scallops in the UK (Average 2001-2010)

Figure 5.1-10 2009 VMS Nephrops Gear

Figure 5.1-11 Nephrops Fishing Grounds by Vessel

Figure 5.1-12 2009 VMS Whitefish Gear

Figure 5.1-13 Whitefish Fishing Grounds by Vessel

Figure 5.1-14 2009 VMS "Other" Gear

Figure 5.1-15 Squid Fishing Grounds by Vessel

Figure 5.1-16 Creel Fishing Grounds by Vessel

Figure 5.1-17 Annual Reported Catch of Salmon, Grilse and Sea Trout (no. of individuals by fishing method and region) (average 2000-2009)

Figure 5.1-18 Annual Reported Catch of Salmon, Grilse and Sea Trout (no. of individuals by species and district) (average 2000-2009)

Figure 5.1-19 Annual Reported Catch of Salmon, Grilse and Sea Trout (no. of individuals by fishing method and district) (average 2000-2009)

Figure 5.1-20 Export cable route landfall site location

Shipping and Navigation

Figure 5.2-1 Navigational Features Relative to the Proposed Sites and Cable Route

Figure 5.2-2 Navigational Features relative to cable corridor

Figure 5.2-3 Combined AIS and Radar Tracks by Ship Type (Gargano Survey, 38 Days)

Figure 5.2-4 Combined AIS and Radar Tracks by Ship Type (Chartwell Survey, 31 Days)

Figure 5.2-5 Fishing Vessel Tracks Within 10 nm of Moray Firth Zone (Chartwell Survey, 31 Days)

Figure 5.2-6 Recreational Vessel Tracks Within 10 nm of the Moray Firth (Chartwell Survey, 31 Days)

Figure 5.2-7 RYA Recreational Routes Relative to MORL Zone

Figure 5.2-8 MAIB Incidents by Type (2001-2010)

Figure 5.2-9 RNLI Incidents by Casualty (2001-2010)

Figure 5.2-10 SAR Helicopter Bases

Figure 5.2-11 RNLI Life Boat Bases

Figure 5.2-12 AIS Data Relative to the Southern Section of the Cable Route (Ivero, 28 Days)

Figure 5.2-13 Anchored Vessels within 10 nm Buffer

Figure 5.2-14 Fishing Vessels within 10 nm (Ivero Survey 28 Days)

Figure 5.2-15 Fishing Vessels Positions by Gear Type

Figure 5.2-16 Recreational Vessels within 10 nm (Ivero Survey 28 Days)

Figure 5.2-17 MAIB Incidents by Type for Cable Landfall (2001-2010)

Figure 5.2-18 RNLI Incidents by Casualty for Cable Landfall (2001-2010)

Figure 8.2-1 Survey Tracks by Type on Impacted Routes (Combined Survey, 69 Days)

Figure 8.2-2 Current and Anticipated Mean Route Positions with Scenario 1

Archaeology and Visual Receptors

Figure 5.5-1 Cultural Heritage Assets within the three wind farm sites

Figure 5.5-2 Cultural Heritage Assets within Export Cable Route Area

Figure 5.5-3 Cultural Heritage Assets in the OnTI Study Area (1 of 2)

Figure 5.5-4 Cultural Heritage Assets in the OnTI Study Area (2 of 2)

Figure 5.5-5 Cultural Heritage Assets in Relation to Impacts upon Setting

Socio-economics, Recreation and Tourism

Figure 5.6-1 MORL Project Study Area

Figure 5.6-2 Aberdeenshire Council Core Paths including Formartine and Buchan Way

Traffic and Transport

Figure 5.7-1 Locations of Proposed Routes

Figure 5.7-2 Locations of Traffic Counters

Other Human Activities

Figure 5.8-1 Human Activities in the Moray Firth

Figure 5.8-2 Oil and Gas Licensing in the Moray Firth

ES Volume 7 Figures

Seascope, Landscape and Visual Impact Assessment

Figure 5.4-1 SLVIA Study Area - Overview

Figure 5.4-2 Landscape Character

Figure 5.4-3 National Coastal Character

Figure 5.4-4 Coastal Character Areas (Context)

Figure 5.4-4a Coastal Character Areas (Caithness north)

Figure 5.4-4b Coastal Character Areas (Caithness east)

Figure 5.4-4c Coastal Character Areas (Caithness south)

Figure 5.4-4d Coastal Character Areas (Morayshire)

Figure 5.4-4e Coastal Character Areas (Aberdeenshire)

Figure 5.4-5 Landscape Designations

Figure 5.4-6 Visual Receptors

Figure 5.4-7 Viewpoint Location Plan

Figure 5.4-8 OnTI LVA Study Area

Figure 5.4-9 OnTI Cable Route Landscape Character

Figure 5.4-10 OnTI Cable Route National Coastal Character

Figure 5.4-11 OnTI Cable Route Coastal Character

Figure 5.4-12 OnTI Cable Route Landscape Designations

Figure 5.4-13 OnTI Cable Route Visual Receptors and Viewpoint Locations

Figure 5.4-14 OnTI Onshore Converter Station – Local Landscape Character

Figure 5.4-15 OnTI Onshore Converter Station – Viewpoint Locations

- Figure 8.4-1** Rochdale Envelope – SLVIA Layouts
- Figure 8.4-2** Rochdale Envelope - Layout Scenario 4c
- Figure 8.4-3** Rochdale Envelope - Layout Scenario 1c
- Figure 8.4-4** Rochdale Envelope – Layout Scenario 5c
- Figure 8.4-5** Blade Tip ZTV with viewpoints (Scenario 4c)
- Figure 8.4-5a** Blade Tip ZTV with viewpoints (Scenario 4c) – North
- Figure 8.4-5b** Blade Tip ZTV with viewpoints (Scenario 4c) - South
- Figure 8.4-6** Hub Height ZTV (Scenario 4c)
- Figure 8.4-7** Horizontal Angle ZTV (Scenario 4c)
- Figure 8.4-8** Vertical Angle ZTV (Scenario 4c)
- Figure 8.4-9** Landscape Character with ZTV
- Figure 8.4-10** Coastal Character Areas with ZTV
- Figure 8.4-10a** Coastal Character Areas with ZTV (Caithness north)
- Figure 8.4-10b** Coastal Character Areas with ZTV (Caithness east)
- Figure 8.4-10c** Coastal Character Areas with ZTV (Caithness south)
- Figure 8.4-10d** Coastal Character Areas with ZTV (Morayshire)
- Figure 8.4-10e** Coastal Character Areas with ZTV (Aberdeenshire)
- Figure 8.4-11** Landscape Designations with ZTV
- Figure 8.4-12** Visual Receptors with ZTV
- Figure 8.4-12a** Visual Receptors with ZTV – A882
- Figure 8.4-12b** Visual Receptors with ZTV – A9: Thurso to Latheron
- Figure 8.4-12c** Visual Receptors with ZTV – A9 Brora to Latheron
- Figure 8.4-12d** Visual Receptors with ZTV – A99 Latheron to Wick
- Figure 8.4-12e** Visual Receptors with ZTV – A99 Wick to John O' Groats
- Modelling Methodology
- Figure 8.4-13** Viewpoint 1 Duncansby Head Location
Viewpoint 1 Duncansby Head Photograph and Wireframe
- Figure 8.4-14** Viewpoint 2 Keiss Pier Location
Viewpoint 2 Keiss Pier Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 2 Keiss Pier Photomontage (Layout Scenario 4c)
Viewpoint 2 Keiss Pier Photomontage (The Highland Council Visualisation Standards, 50 mm) (Layout Scenario 4c)
Viewpoint 2 Keiss Pier Photomontage (The Highland Council Visualisation Standards, 75 mm) (Layout Scenario 4c)
- Figure 8.4-14a** Viewpoint 2 Keiss Pier Photograph and Wireframe (Layout Scenario 1c)
- Figure 8.4-14b** Viewpoint 2 Keiss Pier Photograph and Wireframe (Layout Scenario 5c)

- Figure 8.4-15** Viewpoint 3 Sortat Location
Viewpoint 3 Sortat Photograph and Wireframe (Layout Scenario 4c)
- Figure 8.4-16** Viewpoint 4 Wick Bay Location
Viewpoint 4 Wick Bay Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 4 Wick Bay Photomontage (Layout Scenario 4c)
Viewpoint 4 Wick Bay Photomontage (The Highland Council Visualisation Standards, 50 mm) (Layout Scenario 4c)
Viewpoint 4 Wick Bay Photomontage (Highland Council Visualisation Standards, 75 mm) (Layout Scenario 4c)
- Figure 8.4-16a** Viewpoint 4 Wick Bay Photograph and Wireframe (Layout Scenario 1c)
- Figure 8.4-16b** Viewpoint 4 Wick Bay Photograph and Wireframe (Layout Scenario 5c)
- Figure 8.4-16c** Viewpoint 4 Wick Bay Photograph (Night time view)
- Figure 8.4-16d** Viewpoint 4 Wick Bay Photomontage (Night time view) (Layout Scenario 4c)
- Figure 8.4-17** Viewpoint 5 Sarclet (Sarclet Haven Info Board) Location
Viewpoint 5 Sarclet (Sarclet Haven Info Board) Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 5 Sarclet (Sarclet Haven Info Board) Photomontage (Layout Scenario 4c)
- Figure 8.4-18** Viewpoint 6 Hill O' Many Stanes Location
Viewpoint 6 Hill O' Many Stanes Photograph and Wireframe (Layout Scenario 4c)
- Figure 8.4-19** Viewpoint 7 Lybster (end of Main Street) Location
Viewpoint 7 Lybster (end of Main Street) Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 7 Lybster (end of Main Street) Photomontage (Layout Scenario 4c)
- Figure 8.4-20** Viewpoint 8 Latheron (A9) Location
Viewpoint 8 Latheron (A9) Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 8 Latheron (A9) Photomontage (Layout Scenario 4c)
- Figure 8.4-21** Viewpoint 9 Dunbeath (nr Heritage Centre) Location
Viewpoint 9 Dunbeath (nr Heritage Centre) Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 9 Dunbeath (nr Heritage Centre) Photomontage (Layout Scenario 4c)
Viewpoint 9 Dunbeath (nr Heritage Centre) Photomontage (The Highland Council Visualisation Standards, 50 mm) (Layout Scenario 4c)
Viewpoint 9 Dunbeath (nr Heritage Centre) Photomontage (The Highland Council Visualisation Standards, 75 mm) (Layout Scenario 4c)
- Figure 8.4-21a** Viewpoint 9 Dunbeath (nr Heritage Centre) Photograph and Wireframe (Layout Scenario 1c)

- Figure 8.4-21b** Viewpoint 9 Dunbeath (nr Heritage Centre) Photograph and Wireframe (Layout Scenario 5c)
- Figure 8.4-21c** Viewpoint 9 Dunbeath Photograph (Night time view)
- Figure 8.4-21d** Viewpoint 9 Dunbeath Photomontage (Night time view) (Layout Scenario 4c)
- Figure 8.4-22** Viewpoint 10 Berriedale (A9) Location
Viewpoint 10 Berriedale (A9) Photograph and Wireframe (Layout Scenario 4c)
- Figure 8.4-23** Viewpoint 11 Morven Location
Viewpoint 11 Morven Photograph and Wireframe (Layout Scenario 4c)
- Figure 8.4-24** Viewpoint 12 Navidale Location
Viewpoint 12 Navidale Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 12 Navidale Photomontage (Layout Scenario 4c)
Viewpoint 12 Navidale Photomontage (The Highland Council Visualisation Standards, 50 mm) (Layout Scenario 4c)
Viewpoint 12 Navidale Photomontage (The Highland Council Visualisation Standards, 75 mm) (Layout Scenario 4c)
- Figure 8.4-24a** Viewpoint 12 Navidale Photograph and Wireframe(Scenario 1c)
- Figure 8.4-24b** Viewpoint 12 Navidale Photograph and Wireframe(Scenario 5c)
- Figure 8.4-25** Viewpoint 13 Catchory Location
Viewpoint 13 Catchory Photograph and Wireframe (Layout Scenario 4c)
Viewpoint 13 Catchory Photomontage (Layout Scenario 4c)
Viewpoint 13 Catchory Photomontage (The Highland Council Visualisation Standards, 50 mm) (Layout Scenario 4c)
Viewpoint 13 Catchory Photomontage (The Highland Council Visualisation Standards, 75 mm) (Layout Scenario 4c)
- Figure 8.4-25a** Viewpoint 13 Catchory Photograph and Wireframe (Scenario 1c)
- Figure 8.4-25b** Viewpoint 13 Catchory Photograph and Wireframe (Scenario 5c)
- Figure 8.4-26** Viewpoint 14 Minor Rd, south side of Stemster Hill Location
Viewpoint 14 Minor Rd, south side of Stemster Hill Photograph and Wireframe (Scenario 4c)
- Figure 8.4-27** Viewpoint 15 Whaligoe Steps Location
Viewpoint 15 Whaligoe Steps Photograph and Wireframe (Scenario 4c)
Viewpoint 15 Whaligoe Steps Photomontage (Scenario 4c)
- Figure 8.4-28** Viewpoint 16 Lossiemouth, Prospect Terrace (Info Point) Location
Viewpoint 16 Lossiemouth, Prospect Terrace (Info Point) Photograph and Wireframe (Scenario 4c)

- Figure 8.4-29** Viewpoint 17 Buckie, Cliff Terrace Location
Viewpoint 17 Buckie, Cliff Terrace Photograph and Wireframe (Scenario 4c)
Viewpoint 17 Buckie, Cliff Terrace Photomontage (Scenario 4c)
- Figure 8.4-30** Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point Location
Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point Photograph and Wireframe (Scenario 4c)
Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point Photomontage (Scenario 4c)
- Figure 8.4-31** Viewpoint 19 Cullen, Viaduct Location
Viewpoint 19 Cullen, Viaduct Photograph and Wireframe (Scenario 4c)
- Figure 8.4-32** Viewpoint 20 Bin Hill Location
Viewpoint 20 Bin Hill Photograph and Wireframe (Scenario 4c)
- Figure 8.4-33** Viewpoint 21 Findlater Castle Location
Viewpoint 21 Findlater Castle Photograph and Wireframe (Scenario 4c)
- Figure 8.4-34** Viewpoint 22 Portsoy Location
Viewpoint 22 Portsoy Photograph and Wireframe (Scenario 4c)
- Figure 8.4-35** Viewpoint 23 Ferry Route (Kirkwall to Aberdeen) Location 1
Viewpoint 23 Ferry Route (Kirkwall to Aberdeen) Wireframe (Scenario 4c) 1
- Figure 8.4-36** Viewpoint 24 Ferry Route (Kirkwall to Aberdeen) Location 2
Viewpoint 24 Ferry Route (Kirkwall to Aberdeen) Wireframe (Scenario 4c) 2
- Figure 8.4-37** Rochdale Envelope - Secondary Assessment
-
- Figure 11.4-1** OnTI Cable Landfall: Viewpoint 1 Fraserburgh, Beach Esplanade
- Figure 11.4-2** OnTI Converter Station ZTV
- Figure 11.4-3** OnTI Converter Station – Viewpoint 1 Boddam, Station Road
- Figure 11.4-4** OnTI Converter Station – Viewpoint 2 A90, Peterhead Power Station
- Figure 11.4-5** OnTI Converter Station – Viewpoint 3 Newton
- Figure 11.4-6** OnTI Converter Station – Viewpoint 4 Whinbush
- Figure 11.4-7** OnTI Converter Station – Viewpoint 5 Invernettie Roundabout, Peterhead
- Figure 11.4-8** OnTI Converter Station – Viewpoint 6 Sandford Bay
-
- Figure 15.4-1** Cumulative Wind farm Locations
- Figure 15.4-2** Cumulative ZTV with Operational Wind Farms
- Figure 15.4-3** Cumulative ZTV with Operational and Consented Wind Farms
- Figure 15.4-4** Cumulative ZTV with Operational, Consented and Application Wind Farms
- Figure 15.4-5** Cumulative ZTV with Achairn

- Figure 15.4-6** Cumulative ZTV with Beatrice Demonstrator Turbines
- Figure 15.4-7** Cumulative ZTV with Boyndie & Extension
- Figure 15.4-8** Cumulative ZTV with Buolfuich
- Figure 15.4-9** Cumulative ZTV with Camster
- Figure 15.4-10** Cumulative ZTV with Causerymire & Extension
- Figure 15.4-11** Cumulative ZTV with Flex Hill
- Figure 15.4-12** Cumulative ZTV with Burn of Whilk
- Figure 15.4-13** Cumulative ZTV with Stroupster
- Figure 15.4-14** Cumulative ZTV with Wathegar
- Figure 15.4-15** Cumulative ZTV with Aultmore
- Figure 15.4-16** Cumulative ZTV with Beatrice
- Figure 15.4-17** Cumulative ZTV with Dunbeath
- Figure 15.4-18** Cumulative ZTV with Halsary
- Figure 15.4-19** Cumulative ZTV with Plover Hill
- Figure 15.4-20** Cumulative ZTV with Spittal Hill
- Figure 15.4-21** Cumulative ZTV with Upper Smerral
- Figure 15.4-22** Cumulative ZTV with Wathegar 2
- Figure 15.4-23** Cumulative Viewpoint 1 Duncansby Head
- Figure 15.4-23a** Cumulative Viewpoint 1 Duncansby Head Wireframe
- Figure 15.4-23b** Cumulative Viewpoint 1 Duncansby Head Wireframe
- Figure 15.4-24** Cumulative Viewpoint 2 Keiss Pier
- Figure 15.4-24a** Cumulative Viewpoint 2 Keiss Pier Wireframe
- Figure 15.4-24b** Cumulative Viewpoint 2 Keiss Pier Wireframe
- Figure 15.4-24c** Cumulative Viewpoint 2 Keiss Pier Wireframe
- Figure 15.4-25** Cumulative Viewpoint 3 Sortat
- Figure 15.4-25a** Cumulative Viewpoint 3 Sortat Wireframe
- Figure 15.4-25b** Cumulative Viewpoint 3 Sortat Wireframe
- Figure 15.4-25c** Cumulative Viewpoint 3 Sortat Wireframe
- Figure 15.4-26** Cumulative Viewpoint 4 Wick Bay
- Figure 15.4-26a** Cumulative Viewpoint 4 Wick Bay Wireframe
- Figure 15.4-26b** Cumulative Viewpoint 4 Wick Bay Wireframe
- Figure 15.4-26c** Cumulative Viewpoint 4 Wick Bay Wireframe
- Figure 15.4-27** Cumulative Viewpoint 5 Sarclet (Sarclet Haven Info Board)
- Figure 15.4-27a** Cumulative Viewpoint 5 Sarclet (Sarclet Haven Info Board) Wireframe
- Figure 15.4-27b** Cumulative Viewpoint 5 Sarclet (Sarclet Haven Info Board) Wireframe
- Figure 15.4-27c** Cumulative Viewpoint 5 Sarclet (Sarclet Haven Info Board) Wireframe

- Figure 15.4-28** Cumulative Viewpoint 6 Hill O' Many Stanes
- Figure 15.4-28a** Cumulative Viewpoint 6 Hill O' Many Stanes Wireframe
- Figure 15.4-28b** Cumulative Viewpoint 6 Hill O' Many Stanes Wireframe
- Figure 15.4-28c** Cumulative Viewpoint 6 Hill O' Many Stanes Wireframe
- Figure 15.4-28d** Cumulative Viewpoint 6 Hill O' Many Stanes Wireframe
- Figure 15.4-28e** Cumulative Viewpoint 6 Hill O' Many Stanes Wireframe
- Figure 15.4-29** Cumulative Viewpoint 7 Lybster (end of Main Street)
- Figure 15.4-29a** Cumulative Viewpoint 7 Lybster (end of Main Street) Wireframe
- Figure 15.4-29b** Cumulative Viewpoint 7 Lybster (end of Main Street) Wireframe
- Figure 15.4-29c** Cumulative Viewpoint 7 Lybster (end of Main Street) Wireframe
- Figure 15.4-29d** Cumulative Viewpoint 7 Lybster (end of Main Street) Wireframe
- Figure 15.4-29e** Cumulative Viewpoint 7 Lybster (end of Main Street) Wireframe
- Figure 15.4-30** Cumulative Viewpoint 8 Latheron (A9)
- Figure 15.4-30a** Cumulative Viewpoint 8 Latheron (A9) Wireframe
- Figure 15.4-30b** Cumulative Viewpoint 8 Latheron (A9) Wireframe
- Figure 15.4-30c** Cumulative Viewpoint 8 Latheron (A9) Wireframe
- Figure 15.4-30d** Cumulative Viewpoint 8 Latheron (A9) Wireframe
- Figure 15.4-31** Cumulative Viewpoint 9 Dunbeath (nr Heritage Centre)
- Figure 15.4-31a** Cumulative Viewpoint 9 Dunbeath (nr Heritage Centre) Wireframe
- Figure 15.4-31b** Cumulative Viewpoint 9 Dunbeath (nr Heritage Centre) Wireframe
- Figure 15.4-31c** Cumulative Viewpoint 9 Dunbeath (nr Heritage Centre) Wireframe
- Figure 15.4-31d** Cumulative Viewpoint 9 Dunbeath (nr Heritage Centre) Wireframe
- Figure 15.4-32** Cumulative Viewpoint 10 Berriedale (A9)
- Figure 15.4-32a** Cumulative Viewpoint 10 Berriedale (A9) Wireframe
- Figure 15.4-32b** Cumulative Viewpoint 10 Berriedale (A9) Wireframe
- Figure 15.4-32c** Cumulative Viewpoint 10 Berriedale (A9) Wireframe
- Figure 15.4-32d** Cumulative Viewpoint 10 Berriedale (A9) Wireframe
- Figure 15.4-33** Cumulative Viewpoint 11 Morven
- Figure 15.4-33a** Cumulative Viewpoint 11 Morven Wireframe
- Figure 15.4-33b** Cumulative Viewpoint 11 Morven Wireframe
- Figure 15.4-33c** Cumulative Viewpoint 11 Morven Wireframe
- Figure 15.4-34** Cumulative Viewpoint 12 Navidale
- Figure 15.4-34a** Cumulative Viewpoint 12 Navidale Wireframe
- Figure 15.4-34b** Cumulative Viewpoint 12 Navidale Wireframe
- Figure 15.4-35** Cumulative Viewpoint 13 Catchory
- Figure 15.4-35a** Cumulative Viewpoint 13 Catchory Wireframe

- Figure 15.4-35b** Cumulative Viewpoint 13 Catchory Wireframe
- Figure 15.4-35c** Cumulative Viewpoint 13 Catchory Wireframe
- Figure 15.4-35d** Cumulative Viewpoint 13 Catchory Wireframe
- Figure 15.4-35e** Cumulative Viewpoint 13 Catchory Wireframe
- Figure 15.4-36** Cumulative Viewpoint 14 Minor Rd, south side of Stemster Hill
- Figure 15.4-36a** Cumulative Viewpoint 14 Minor Rd, south side of Stemster Hill Wireframe
- Figure 15.4-36b** Cumulative Viewpoint 14 Minor Rd, south side of Stemster Hill Wireframe
- Figure 15.4-36c** Cumulative Viewpoint 14 Minor Rd, south side of Stemster Hill Wireframe
- Figure 15.4-36d** Cumulative Viewpoint 14 Minor Rd, south side of Stemster Hill Wireframe
- Figure 15.4-37** Cumulative Viewpoint 15 Whaligoe Steps
- Figure 15.4-37a** Cumulative Viewpoint 15 Whaligoe Steps Wireframe
- Figure 15.4-37b** Cumulative Viewpoint 15 Whaligoe Steps Wireframe
- Figure 15.4-38** Cumulative Viewpoint 16 Lossiemouth, Prospect Terrace (Info Point)
- Figure 15.4-38a** Cumulative Viewpoint 16 Lossiemouth, Prospect Terrace (Info Point) Wireframe
- Figure 15.4-38b** Cumulative Viewpoint 16 Lossiemouth, Prospect Terrace (Info Point) Wireframe
- Figure 15.4-39** Cumulative Viewpoint 17 Buckie, Cliff Terrace
- Figure 15.4-39a** Cumulative Viewpoint 17 Buckie, Cliff Terrace Wireframe
- Figure 15.4-39b** Cumulative Viewpoint 17 Buckie, Cliff Terrace Wireframe
- Figure 15.4-39c** Cumulative Viewpoint 17 Buckie, Cliff Terrace Wireframe
- Figure 15.4-39d** Cumulative Viewpoint 17 Buckie, Cliff Terrace Wireframe
- Figure 15.4-40** Cumulative Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point
- Figure 15.4-40a** Cumulative Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point Wireframe
- Figure 15.4-40b** Cumulative Viewpoint 18 Portnockie - Bow Fiddle Rock Info Point Wireframe
- Figure 15.4-41** Cumulative Viewpoint 19 Cullen, Viaduct
- Figure 15.4-41a** Cumulative Viewpoint 19 Cullen, Viaduct Wireframe
- Figure 15.4-41b** Cumulative Viewpoint 19 Cullen, Viaduct Wireframe
- Figure 15.4-41c** Cumulative Viewpoint 19 Cullen, Viaduct Wireframe
- Figure 15.4-42** Cumulative Viewpoint 20 Bin Hill
- Figure 15.4-42a** Cumulative Viewpoint 20 Bin Hill Wireframe
- Figure 15.4-42b** Cumulative Viewpoint 20 Bin Hill Wireframe
- Figure 15.4-42c** Cumulative Viewpoint 20 Bin Hill Wireframe
- Figure 15.4-42d** Cumulative Viewpoint 20 Bin Hill Wireframe
- Figure 15.4-42e** Cumulative Viewpoint 20 Bin Hill Wireframe
- Figure 15.4-43** Cumulative Viewpoint 21 Findlater Castle

Figure 15.4-43a Cumulative Viewpoint 21 Findlater Castle Wireframe

Figure 15.4-43b Cumulative Viewpoint 21 Findlater Castle Wireframe

Figure 15.4-43c Cumulative Viewpoint 21 Findlater Castle Wireframe

Figure 15.4-43d Cumulative Viewpoint 21 Findlater Castle Wireframe

Figure 15.4-43e Cumulative Viewpoint 21 Findlater Castle Wireframe

Figure 15.4-44 Cumulative Viewpoint 22 Portsoy

Figure 15.4-44a Cumulative Viewpoint 22 Portsoy Wireframe

Figure 15.4-44b Cumulative Viewpoint 22 Portsoy Wireframe

Figure 15.4-45 Cumulative Viewpoint 23 Ferry Route (Kirkwall to Aberdeen) 1

Figure 15.4-45a Cumulative Viewpoint 23 Ferry Route (Kirkwall to Aberdeen) 1 Wireframe

Figure 15.4-46 Cumulative Viewpoint 24 Ferry Route (Kirkwall to Aberdeen) 2

Figure 15.4-46a Cumulative Viewpoint 24 Ferry Route (Kirkwall to Aberdeen) 2 Wireframe

Figure 15.4-46b Cumulative Viewpoint 24 Ferry Route (Kirkwall to Aberdeen) 2 Wireframe