



Spiorad na Mara Offshore Wind Farm

Offshore Project

Environmental Impact Assessment Report

Annex 14.1.4.D: MRSea Model Diagnostics, Volume 2c

Document Reference No.: N/A

Date: February 2026



Quality Control Page

Document details	
Document title	Offshore Project Environmental Impact Assessment Report
Document subtitle	Annex 14.1.4.D: MRSea Model Diagnostics
Document Reference No.	N/A
Date	February 2026
Version	04
Author	NIRAS
Client Name	Sporad na Mara Limited

Document history						
Version	Revision	Issued	Checked	Approved	Date	Comments
1.0	A	NIRAS	WSP	SnM Ltd	February 2026	Final for submission

Contents

1	Annex 14.1.4.D: MrSea Model Diagnostics.....	1-1
1.1	Introduction.....	1-1
1.2	Kittiwake.....	1-1
1.3	Gannet.....	1-44
1.4	Guillemot	1-84
1.5	Razorbill	1-144
1.6	Puffin	1-181
1.7	Glossary of terms and abbreviations.....	1-214

List of Tables

Table 1-1	Acronyms and Abbreviations	1-214
Table 1-2	Glossary	1-214

List of Plates

Plate 1-1	Kittiwake survey 01 best fitting model scaled Pearsons residuals	1-1
Plate 1-2	Kittiwake survey 01 fitted versus observed	1-1
Plate 1-3	Kittiwake survey 01 COVRATIO statistic.....	1-2
Plate 1-4	Kittiwake survey 01 PRESS statistic.....	1-2
Plate 1-5	Kittiwake survey 01 mean-variance relationship	1-2
Plate 1-6	Kittiwake survey 02 best fitting model scaled Pearsons residuals	1-4
Plate 1-7	Kittiwake survey 02 fitted versus observed	1-4
Plate 1-8	Kittiwake survey 02 COVRATIO statistic.....	1-5
Plate 1-9	Kittiwake survey 02 PRESS statistic.....	1-5
Plate 1-10	Kittiwake survey 02 mean-variance relationship	1-6
Plate 1-11	Kittiwake survey 03 best fitting model scaled Pearsons residuals	1-6
Plate 1-12	Kittiwake survey 03 fitted versus observed	1-7
Plate 1-13	Kittiwake survey 03 COVRATIO statistic	1-7
Plate 1-14	Kittiwake survey 03 PRESS statistic.....	1-8
Plate 1-15	Kittiwake survey 03 mean-variance relationship	1-8
Plate 1-16	Kittiwake survey 05 best fitting model scaled Pearsons residuals	1-9

Plate 1-17 Kittiwake survey 05 fitted versus observed	1-9
Plate 1-18 Kittiwake survey 05 PRESS statistic.....	1-10
Plate 1-19 Kittiwake survey 05 mean-variance relationship	1-11
Plate 1-20 Kittiwake survey 08 best fitting model scaled Pearsons residuals	1-11
Plate 1-21 Kittiwake survey 08 fitted versus observed	1-11
Plate 1-22 Kittiwake survey 08 COVRATIO statistic	1-12
Plate 1-23 Kittiwake survey 08 PRESS statistic.....	1-12
Plate 1-24 Kittiwake survey 08 mean-variance relationship	1-13
Plate 1-25 Kittiwake survey 09 best fitting model scaled Pearsons residuals	1-14
Plate 1-26 Kittiwake survey 09 fitted versus observed	1-14
Plate 1-27 Kittiwake survey 09 COVRATIO statistic	1-15
Plate 1-28 Kittiwake survey 09 PRESS statistic.....	1-15
Plate 1-29 Kittiwake survey 09 mean-variance relationship	1-16
Plate 1-30 Kittiwake survey 10 best fitting model scaled Pearsons residuals	1-16
Plate 1-31 Kittiwake survey 10 fitted versus observed	1-17
Plate 1-32 Kittiwake survey 10 COVRATIO statistic	1-17
Plate 1-33 Kittiwake survey 10 PRESS statistic.....	1-18
Plate 1-34 Kittiwake survey 10 mean-variance relationship	1-18
Plate 1-35 Kittiwake survey 11 best fitting model scaled Pearsons residuals	1-19
Plate 1-36 Kittiwake survey 11 fitted versus observed	1-19
Plate 1-37 Kittiwake survey 11 COVRATIO statistic	1-20
Plate 1-38 Kittiwake survey 11 PRESS statistic.....	1-20
Plate 1-39 Kittiwake survey 11 mean-variance relationship	1-21
Plate 1-40 Kittiwake survey 12 best fitting model scaled Pearsons residuals	1-21
Plate 1-41 Kittiwake survey 12 fitted versus observed	1-21
Plate 1-42 Kittiwake survey 12 COVRATIO statistic	1-22
Plate 1-43 Kittiwake survey 12 PRESS statistic.....	1-22
Plate 1-44 Kittiwake survey 12 mean-variance relationship	1-23
Plate 1-45 Kittiwake survey 13 best fitting model scaled Pearsons residuals	1-23
Plate 1-46 Kittiwake survey 13 fitted versus observed	1-24
Plate 1-47 Kittiwake survey 13 COVRATIO statistic	1-24
Plate 1-48 Kittiwake survey 13 PRESS statistic.....	1-25

Plate 1-49 Kittiwake survey 13 mean-variance relationship	1-25
Plate 1-50 Kittiwake survey 15 best fitting model scaled Pearsons residuals	1-26
Plate 1-51 Kittiwake survey 15 fitted versus observed	1-26
Plate 1-52 Kittiwake survey 15 COVRATIO statistic	1-27
Plate 1-53 Kittiwake survey 15 PRESS statistic.....	1-27
Plate 1-54 Kittiwake survey 15 mean-variance relationship	1-28
Plate 1-55 Kittiwake survey 16 best fitting model scaled Pearsons residuals	1-29
Plate 1-56 Kittiwake survey 16 fitted versus observed	1-29
Plate 1-57 Kittiwake survey 16 COVRATIO statistic	1-29
Plate 1-58 Kittiwake survey 16 PRESS statistic.....	1-30
Plate 1-59 Kittiwake survey 16 mean-variance relationship	1-30
Plate 1-60 Kittiwake survey 17 best fitting model scaled Pearsons residuals	1-31
Plate 1-61 Kittiwake survey 17 fitted versus observed	1-31
Plate 1-62 Kittiwake survey 17 COVRATIO statistic	1-32
Plate 1-63 Kittiwake survey 17 PRESS statistic.....	1-32
Plate 1-64 Kittiwake survey 17 mean-variance relationship	1-33
Plate 1-65 Kittiwake survey 20 best fitting model scaled Pearsons residuals	1-34
Plate 1-66 Kittiwake survey 20 fitted versus observed	1-34
Plate 1-67 Kittiwake survey 20 COVRATIO statistic	1-35
Plate 1-68 Kittiwake survey 20 PRESS statistic.....	1-35
Plate 1-69 Kittiwake survey 20 mean-variance relationship	1-35
Plate 1-70 Kittiwake survey 21 best fitting model scaled Pearsons residuals	1-36
Plate 1-71 Kittiwake survey 21 fitted versus observed	1-36
Plate 1-72 Kittiwake survey 21 COVRATIO statistic	1-37
Plate 1-73 Kittiwake survey 21 PRESS statistic.....	1-37
Plate 1-74 Kittiwake survey 21 mean-variance relationship	1-38
Plate 1-75 Kittiwake survey 22 best fitting model scaled Pearsons residuals	1-39
Plate 1-76 Kittiwake survey 22 fitted versus observed	1-39
Plate 1-77 Kittiwake survey 22 COVRATIO statistic	1-40
Plate 1-78 Kittiwake survey 22 PRESS statistic.....	1-40
Plate 1-79 Kittiwake survey 22 mean-variance relationship	1-41
Plate 1-80 Kittiwake survey 24 best fitting model scaled Pearsons residuals	1-41

Plate 1-81 Kittiwake survey 24 fitted versus observed	1-42
Plate 1-82 Kittiwake survey 24 COVRATIO statistic	1-42
Plate 1-83 Kittiwake survey 24 PRESS statistic.....	1-42
Plate 1-84 Kittiwake survey 24 mean-variance relationship	1-43
Plate 1-85 Gannet survey 01 best fitting model scaled Pearsons residuals	1-44
Plate 1-86 Gannet survey 01 fitted versus observed	1-44
Plate 1-87 Gannet survey 01 COVRATIO statistic.....	1-44
Plate 1-88 Gannet survey 01 PRESS statistic.....	1-45
Plate 1-89 Gannet survey 01 mean-variance relationship	1-45
Plate 1-90 Gannet survey 02 best fitting model scaled Pearsons residuals	1-46
Plate 1-91 Gannet survey 02 fitted versus observed	1-46
Plate 1-92 Gannet survey 02 COVRATIO statistic.....	1-47
Plate 1-93 Gannet survey 02 PRESS statistic.....	1-47
Plate 1-94 Gannet survey 02 mean-variance relationship	1-48
Plate 1-95 Gannet survey 03 best fitting model scaled Pearsons residuals	1-48
Plate 1-96 Gannet survey 03 fitted versus observed	1-49
Plate 1-97 Gannet survey 03 COVRATIO statistic.....	1-50
Plate 1-98 Gannet survey 03 PRESS statistic.....	1-50
Plate 1-99 Gannet survey 03 mean-variance relationship	1-50
Plate 1-100 Gannet survey 04 best fitting model scaled Pearsons residuals	1-51
Plate 1-101 Gannet survey 04 fitted versus observed	1-51
Plate 1-102 Gannet survey 04 COVRATIO statistic.....	1-52
Plate 1-103 Gannet survey 04 PRESS statistic.....	1-52
Plate 1-104 Gannet survey 04 mean-variance relationship	1-53
Plate 1-105 Gannet survey 05 best fitting model scaled Pearsons residuals	1-54
Plate 1-106 Gannet survey 05 fitted versus observed	1-54
Plate 1-107 Gannet survey 05 COVRATIO statistic.....	1-55
Plate 1-108 Gannet survey 05 PRESS statistic.....	1-55
Plate 1-109 Gannet survey 05 mean-variance relationship	1-56
Plate 1-110 Gannet survey 06 best fitting model scaled Pearsons residuals	1-56
Plate 1-111 Gannet survey 06 fitted versus observed	1-57
Plate 1-112 Gannet survey 06 COVRATIO statistic.....	1-57

Plate 1-113 Gannet survey 06 PRESS statistic.....	1-58
Plate 1-114 Gannet survey 06 mean-variance relationship	1-58
Plate 1-115 Gannet survey 07 best fitting model scaled Pearsons residuals	1-59
Plate 1-116 Gannet survey 07 fitted versus observed	1-59
Plate 1-117 Gannet survey 07 COVRATIO statistic.....	1-60
Plate 1-118 Gannet survey 07 PRESS statistic.....	1-60
Plate 1-119 Gannet survey 07 mean-variance relationship	1-61
Plate 1-120 Gannet survey 08 best fitting model scaled Pearsons residuals	1-61
Plate 1-121 Gannet survey 08 fitted versus observed	1-62
Plate 1-122 Gannet survey 08 COVRATIO statistic.....	1-62
Plate 1-123 Gannet survey 08 PRESS statistic.....	1-62
Plate 1-124 Gannet survey 08 mean-variance relationship	1-63
Plate 1-125 Gannet survey 11 best fitting model scaled Pearsons residuals	1-64
Plate 1-126 Gannet survey 11 fitted versus observed	1-64
Plate 1-127 Gannet survey 11 COVRATIO statistic.....	1-65
Plate 1-128 Gannet survey 11 PRESS statistic.....	1-65
Plate 1-129 Gannet survey 11 mean-variance relationship	1-66
Plate 1-130 Gannet survey 13 best fitting model scaled Pearsons residuals	1-66
Plate 1-131 Gannet survey 13 fitted versus observed	1-67
Plate 1-132 Gannet survey 13 COVRATIO statistic.....	1-67
Plate 1-133 Gannet survey 13 PRESS statistic.....	1-68
Plate 1-134 Gannet survey 13 mean-variance relationship	1-68
Plate 1-135 Gannet survey 14 best fitting model scaled Pearsons residuals	1-69
Plate 1-136 Gannet survey 14 fitted versus observed	1-69
Plate 1-137 Gannet survey 14 COVRATIO statistic.....	1-70
Plate 1-138 Gannet survey 14 PRESS statistic.....	1-70
Plate 1-139 Gannet survey 14 mean-variance relationship	1-70
Plate 1-140 Gannet survey 15 best fitting model scaled Pearsons residuals	1-71
Plate 1-141 Gannet survey 15 fitted versus observed	1-71
Plate 1-142 Gannet survey 15 COVRATIO statistic.....	1-72
Plate 1-143 Gannet survey 15 PRESS statistic.....	1-72
Plate 1-144 Gannet survey 15 mean-variance relationship	1-73

Plate 1-145 Gannet survey 16 best fitting model scaled Pearsons residuals	1-74
Plate 1-146 Gannet survey 16 fitted versus observed	1-74
Plate 1-147 Gannet survey 16 COVRATIO statistic.....	1-74
Plate 1-148 Gannet survey 16 PRESS statistic.....	1-75
Plate 1-149 Gannet survey 16 mean-variance relationship	1-75
Plate 1-150 Gannet survey 17 best fitting model scaled Pearsons residuals	1-76
Plate 1-151 Gannet survey 17 fitted versus observed	1-76
Plate 1-152 Gannet survey 17 COVRATIO statistic.....	1-77
Plate 1-153 Gannet survey 17 PRESS statistic.....	1-78
Plate 1-154 Gannet survey 17 mean-variance relationship	1-78
Plate 1-155 Gannet survey 18 best fitting model scaled Pearsons residuals	1-79
Plate 1-156 Gannet survey 18 fitted versus observed	1-79
Plate 1-157 Gannet survey 18 COVRATIO statistic.....	1-79
Plate 1-158 Gannet survey 18 PRESS statistic.....	1-80
Plate 1-159 Gannet survey 18 mean-variance relationship	1-80
Plate 1-160 Gannet survey 19 best fitting model scaled Pearsons residuals	1-81
Plate 1-161 Gannet survey 19 fitted versus observed	1-81
Plate 1-162 Gannet survey 19 COVRATIO statistic.....	1-82
Plate 1-163 Figure 1.2 Gannet survey 19 PRESS statistic	1-82
Plate 1-164 Gannet survey 19 mean-variance relationship	1-83
Plate 1-165 Guillemot survey 01 best fitting model scaled Pearsons residuals.....	1-84
Plate 1-166 Guillemot survey 01 fitted versus observed.....	1-84
Plate 1-167 Guillemot survey 01 COVRATIO statistic	1-85
Plate 1-168 Guillemot survey 01 PRESS statistic	1-85
Plate 1-169 Guillemot survey 01 mean-variance relationship.....	1-86
Plate 1-170 Guillemot survey 02 best fitting model scaled Pearsons residuals.....	1-86
Plate 1-171 Guillemot survey 02 fitted versus observed.....	1-87
Plate 1-172 Guillemot survey 02 COVRATIO statistic	1-87
Plate 1-173 Guillemot survey 02 PRESS statistic	1-88
Plate 1-174 Guillemot survey 02 mean-variance relationship.....	1-88
Plate 1-175 Guillemot survey 03 best fitting model scaled Pearsons residuals.....	1-89
Plate 1-176 Guillemot survey 03 fitted versus observed.....	1-89

Plate 1-177 Guillemot survey 03 COVRATIO statistic	1-90
Plate 1-178 Guillemot survey 03 PRESS statistic	1-90
Plate 1-179 Guillemot survey 03 mean-variance relationship.....	1-91
Plate 1-180 Guillemot survey 04 best fitting model scaled Pearsons residuals.....	1-91
Plate 1-181 Guillemot survey 04 fitted versus observed.....	1-91
Plate 1-182 Guillemot survey 04 COVRATIO statistic	1-92
Plate 1-183 Guillemot survey 04 PRESS statistic	1-92
Plate 1-184 Guillemot survey 04 mean-variance relationship.....	1-93
Plate 1-185 Guillemot survey 05 best fitting model scaled Pearsons residuals.....	1-94
Plate 1-186 Guillemot survey 05 fitted versus observed.....	1-94
Plate 1-187 Guillemot survey 05 COVRATIO statistic	1-95
Plate 1-188 Guillemot survey 05 PRESS statistic	1-95
Plate 1-189 Guillemot survey 05 mean-variance relationship.....	1-96
Plate 1-190 Guillemot survey 06 best fitting model scaled Pearsons residuals.....	1-96
Plate 1-191 Guillemot survey 06 fitted versus observed.....	1-96
Plate 1-192 Guillemot survey 06 COVRATIO statistic	1-97
Plate 1-193 Guillemot survey 06 PRESS statistic	1-97
Plate 1-194 Guillemot survey 06 mean-variance relationship.....	1-98
Plate 1-195 Guillemot survey 07 best fitting model scaled Pearsons residuals.....	1-99
Plate 1-196 Guillemot survey 07 fitted versus observed.....	1-99
Plate 1-197 Guillemot survey 07 COVRATIO statistic	1-100
Plate 1-198 Guillemot survey 07 PRESS statistic	1-100
Plate 1-199 Guillemot survey 07 mean-variance relationship.....	1-101
Plate 1-200 Guillemot survey 08 best fitting model scaled Pearsons residuals.....	1-101
Plate 1-201 Guillemot survey 08 fitted versus observed.....	1-101
Plate 1-202 Guillemot survey 08 COVRATIO statistic	1-102
Plate 1-203 Guillemot survey 08 PRESS statistic	1-102
Plate 1-204 Guillemot survey 08 mean-variance relationship.....	1-103
Plate 1-205 Guillemot survey 09 best fitting model scaled Pearsons residuals.....	1-104
Plate 1-206 Guillemot survey 09 fitted versus observed.....	1-104
Plate 1-207 Guillemot survey 09 COVRATIO statistic	1-105
Plate 1-208 Guillemot survey 09 PRESS statistic	1-105

Plate 1-209 Guillemot survey 09 mean-variance relationship.....	1-106
Plate 1-210 Guillemot survey 10 best fitting model scaled Pearsons residuals.....	1-106
Plate 1-211 Guillemot survey 10 fitted versus observed.....	1-107
Plate 1-212 Guillemot survey 10 COVRATIO statistic	1-107
Plate 1-213 Guillemot survey 10 PRESS statistic	1-107
Plate 1-214 Guillemot survey 10 mean-variance relationship.....	1-108
Plate 1-215 Guillemot survey 11 best fitting model scaled Pearsons residuals.....	1-108
Plate 1-216 Guillemot survey 11 fitted versus observed.....	1-109
Plate 1-217 Guillemot survey 11 COVRATIO statistic	1-110
Plate 1-218 Guillemot survey 11 PRESS statistic	1-110
Plate 1-219 Guillemot survey 11 mean-variance relationship.....	1-111
Plate 1-220 Guillemot survey 12 best fitting model scaled Pearsons residuals.....	1-111
Plate 1-221 Guillemot survey 12 fitted versus observed.....	1-112
Plate 1-222 Guillemot survey 12 COVRATIO statistic	1-112
Plate 1-223 Guillemot survey 12 PRESS statistic	1-112
Plate 1-224 Guillemot survey 12 mean-variance relationship.....	1-113
Plate 1-225 Guillemot survey 13 best fitting model scaled Pearsons residuals.....	1-113
Plate 1-226 Guillemot survey 13 fitted versus observed.....	1-114
Plate 1-227 Guillemot survey 13 COVRATIO statistic	1-115
Plate 1-228 Guillemot survey 13 PRESS statistic	1-115
Plate 1-229 Guillemot survey 13 mean-variance relationship.....	1-116
Plate 1-230 Guillemot survey 14 best fitting model scaled Pearsons residuals.....	1-116
Plate 1-231 Guillemot survey 14 fitted versus observed.....	1-116
Plate 1-232 Guillemot survey 14 COVRATIO statistic	1-117
Plate 1-233 Guillemot survey 14 PRESS statistic	1-117
Plate 1-234 Guillemot survey 14 mean-variance relationship.....	1-118
Plate 1-235 Guillemot survey 15 best fitting model scaled Pearsons residuals.....	1-119
Plate 1-236 Guillemot survey 15 fitted versus observed.....	1-119
Plate 1-237 Guillemot survey 15 COVRATIO statistic	1-120
Plate 1-238 Guillemot survey 15 PRESS statistic	1-120
Plate 1-239 Guillemot survey 15 mean-variance relationship.....	1-121
Plate 1-240 Guillemot survey 16 best fitting model scaled Pearsons residuals.....	1-121

Plate 1-241 Guillemot survey 16 fitted versus observed.....	1-121
Plate 1-242 Guillemot survey 16 COVRATIO statistic	1-122
Plate 1-243 Guillemot survey 16 PRESS statistic	1-122
Plate 1-244 Guillemot survey 16 mean-variance relationship.....	1-123
Plate 1-245 Guillemot survey 17 best fitting model scaled Pearsons residuals.....	1-124
Plate 1-246 Guillemot survey 17 fitted versus observed.....	1-124
Plate 1-247 Guillemot survey 17 COVRATIO statistic	1-125
Plate 1-248 Guillemot survey 17 PRESS statistic	1-125
Plate 1-249 Guillemot survey 17 mean-variance relationship.....	1-126
Plate 1-250 Guillemot survey 18 best fitting model scaled Pearsons residuals.....	1-126
Plate 1-251 Guillemot survey 18 fitted versus observed.....	1-126
Plate 1-252 Guillemot survey 18 COVRATIO statistic	1-127
Plate 1-253 Guillemot survey 18 PRESS statistic	1-127
Plate 1-254 Guillemot survey 18 mean-variance relationship.....	1-128
Plate 1-255 Guillemot survey 19 best fitting model scaled Pearsons residuals.....	1-129
Plate 1-256 Guillemot survey 19 fitted versus observed.....	1-129
Plate 1-257 Guillemot survey 19 COVRATIO statistic	1-130
Plate 1-258 Guillemot survey 19 PRESS statistic	1-130
Plate 1-259 Guillemot survey 19 mean-variance relationship.....	1-131
Plate 1-260 Guillemot survey 20 best fitting model scaled Pearsons residuals.....	1-131
Plate 1-261 Guillemot survey 20 fitted versus observed.....	1-131
Plate 1-262 Guillemot survey 20 COVRATIO statistic	1-132
Plate 1-263 Guillemot survey 20 PRESS statistic	1-132
Plate 1-264 Guillemot survey 20 mean-variance relationship.....	1-133
Plate 1-265 Guillemot survey 21 best fitting model scaled Pearsons residuals.....	1-134
Plate 1-266 Guillemot survey 21 fitted versus observed.....	1-134
Plate 1-267 Guillemot survey 21 COVRATIO statistic	1-135
Plate 1-268 Guillemot survey 21 PRESS statistic	1-135
Plate 1-269 Guillemot survey 21 mean-variance relationship.....	1-136
Plate 1-270 Guillemot survey 22 best fitting model scaled Pearsons residuals.....	1-136
Plate 1-271 Guillemot survey 22 fitted versus observed.....	1-136
Plate 1-272 Guillemot survey 22 COVRATIO statistic	1-137

Plate 1-273 Guillemot survey 22 PRESS statistic	1-137
Plate 1-274 Guillemot survey 22 mean-variance relationship.....	1-138
Plate 1-275 Guillemot survey 23 best fitting model scaled Pearsons residuals.....	1-139
Plate 1-276 Guillemot survey 23 fitted versus observed.....	1-139
Plate 1-277 Guillemot survey 23 COVRATIO statistic	1-140
Plate 1-278 Guillemot survey 23 PRESS statistic	1-140
Plate 1-279 Guillemot survey 23 mean-variance relationship.....	1-141
Plate 1-280 Guillemot survey 24 best fitting model scaled Pearsons residuals.....	1-141
Plate 1-281 Guillemot survey 24 fitted versus observed.....	1-141
Plate 1-282 Guillemot survey 24 COVRATIO statistic	1-142
Plate 1-283 Guillemot survey 24 PRESS statistic	1-142
Plate 1-284 Guillemot survey 24 mean-variance relationship.....	1-143
Plate 1-285 Razorbill survey 01 best fitting model scaled Pearsons residuals.....	1-144
Plate 1-286 Razorbill survey 01 fitted versus observed.....	1-144
Plate 1-287 Razorbill survey 01 COVRATIO statistic	1-145
Plate 1-288 Razorbill survey 01 PRESS statistic	1-145
Plate 1-289 Razorbill survey 01 mean-variance relationship.....	1-145
Plate 1-290 Razorbill survey 02 best fitting model scaled Pearsons residuals.....	1-146
Plate 1-291 Razorbill survey 02 fitted versus observed.....	1-146
Plate 1-292 Razorbill survey 02 COVRATIO statistic	1-147
Plate 1-293 Razorbill survey 02 PRESS statistic	1-147
Plate 1-294 Razorbill survey 02 mean-variance relationship.....	1-148
Plate 1-295 Razorbill survey 03 best fitting model scaled Pearsons residuals.....	1-149
Plate 1-296 Razorbill survey 03 fitted versus observed.....	1-149
Plate 1-297 Razorbill survey 03 COVRATIO statistic	1-150
Plate 1-298 Razorbill survey 03 PRESS statistic	1-150
Plate 1-299 Razorbill survey 03 mean-variance relationship.....	1-151
Plate 1-300 Razorbill survey 05 best fitting model scaled Pearsons residuals.....	1-151
Plate 1-301 Razorbill survey 05 fitted versus observed.....	1-151
Plate 1-302 Razorbill survey 05 COVRATIO statistic	1-152
Plate 1-303 Razorbill survey 05 PRESS statistic	1-152
Plate 1-304 Razorbill survey 05 mean-variance relationship.....	1-153

Plate 1-305 Razorbill survey 07 best fitting model scaled Pearsons residuals.....	1-154
Plate 1-306 Razorbill survey 07 fitted versus observed.....	1-154
Plate 1-307Razorbill survey 07 COVRATIO statistic	1-155
Plate 1-308 Razorbill survey 07 PRESS statistic	1-155
Plate 1-309 Razorbill survey 07 mean-variance relationship.....	1-156
Plate 1-310 Razorbill survey 12 best fitting model scaled Pearsons residuals.....	1-156
Plate 1-311 Razorbill survey 12 fitted versus observed.....	1-157
Plate 1-312 Razorbill survey 12 COVRATIO statistic	1-157
Plate 1-313 Razorbill survey 12 PRESS statistic	1-157
Plate 1-314 Razorbill survey 12 mean-variance relationship.....	1-158
Plate 1-315 Razorbill survey 13 best fitting model scaled Pearsons residuals.....	1-158
Plate 1-316 Razorbill survey 13 fitted versus observed.....	1-159
Plate 1-317 Razorbill survey 13 COVRATIO statistic	1-160
Plate 1-318 Razorbill survey 13 PRESS statistic	1-160
Plate 1-319 Razorbill survey 13 mean-variance relationship.....	1-161
Plate 1-320 Razorbill survey 14 best fitting model scaled Pearsons residuals.....	1-161
Plate 1-321 Razorbill survey 14 fitted versus observed.....	1-162
Plate 1-322 Razorbill survey 14 COVRATIO statistic	1-162
Plate 1-323 Razorbill survey 14 PRESS statistic	1-163
Plate 1-324 Razorbill survey 14 mean-variance relationship.....	1-163
Plate 1-325 Razorbill survey 15 best fitting model scaled Pearsons residuals.....	1-164
Plate 1-326 Razorbill survey 15 fitted versus observed.....	1-164
Plate 1-327 Razorbill survey 15 COVRATIO statistic	1-165
Plate 1-328 Razorbill survey 15 PRESS statistic	1-165
Plate 1-329 Razorbill survey 15 mean-variance relationship.....	1-166
Plate 1-330 Razorbill survey 16 best fitting model scaled Pearsons residuals.....	1-166
Plate 1-331 Razorbill survey 16 fitted versus observed.....	1-167
Plate 1-332 Razorbill survey 16 COVRATIO statistic	1-167
Plate 1-333 Razorbill survey 16 PRESS statistic	1-167
Plate 1-334 Razorbill survey 16 mean-variance relationship.....	1-168
Plate 1-335 Razorbill survey 18 best fitting model scaled Pearsons residuals.....	1-168
Plate 1-336 Razorbill survey 18 fitted versus observed.....	1-169

Plate 1-337 Razorbill survey 18 COVRATIO statistic	1-170
Plate 1-338 Razorbill survey 18 PRESS statistic	1-170
Plate 1-339 Razorbill survey 18 mean-variance relationship.....	1-171
Plate 1-340 Razorbill survey 19 best fitting model scaled Pearsons residuals.....	1-171
Plate 1-341 Razorbill survey 19 fitted versus observed.....	1-172
Plate 1-342 Razorbill survey 19 COVRATIO statistic	1-172
Plate 1-343 Razorbill survey 19 PRESS statistic	1-173
Plate 1-344 Razorbill survey 19 mean-variance relationship.....	1-173
Plate 1-345 Razorbill survey 20 best fitting model scaled Pearsons residuals.....	1-174
Plate 1-346 Razorbill survey 20 fitted versus observed.....	1-174
Plate 1-347 Razorbill survey 20 COVRATIO statistic	1-175
Plate 1-348 Razorbill survey 20 PRESS statistic	1-175
Plate 1-349 Razorbill survey 20 mean-variance relationship.....	1-176
Plate 1-350 Razorbill survey 23 best fitting model scaled Pearsons residuals.....	1-176
Plate 1-351 Razorbill survey 23 fitted versus observed.....	1-177
Plate 1-352 Razorbill survey 23 COVRATIO statistic	1-177
Plate 1-353 Razorbill survey 23 PRESS statistic	1-178
Plate 1-354 Razorbill survey 23 mean-variance relationship.....	1-178
Plate 1-355 Razorbill survey 24 best fitting model scaled Pearsons residuals.....	1-179
Plate 1-356 Razorbill survey 24 fitted versus observed.....	1-179
Plate 1-357 Razorbill survey 24 COVRATIO statistic	1-180
Plate 1-358 Razorbill survey 24 PRESS statistic	1-180
Plate 1-359 Razorbill survey 24 mean-variance relationship.....	1-181
Plate 1-360 Puffin survey 02 best fitting model scaled Pearsons residuals.....	1-181
Plate 1-361 Puffin survey 02 fitted versus observed.....	1-182
Plate 1-362 Puffin survey 02 COVRATIO statistic	1-182
Plate 1-363 Puffin survey 02 PRESS statistic	1-183
Plate 1-364 Puffin survey 02 mean-variance relationship.....	1-183
Plate 1-365 Puffin survey 05 best fitting model scaled Pearsons residuals.....	1-184
Plate 1-366 Puffin survey 05 fitted versus observed.....	1-184
Plate 1-367 Puffin survey 05 COVRATIO statistic	1-185
Plate 1-368 Puffin survey 05 PRESS statistic	1-185

Plate 1-369 Puffin survey 05 mean-variance relationship.....	1-186
Plate 1-370 Puffin survey 06 best fitting model scaled Pearsons residuals.....	1-186
Plate 1-371 Puffin survey 06 fitted versus observed.....	1-187
Plate 1-372 Puffin survey 06 COVRATIO statistic.....	1-187
Plate 1-373 Puffin survey 06 PRESS statistic.....	1-188
Plate 1-374 Puffin survey 06 mean-variance relationship.....	1-188
Plate 1-375 Puffin survey 07 best fitting model scaled Pearsons residuals.....	1-189
Plate 1-376 Puffin survey 07 fitted versus observed.....	1-189
Plate 1-377 Puffin survey 07 COVRATIO statistic.....	1-190
Plate 1-378 Puffin survey 07 PRESS statistic.....	1-190
Plate 1-379 Puffin survey 07 mean-variance relationship.....	1-191
Plate 1-380 Puffin survey 10 best fitting model scaled Pearsons residuals.....	1-191
Plate 1-381 Puffin survey 10 fitted versus observed.....	1-192
Plate 1-382 Puffin survey 10 COVRATIO statistic.....	1-192
Plate 1-383 Puffin survey 10 PRESS statistic.....	1-192
Plate 1-384 Puffin survey 10 mean-variance relationship.....	1-193
Plate 1-385 Puffin survey 14 best fitting model scaled Pearsons residuals.....	1-194
Plate 1-386 Puffin survey 14 fitted versus observed.....	1-194
Plate 1-387 Puffin survey 14 COVRATIO statistic.....	1-195
Plate 1-388 Puffin survey 14 PRESS statistic.....	1-195
Plate 1-389 Puffin survey 14 mean-variance relationship.....	1-196
Plate 1-390 Puffin survey 15 best fitting model scaled Pearsons residuals.....	1-196
Plate 1-391 Puffin survey 15 fitted versus observed.....	1-197
Plate 1-392 Puffin survey 15 COVRATIO statistic.....	1-197
Plate 1-393 Puffin survey 15 PRESS statistic.....	1-198
Plate 1-394 Puffin survey 15 mean-variance relationship.....	1-198
Plate 1-395 Puffin survey 16 best fitting model scaled Pearsons residuals.....	1-199
Plate 1-396 Puffin survey 16 fitted versus observed.....	1-199
Plate 1-397 Puffin survey 16 COVRATIO statistic.....	1-200
Plate 1-398 Puffin survey 16 PRESS statistic.....	1-200
Plate 1-399 Puffin survey 16 mean-variance relationship.....	1-201
Plate 1-400 Puffin survey 17 best fitting model scaled Pearsons residuals.....	1-201

Plate 1-401 Puffin survey 17 fitted versus observed.....	1-202
Plate 1-402 Puffin survey 17 COVRATIO statistic.....	1-202
Plate 1-403 Puffin survey 17 PRESS statistic	1-202
Plate 1-404 Puffin survey 17 mean-variance relationship.....	1-203
Plate 1-405 Puffin survey 18 best fitting model scaled Pearsons residuals.....	1-203
Plate 1-406 Puffin survey 18 fitted versus observed.....	1-204
Plate 1-407 Puffin survey 18 COVRATIO statistic	1-204
Plate 1-408 Puffin survey 18 PRESS statistic	1-205
Plate 1-409 Puffin survey 18 mean-variance relationship.....	1-205
Plate 1-410 Puffin survey 19 best fitting model scaled Pearsons residuals.....	1-206
Plate 1-411 Puffin survey 19 fitted versus observed.....	1-207
Plate 1-412 Puffin survey 19 COVRATIO statistic	1-207
Plate 1-413 Puffin survey 19 PRESS statistic	1-208
Plate 1-414 Puffin survey 19 mean-variance relationship.....	1-208
Plate 1-415 Puffin survey 20 best fitting model scaled Pearsons residuals.....	1-209
Plate 1-416 Puffin survey 20 fitted versus observed.....	1-209
Plate 1-417 Puffin survey 20 COVRATIO statistic	1-210
Plate 1-418 Puffin survey 20 PRESS statistic	1-210
Plate 1-419 Puffin survey 20 mean-variance relationship.....	1-211
Plate 1-420 Puffin survey 21 best fitting model scaled Pearsons residuals.....	1-211
Plate 1-421 Puffin survey 21 fitted versus observed.....	1-212
Plate 1-422 Puffin survey 21 COVRATIO statistic	1-212
Plate 1-423 Puffin survey 21 PRESS statistic	1-213
Plate 1-424 Puffin survey 21 mean-variance relationship.....	1-213

1 ANNEX 14.1.4.D: MRSEA MODEL DIAGNOSTICS

1.1 INTRODUCTION

1.1.1.1 This document is an appendix to the **Annex 14.1.4: MRSea Modelling Report, Volume 2c** of the **Appendix 14.1: Ornithology Baseline Report, Volume 2c**. It should be read in conjunction with:

- **Appendix 14.1, Volume 2c;**
- **Annex 14.1.4, Volume 2c;**
- **Annex 14.1.4.A: MRSea Unapportioned and Uncorrected Abundance and Density Estimates, Volume 2c;**
- **Annex 14.1.4.B: MRSea Apportioned and Corrected Abundance and Density Estimates, Volume 2c;**
- **Annex 14.1.4.C: MRSea Model Abundance Confidence Limits and Coefficient of Variation, Volume 2c.**

1.1.1.2 The figures in this appendix show key model diagnostics for the following species:

- Kittiwake;
- Gannet;
- Guillemot;
- Razorbill;
- Puffin.

1.1.1.3 The model diagnostics are shown for each model fitted. Note that models were not fitted for every survey for each species; see **Annex 14.1.4, Volume 2c** for further details. The model diagnostics are:

- Fitted values against scaled Pearson residuals;
- Observed values against fitted values;
- COVRATIO statistic by omitted block;
- PRESS statistic by omitted block;
- Mean fitted value against variance in residuals.

1.2 KITTIWAKE

1.2.1 SURVEY 01 (MARCH 2022)

Plate 1-1 Kittiwake survey 01 best fitting model scaled Pearson's residuals




Plate 1-2 Kittiwake survey 01 fitted versus observed

Concordance correlation: 0.0208
Marginal R-squared value: 0.0103




Plate 1-3 Kittiwake survey 01 COVRATIO statistic




Plate 1-4 Kittiwake survey 01 PRESS statistic





Plate 1-5 Kittiwake survey 01 mean-variance relationship



1.2.2 SURVEY 02 (APRIL 2022)

Plate 1-6 Kittiwake survey 02 best fitting model scaled Pearson's residuals




Plate 1-7 Kittiwake survey 02 fitted versus observed




Plate 1-8 Kittiwake survey 02 COVRATIO statistic




Plate 1-9 Kittiwake survey 02 PRESS statistic





Plate 1-10 Kittiwake survey 02 mean-variance relationship



1.2.3 SURVEY 03 (MAY 2022)

Plate 1-11 Kittiwake survey 03 best fitting model scaled Pearson's residuals




Plate 1-12 Kittiwake survey 03 fitted versus observed

Concordance correlation: 0.5095
 Marginal R-squared value: 0.3264




Plate 1-13 Kittiwake survey 03 COVRATIO statistic




Plate 1-14 Kittiwake survey 03 PRESS statistic





Plate 1-15 Kittiwake survey 03 mean-variance relationship



1.2.4 SURVEY 05 (JULY 2022)

Plate 1-16 Kittiwake survey 05 best fitting model scaled Pearsons residuals




Plate 1-17 Kittiwake survey 05 fitted versus observed




Figure 1.1 Kittiwake survey 05 COVRATIO statistic




Plate 1-18 Kittiwake survey 05 PRESS statistic





Plate 1-19 Kittiwake survey 05 mean-variance relationship



1.2.5 SURVEY 08 (OCTOBER 2022)

Plate 1-20 Kittiwake survey 08 best fitting model scaled Pearson's residuals




Plate 1-21 Kittiwake survey 08 fitted versus observed

Concordance correlation: 0.0713
 Marginal R-squared value: 0.0328




Plate 1-22 Kittiwake survey 08 COVRATIO statistic




Plate 1-23 Kittiwake survey 08 PRESS statistic





Plate 1-24 Kittiwake survey 08 mean-variance relationship



1.2.6 SURVEY 09 (NOVEMBER 2022)

Plate 1-25 Kittiwake survey 09 best fitting model scaled Pearson's residuals




Plate 1-26 Kittiwake survey 09 fitted versus observed




Plate 1-27 Kittiwake survey 09 COVRATIO statistic




Plate 1-28 Kittiwake survey 09 PRESS statistic





Plate 1-29 Kittiwake survey 09 mean-variance relationship



1.2.7 SURVEY 10 (DECEMBER 2022)

Plate 1-30 Kittiwake survey 10 best fitting model scaled Pearson's residuals




Plate 1-31 Kittiwake survey 10 fitted versus observed




Plate 1-32 Kittiwake survey 10 COVRATIO statistic




Plate 1-33 Kittiwake survey 10 PRESS statistic





Plate 1-34 Kittiwake survey 10 mean-variance relationship



1.2.8 SURVEY 11 (JANUARY 2023)

Plate 1-35 Kittiwake survey 11 best fitting model scaled Pearsons residuals




Plate 1-36 Kittiwake survey 11 fitted versus observed




Plate 1-37 Kittiwake survey 11 COVRATIO statistic




Plate 1-38 Kittiwake survey 11 PRESS statistic





Plate 1-39 Kittiwake survey 11 mean-variance relationship



1.2.9 SURVEY 12 (FEBRUARY 2023)

Plate 1-40 Kittiwake survey 12 best fitting model scaled Pearson's residuals




Plate 1-41 Kittiwake survey 12 fitted versus observed

Concordance correlation: 0.3109
 Marginal R-squared value: 0.1818




Plate 1-42 Kittiwake survey 12 COVRATIO statistic




Plate 1-43 Kittiwake survey 12 PRESS statistic





Plate 1-44 Kittiwake survey 12 mean-variance relationship



1.2.10 SURVEY 13 (MARCH 2023)

Plate 1-45 Kittiwake survey 13 best fitting model scaled Pearson's residuals
Sporad na Mara EIA Annex 14.1.4.D - MRSea Model Diagnostics, Volume 2c




Plate 1-46 Kittiwake survey 13 fitted versus observed




Plate 1-47 Kittiwake survey 13 COVRATIO statistic




Plate 1-48 Kittiwake survey 13 PRESS statistic





Plate 1-49 Kittiwake survey 13 mean-variance relationship



1.2.11 SURVEY 15 (MAY 2023)

Plate 1-50 Kittiwake survey 15 best fitting model scaled Pearson's residuals




Plate 1-51 Kittiwake survey 15 fitted versus observed




Plate 1-52 Kittiwake survey 15 COVRATIO statistic




Plate 1-53 Kittiwake survey 15 PRESS statistic





Plate 1-54 Kittiwake survey 15 mean-variance relationship



1.2.12 SURVEY 16 (JUNE 2023)

Plate 1-55 Kittiwake survey 16 best fitting model scaled Pearson's residuals




Plate 1-56 Kittiwake survey 16 fitted versus observed




Plate 1-57 Kittiwake survey 16 COVRATIO statistic




Plate 1-58 Kittiwake survey 16 PRESS statistic





Plate 1-59 Kittiwake survey 16 mean-variance relationship



1.2.13 SURVEY 17 (JULY 2023)

Plate 1-60 Kittiwake survey 17 best fitting model scaled Pearson's residuals




Plate 1-61 Kittiwake survey 17 fitted versus observed

Concordance correlation: 0.2185
 Marginal R-squared value: 0.1485




Plate 1-62 Kittiwake survey 17 COVRATIO statistic




Plate 1-63 Kittiwake survey 17 PRESS statistic





Plate 1-64 Kittiwake survey 17 mean-variance relationship



1.2.14 SURVEY 20 (OCTOBER 2023)

Plate 1-65 Kittiwake survey 20 best fitting model scaled Pearson's residuals




Plate 1-66 Kittiwake survey 20 fitted versus observed




Plate 1-67 Kittiwake survey 20 COVRATIO statistic




Plate 1-68 Kittiwake survey 20 PRESS statistic





Plate 1-69 Kittiwake survey 20 mean-variance relationship



1.2.15 SURVEY 21 (NOVEMBER 2023)

Plate 1-70 Kittiwake survey 21 best fitting model scaled Pearson's residuals




Plate 1-71 Kittiwake survey 21 fitted versus observed

Concordance correlation: 0.0175
 Marginal R-squared value: 0.0084




Plate 1-72 Kittiwake survey 21 COVRATIO statistic




Plate 1-73 Kittiwake survey 21 PRESS statistic





Plate 1-74 Kittiwake survey 21 mean-variance relationship



1.2.16 SURVEY 22 (DECEMBER 2023)

Plate 1-75 Kittiwake survey 22 best fitting model scaled Pearsons residuals




Plate 1-76 Kittiwake survey 22 fitted versus observed




Plate 1-77 Kittiwake survey 22 COVRATIO statistic




Plate 1-78 Kittiwake survey 22 PRESS statistic





Plate 1-79 Kittiwake survey 22 mean-variance relationship



1.2.17 SURVEY 24 (FEBRUARY 2024)

Plate 1-80 Kittiwake survey 24 best fitting model scaled Pearson's residuals




Plate 1-81 Kittiwake survey 24 fitted versus observed




Plate 1-82 Kittiwake survey 24 COVRATIO statistic




Plate 1-83 Kittiwake survey 24 PRESS statistic





Plate 1-84 Kittiwake survey 24 mean-variance relationship



1.3 GANNET

1.3.1 SURVEY 01 (MARCH 2022)

Plate 1-85 Gannet survey 01 best fitting model scaled Pearson's residuals




Plate 1-86 Gannet survey 01 fitted versus observed

Concordance correlation: 0.13
Marginal R-squared value: 0.0653




Plate 1-87 Gannet survey 01 COVRATIO statistic




Plate 1-88 Gannet survey 01 PRESS statistic





Plate 1-89 Gannet survey 01 mean-variance relationship



1.3.2 SURVEY 02 (APRIL 2022)

Plate 1-90 Gannet survey 02 best fitting model scaled Pearson residuals




Plate 1-91 Gannet survey 02 fitted versus observed

Concordance correlation: 0.1474
 Marginal R-squared value: 0.0825




Plate 1-92 Gannet survey 02 COVRATIO statistic




Plate 1-93 Gannet survey 02 PRESS statistic





Plate 1-94 Gannet survey 02 mean-variance relationship



1.3.3 SURVEY 03 (MAY 2022)

Plate 1-95 Gannet survey 03 best fitting model scaled Pearson's residuals
Sporad na Mara EIA Annex 14.1.4.D - MRSea Model Diagnostics, Volume 2c




Plate 1-96 Gannet survey 03 fitted versus observed




Plate 1-97 Gannet survey 03 COVRATIO statistic




Plate 1-98 Gannet survey 03 PRESS statistic





Plate 1-99 Gannet survey 03 mean-variance relationship



1.3.4 SURVEY 04 (JUNE 2022)

Plate 1-100 Gannet survey 04 best fitting model scaled Pearson's residuals




Plate 1-101 Gannet survey 04 fitted versus observed




Plate 1-102 Gannet survey 04 COVRATIO statistic




Plate 1-103 Gannet survey 04 PRESS statistic





Plate 1-104 Gannet survey 04 mean-variance relationship



1.3.5 SURVEY 05 (JULY 2022)

Plate 1-105 Gannet survey 05 best fitting model scaled Pearsons residuals




Plate 1-106 Gannet survey 05 fitted versus observed

Concordance correlation: 0.1585
Marginal R-squared value: 0.0872




Plate 1-107 Gannet survey 05 COVRATIO statistic




Plate 1-108 Gannet survey 05 PRESS statistic





Plate 1-109 Gannet survey 05 mean-variance relationship



1.3.6 SURVEY 06 (AUGUST 2022)

Plate 1-110 Gannet survey 06 best fitting model scaled Pearson's residuals




Plate 1-111 Gannet survey 06 fitted versus observed




Plate 1-112 Gannet survey 06 COVRATIO statistic




Plate 1-113 Gannet survey 06 PRESS statistic





Plate 1-114 Gannet survey 06 mean-variance relationship



1.3.7 SURVEY 07 (SEPTEMBER 2022)

Plate 1-115 Gannet survey 07 best fitting model scaled Pearson's residuals




Plate 1-116 Gannet survey 07 fitted versus observed




Plate 1-117 Gannet survey 07 COVRATIO statistic




Plate 1-118 Gannet survey 07 PRESS statistic





Plate 1-119 Gannet survey 07 mean-variance relationship



1.3.8 SURVEY 08 (OCTOBER 2022)

Plate 1-120 Gannet survey 08 best fitting model scaled Pearson's residuals




Plate 1-121 Gannet survey 08 fitted versus observed




Plate 1-122 Gannet survey 08 COVRATIO statistic




Plate 1-123 Gannet survey 08 PRESS statistic





Plate 1-124 Gannet survey 08 mean-variance relationship



1.3.9 SURVEY 11 (JANUARY 2023)

Plate 1-125 Gannet survey 11 best fitting model scaled Pearson's residuals




Plate 1-126 Gannet survey 11 fitted versus observed




Plate 1-127 Gannet survey 11 COVRATIO statistic




Plate 1-128 Gannet survey 11 PRESS statistic





Plate 1-129 Gannet survey 11 mean-variance relationship



1.3.10 SURVEY 13 (MARCH 2023)

Plate 1-130 Gannet survey 13 best fitting model scaled Pearson's residuals




Plate 1-131 Gannet survey 13 fitted versus observed

Concordance correlation: 0.0634
 Marginal R-squared value: 0.0403




Plate 1-132 Gannet survey 13 COVRATIO statistic




Plate 1-133 Gannet survey 13 PRESS statistic





Plate 1-134 Gannet survey 13 mean-variance relationship



1.3.11 SURVEY 14 (APRIL 2023)

Plate 1-135 Gannet survey 14 best fitting model scaled Pearsons residuals




Plate 1-136 Gannet survey 14 fitted versus observed




Plate 1-137 Gannet survey 14 COVRATIO statistic




Plate 1-138 Gannet survey 14 PRESS statistic





Plate 1-139 Gannet survey 14 mean-variance relationship



1.3.12 SURVEY 15 (MAY 2023)

Plate 1-140 Gannet survey 15 best fitting model scaled Pearson's residuals




Plate 1-141 Gannet survey 15 fitted versus observed




Plate 1-142 Gannet survey 15 COVRATIO statistic




Plate 1-143 Gannet survey 15 PRESS statistic





Plate 1-144 Gannet survey 15 mean-variance relationship



1.3.13 SURVEY 16 (JUNE 2023)

Plate 1-145 Gannet survey 16 best fitting model scaled Pearsons residuals




Plate 1-146 Gannet survey 16 fitted versus observed

Concordance correlation: 0.0767
Marginal R-squared value: 0.0454




Plate 1-147 Gannet survey 16 COVRATIO statistic




Plate 1-148 Gannet survey 16 PRESS statistic





Plate 1-149 Gannet survey 16 mean-variance relationship



1.3.14 SURVEY 17 (JULY 2023)

Plate 1-150 Gannet survey 17 best fitting model scaled Pearson's residuals




Plate 1-151 Gannet survey 17 fitted versus observed

Concordance correlation: 0.0667
 Marginal R-squared value: 0.0334




Plate 1-152 Gannet survey 17 COVRATIO statistic




Plate 1-153 Gannet survey 17 PRESS statistic





Plate 1-154 Gannet survey 17 mean-variance relationship



1.3.15 SURVEY 18 (AUGUST 2023)

Plate 1-155 Gannet survey 18 best fitting model scaled Pearson's residuals




Plate 1-156 Gannet survey 18 fitted versus observed




Plate 1-157 Gannet survey 18 COVRATIO statistic




Plate 1-158 Gannet survey 18 PRESS statistic





Plate 1-159 Gannet survey 18 mean-variance relationship



1.3.16 SURVEY 19 (SEPTEMBER 2023)

Plate 1-160 Gannet survey 19 best fitting model scaled Pearson's residuals




Plate 1-161 Gannet survey 19 fitted versus observed

Concordance correlation: 0.0721
 Marginal R-squared value: 0.0487




Plate 1-162 Gannet survey 19 COVRATIO statistic




Plate 1-163 Figure 1.2 Gannet survey 19 PRESS statistic





Plate 1-164 Gannet survey 19 mean-variance relationship



1.4 GUILLEMOT

1.4.1 SURVEY 01 (MARCH 2022)

Plate 1-165 Guillemot survey 01 best fitting model scaled Pearson's residuals




Plate 1-166 Guillemot survey 01 fitted versus observed




Plate 1-167 Guillemot survey 01 COVRATIO statistic




Plate 1-168 Guillemot survey 01 PRESS statistic





Plate 1-169 Guillemot survey 01 mean-variance relationship



1.4.2 SURVEY 02 (APRIL 2022)

Plate 1-170 Guillemot survey 02 best fitting model scaled Pearson's residuals




Plate 1-171 Guillemot survey 02 fitted versus observed

Concordance correlation: 0.4152
 Marginal R-squared value: 0.2837




Plate 1-172 Guillemot survey 02 COVRATIO statistic




Plate 1-173 Guillemot survey 02 PRESS statistic





Plate 1-174 Guillemot survey 02 mean-variance relationship



1.4.3 SURVEY 03 (MAY 2022)

Plate 1-175 Guillemot survey 03 best fitting model scaled Pearson's residuals




Plate 1-176 Guillemot survey 03 fitted versus observed




Plate 1-177 Guillemot survey 03 COVRATIO statistic




Plate 1-178 Guillemot survey 03 PRESS statistic





Plate 1-179 Guillemot survey 03 mean-variance relationship



1.4.4 SURVEY 04 (JUNE 2022)

Plate 1-180 Guillemot survey 04 best fitting model scaled Pearson's residuals




Plate 1-181 Guillemot survey 04 fitted versus observed




Plate 1-182 Guillemot survey 04 COVRATIO statistic




Plate 1-183 Guillemot survey 04 PRESS statistic





Plate 1-184 Guillemot survey 04 mean-variance relationship



1.4.5 SURVEY 05 (JULY 2022)

Plate 1-185 Guillemot survey 05 best fitting model scaled Pearsons residuals




Plate 1-186 Guillemot survey 05 fitted versus observed




Plate 1-187 Guillemot survey 05 COVRATIO statistic




Plate 1-188 Guillemot survey 05 PRESS statistic





Plate 1-189 Guillemot survey 05 mean-variance relationship



1.4.6 SURVEY 06 (AUGUST 2022)

Plate 1-190 Guillemot survey 06 best fitting model scaled Pearson's residuals




Plate 1-191 Guillemot survey 06 fitted versus observed

Concordance correlation: 0.0273
 Marginal R-squared value: 0.0146




Plate 1-192 Guillemot survey 06 COVRATIO statistic




Plate 1-193 Guillemot survey 06 PRESS statistic





Plate 1-194 Guillemot survey 06 mean-variance relationship



1.4.7 SURVEY 07 (SEPTEMBER 2022)

Plate 1-195 Guillemot survey 07 best fitting model scaled Pearson's residuals




Plate 1-196 Guillemot survey 07 fitted versus observed




Plate 1-197 Guillemot survey 07 COVRATIO statistic




Plate 1-198 Guillemot survey 07 PRESS statistic





Plate 1-199 Guillemot survey 07 mean-variance relationship



1.4.8 SURVEY 08 (OCTOBER 2022)

Plate 1-200 Guillemot survey 08 best fitting model scaled Pearson's residuals




Plate 1-201 Guillemot survey 08 fitted versus observed

Concordance correlation: 0.057
 Marginal R-squared value: 0.0311




Plate 1-202 Guillemot survey 08 COVRATIO statistic




Plate 1-203 Guillemot survey 08 PRESS statistic





Plate 1-204 Guillemot survey 08 mean-variance relationship



1.4.9 SURVEY 09 (NOVEMBER 2022)

Plate 1-205 Guillemot survey 09 best fitting model scaled Pearsons residuals




Plate 1-206 Guillemot survey 09 fitted versus observed




Plate 1-207 Guillemot survey 09 COVRATIO statistic




Plate 1-208 Guillemot survey 09 PRESS statistic





Plate 1-209 Guillemot survey 09 mean-variance relationship



1.4.10 SURVEY 10 (DECEMBER 2022)

Plate 1-210 Guillemot survey 10 best fitting model scaled Pearson's residuals




Plate 1-211 Guillemot survey 10 fitted versus observed




Plate 1-212 Guillemot survey 10 COVRATIO statistic




Plate 1-213 Guillemot survey 10 PRESS statistic





Plate 1-214 Guillemot survey 10 mean-variance relationship



1.4.11 SURVEY 11 (JANUARY 2023)

Plate 1-215 Guillemot survey 11 best fitting model scaled Pearson's residuals




Plate 1-216 Guillemot survey 11 fitted versus observed

Concordance correlation: 0.178
 Marginal R-squared value: 0.0953




Plate 1-217 Guillemot survey 11 COVRATIO statistic




Plate 1-218 Guillemot survey 11 PRESS statistic





Plate 1-219 Guillemot survey 11 mean-variance relationship



1.4.12 SURVEY 12 (FEBRUARY 2023)

Plate 1-220 Guillemot survey 12 best fitting model scaled Pearson's residuals




Plate 1-221 Guillemot survey 12 fitted versus observed




Plate 1-222 Guillemot survey 12 COVRATIO statistic




Plate 1-223 Guillemot survey 12 PRESS statistic





Plate 1-224 Guillemot survey 12 mean-variance relationship



1.4.13 SURVEY 13 (MARCH 2023)

Plate 1-225 Guillemot survey 13 best fitting model scaled Pearsons residuals




Plate 1-226 Guillemot survey 13 fitted versus observed

Concordance correlation: 0.3393
 Marginal R-squared value: 0.2149




Plate 1-227 Guillemot survey 13 COVRATIO statistic




Plate 1-228 Guillemot survey 13 PRESS statistic





Plate 1-229 Guillemot survey 13 mean-variance relationship



1.4.14 SURVEY 14 (APRIL 2023)

Plate 1-230 Guillemot survey 14 best fitting model scaled Pearson's residuals




Plate 1-231 Guillemot survey 14 fitted versus observed

Concordance correlation: 0.1318
 Marginal R-squared value: 0.0709




Plate 1-232 Guillemot survey 14 COVRATIO statistic




Plate 1-233 Guillemot survey 14 PRESS statistic





Plate 1-234 Guillemot survey 14 mean-variance relationship



1.4.15 SURVEY 15 (MAY 2023)

Plate 1-235 Guillemot survey 15 best fitting model scaled Pearson's residuals




Plate 1-236 Guillemot survey 15 fitted versus observed




Plate 1-237 Guillemot survey 15 COVRATIO statistic




Plate 1-238 Guillemot survey 15 PRESS statistic





Plate 1-239 Guillemot survey 15 mean-variance relationship



1.4.16 SURVEY 16 (JUNE 2023)

Plate 1-240 Guillemot survey 16 best fitting model scaled Pearson's residuals




Plate 1-241 Guillemot survey 16 fitted versus observed

Concordance correlation: 0.2493
 Marginal R-squared value: 0.1605




Plate 1-242 Guillemot survey 16 COVRATIO statistic




Plate 1-243 Guillemot survey 16 PRESS statistic





Plate 1-244 Guillemot survey 16 mean-variance relationship



1.4.17 SURVEY 17 (JULY 2023)

Plate 1-245 Guillemot survey 17 best fitting model scaled Pearson's residuals




Plate 1-246 Guillemot survey 17 fitted versus observed





Plate 1-249 Guillemot survey 17 mean-variance relationship



1.4.18 SURVEY 18 (AUGUST 2023)

Plate 1-250 Guillemot survey 18 best fitting model scaled Pearson's residuals




Plate 1-251 Guillemot survey 18 fitted versus observed

Concordance correlation: 0.1413
 Marginal R-squared value: 0.0701




Plate 1-252 Guillemot survey 18 COVRATIO statistic




Plate 1-253 Guillemot survey 18 PRESS statistic





Plate 1-254 Guillemot survey 18 mean-variance relationship



1.4.19 SURVEY 19 (SEPTEMBER 2023)

Plate 1-255 Guillemot survey 19 best fitting model scaled Pearson's residuals




Plate 1-256 Guillemot survey 19 fitted versus observed




Plate 1-257 Guillemot survey 19 COVRATIO statistic




Plate 1-258 Guillemot survey 19 PRESS statistic





Plate 1-259 Guillemot survey 19 mean-variance relationship



1.4.20 SURVEY 20 (OCTOBER 2023)

Plate 1-260 Guillemot survey 20 best fitting model scaled Pearson's residuals




Plate 1-261 Guillemot survey 20 fitted versus observed




Plate 1-262 Guillemot survey 20 COVRATIO statistic




Plate 1-263 Guillemot survey 20 PRESS statistic





Plate 1-264 Guillemot survey 20 mean-variance relationship



1.4.21 SURVEY 21 (NOVEMBER 2023)

Plate 1-265 Guillemot survey 21 best fitting model scaled Pearson's residuals




Plate 1-266 Guillemot survey 21 fitted versus observed




Plate 1-267 Guillemot survey 21 COVRATIO statistic




Plate 1-268 Guillemot survey 21 PRESS statistic





Plate 1-269 Guillemot survey 21 mean-variance relationship



1.4.22 SURVEY 22 (DECEMBER 2023)

Plate 1-270 Guillemot survey 22 best fitting model scaled Pearson's residuals




Plate 1-271 Guillemot survey 22 fitted versus observed

Concordance correlation: 0.0693
 Marginal R-squared value: 0.0392




Plate 1-272 Guillemot survey 22 COVRATIO statistic




Plate 1-273 Guillemot survey 22 PRESS statistic





Plate 1-274 Guillemot survey 22 mean-variance relationship



1.4.23 SURVEY 23 (JANUARY 2024)

Plate 1-275 Guillemot survey 23 best fitting model scaled Pearsons residuals




Plate 1-276 Guillemot survey 23 fitted versus observed




Plate 1-277 Guillemot survey 23 COVRATIO statistic




Plate 1-278 Guillemot survey 23 PRESS statistic





Plate 1-279 Guillemot survey 23 mean-variance relationship



1.4.24 SURVEY 24 (FEBRUARY 2024)

Plate 1-280 Guillemot survey 24 best fitting model scaled Pearson's residuals




Plate 1-281 Guillemot survey 24 fitted versus observed

Concordance correlation: 0.0786
 Marginal R-squared value: 0.0398




Plate 1-282 Guillemot survey 24 COVRATIO statistic




Plate 1-283 Guillemot survey 24 PRESS statistic





Plate 1-284 Guillemot survey 24 mean-variance relationship



1.5 RAZORBILL

1.5.1 SURVEY 01 (MARCH 2022)

Plate 1-285 Razorbill survey 01 best fitting model scaled Pearsons residuals




Plate 1-286 Razorbill survey 01 fitted versus observed




Plate 1-287 Razorbill survey 01 COVRATIO statistic




Plate 1-288 Razorbill survey 01 PRESS statistic





Plate 1-289 Razorbill survey 01 mean-variance relationship



1.5.2 SURVEY 02 (APRIL 2022)

Plate 1-290 Razorbill survey 02 best fitting model scaled Pearson's residuals




Plate 1-291 Razorbill survey 02 fitted versus observed




Plate 1-292 Razorbill survey 02 COVRATIO statistic




Plate 1-293 Razorbill survey 02 PRESS statistic





Plate 1-294 Razorbill survey 02 mean-variance relationship



1.5.3 SURVEY 03 (MAY 2022)

Plate 1-295 Razorbill survey 03 best fitting model scaled Pearsons residuals




Plate 1-296 Razorbill survey 03 fitted versus observed

Concordance correlation: 0.067
Marginal R-squared value: 0.0333




Plate 1-297 Razorbill survey 03 COVRATIO statistic




Plate 1-298 Razorbill survey 03 PRESS statistic





Plate 1-299 Razorbill survey 03 mean-variance relationship



1.5.4 SURVEY 05 (JULY 2022)

Plate 1-300 Razorbill survey 05 best fitting model scaled Pearson's residuals




Plate 1-301 Razorbill survey 05 fitted versus observed

Concordance correlation: 0.3898
 Marginal R-squared value: 0.2479




Plate 1-302 Razorbill survey 05 COVRATIO statistic




Plate 1-303 Razorbill survey 05 PRESS statistic





Plate 1-304 Razorbill survey 05 mean-variance relationship



1.5.5 SURVEY 07 (SEPTEMBER 2022)

Plate 1-305 Razorbill survey 07 best fitting model scaled Pearson's residuals




Plate 1-306 Razorbill survey 07 fitted versus observed




Plate 1-307 Razorbill survey 07 COVRATIO statistic




Plate 1-308 Razorbill survey 07 PRESS statistic





Plate 1-309 Razorbill survey 07 mean-variance relationship



1.5.6 SURVEY 12 (FEBRUARY 2023)

Plate 1-310 Razorbill survey 12 best fitting model scaled Pearson's residuals




Plate 1-311 Razorbill survey 12 fitted versus observed




Plate 1-312 Razorbill survey 12 COVRATIO statistic




Plate 1-313 Razorbill survey 12 PRESS statistic





Plate 1-314 Razorbill survey 12 mean-variance relationship



1.5.7 SURVEY 13 (MARCH 2023)

Plate 1-315 Razorbill survey 13 best fitting model scaled Pearson's residuals




Plate 1-316 Razorbill survey 13 fitted versus observed




Plate 1-317 Razorbill survey 13 COVRATIO statistic




Plate 1-318 Razorbill survey 13 PRESS statistic





Plate 1-319 Razorbill survey 13 mean-variance relationship



1.5.8 SURVEY 14 (APRIL 2023)

Plate 1-320 Razorbill survey 14 best fitting model scaled Pearson's residuals




Plate 1-321 Razorbill survey 14 fitted versus observed




Plate 1-322 Razorbill survey 14 COVRATIO statistic




Plate 1-323 Razorbill survey 14 PRESS statistic





Plate 1-324 Razorbill survey 14 mean-variance relationship



1.5.9 SURVEY 15 (MAY 2023)

Plate 1-325 Razorbill survey 15 best fitting model scaled Pearson's residuals




Plate 1-326 Razorbill survey 15 fitted versus observed




Plate 1-327 Razorbill survey 15 COVRATIO statistic




Plate 1-328 Razorbill survey 15 PRESS statistic





Plate 1-329 Razorbill survey 15 mean-variance relationship



1.5.10 SURVEY 16 (JUNE 2023)

Plate 1-330 Razorbill survey 16 best fitting model scaled Pearson's residuals




Plate 1-331 Razorbill survey 16 fitted versus observed




Plate 1-332 Razorbill survey 16 COVRATIO statistic




Plate 1-333 Razorbill survey 16 PRESS statistic





Plate 1-334 Razorbill survey 16 mean-variance relationship



1.5.11 SURVEY 18 (AUGUST 2023)

Plate 1-335 Razorbill survey 18 best fitting model scaled Pearson's residuals




Plate 1-336 Razorbill survey 18 fitted versus observed




Plate 1-337 Razorbill survey 18 COVRATIO statistic




Plate 1-338 Razorbill survey 18 PRESS statistic





Plate 1-339 Razorbill survey 18 mean-variance relationship



1.5.12 SURVEY 19 (SEPTEMBER 2023)

Plate 1-340 Razorbill survey 19 best fitting model scaled Pearson's residuals




Plate 1-341 Razorbill survey 19 fitted versus observed




Plate 1-342 Razorbill survey 19 COVRATIO statistic




Plate 1-343 Razorbill survey 19 PRESS statistic





Plate 1-344 Razorbill survey 19 mean-variance relationship



1.5.13 SURVEY 20 (OCTOBER 2023)

Plate 1-345 Razorbill survey 20 best fitting model scaled Pearsons residuals




Plate 1-346 Razorbill survey 20 fitted versus observed




Plate 1-347 Razorbill survey 20 COVRATIO statistic




Plate 1-348 Razorbill survey 20 PRESS statistic





Plate 1-349 Razorbill survey 20 mean-variance relationship



1.5.14 SURVEY 23 (JANUARY 2024)

Plate 1-350 Razorbill survey 23 best fitting model scaled Pearson's residuals




Plate 1-351 Razorbill survey 23 fitted versus observed




Plate 1-352 Razorbill survey 23 COVRATIO statistic




Plate 1-353 Razorbill survey 23 PRESS statistic





Plate 1-354 Razorbill survey 23 mean-variance relationship



1.5.15 SURVEY 24 (FEBRUARY 2024)

Plate 1-355 Razorbill survey 24 best fitting model scaled Pearsons residuals




Plate 1-356 Razorbill survey 24 fitted versus observed




Plate 1-357 Razorbill survey 24 COVRATIO statistic




Plate 1-358 Razorbill survey 24 PRESS statistic





Plate 1-359 Razorbill survey 24 mean-variance relationship



1.6 PUFFIN

1.6.1 SURVEY 02 (APRIL 2022)

Plate 1-360 Puffin survey 02 best fitting model scaled Pearson's residuals




Plate 1-361 Puffin survey 02 fitted versus observed




Plate 1-362 Puffin survey 02 COVRATIO statistic




Plate 1-363 Puffin survey 02 PRESS statistic





Plate 1-364 Puffin survey 02 mean-variance relationship



1.6.2 SURVEY 05 (JULY 2022)

Plate 1-365 Puffin survey 05 best fitting model scaled Pearsons residuals




Plate 1-366 Puffin survey 05 fitted versus observed




Plate 1-367 Puffin survey 05 COVRATIO statistic




Plate 1-368 Puffin survey 05 PRESS statistic





Plate 1-369 Puffin survey 05 mean-variance relationship



1.6.3 SURVEY 06 (AUGUST 2022)

Plate 1-370 Puffin survey 06 best fitting model scaled Pearson's residuals




Plate 1-371 Puffin survey 06 fitted versus observed




Plate 1-372 Puffin survey 06 COVRATIO statistic




Plate 1-373 Puffin survey 06 PRESS statistic





Plate 1-374 Puffin survey 06 mean-variance relationship



1.6.4 SURVEY 07 (SEPTEMBER 2022)

Plate 1-375 Puffin survey 07 best fitting model scaled Pearsons residuals




Plate 1-376 Puffin survey 07 fitted versus observed




Plate 1-377 Puffin survey 07 COVRATIO statistic




Plate 1-378 Puffin survey 07 PRESS statistic





Plate 1-379 Puffin survey 07 mean-variance relationship



1.6.5 SURVEY 10 (DECEMBER 2022)

Plate 1-380 Puffin survey 10 best fitting model scaled Pearson's residuals




Plate 1-381 Puffin survey 10 fitted versus observed




Plate 1-382 Puffin survey 10 COVRATIO statistic




Plate 1-383 Puffin survey 10 PRESS statistic





Plate 1-384 Puffin survey 10 mean-variance relationship



1.6.6 SURVEY 14 (APRIL 2023)

Plate 1-385 Puffin survey 14 best fitting model scaled Pearsons residuals




Plate 1-386 Puffin survey 14 fitted versus observed




Plate 1-387 Puffin survey 14 COVRATIO statistic




Plate 1-388 Puffin survey 14 PRESS statistic





Plate 1-389 Puffin survey 14 mean-variance relationship



1.6.7 SURVEY 15 (MAY 2023)

Plate 1-390 Puffin survey 15 best fitting model scaled Pearson's residuals




Plate 1-391 Puffin survey 15 fitted versus observed




Plate 1-392 Puffin survey 15 COVRATIO statistic




Plate 1-393 Puffin survey 15 PRESS statistic





Plate 1-394 Puffin survey 15 mean-variance relationship



1.6.8 SURVEY 16 (JUNE 2023)

Plate 1-395 Puffin survey 16 best fitting model scaled Pearsons residuals




Plate 1-396 Puffin survey 16 fitted versus observed




Plate 1-397 Puffin survey 16 COVRATIO statistic




Plate 1-398 Puffin survey 16 PRESS statistic





Plate 1-399 Puffin survey 16 mean-variance relationship



1.6.9 SURVEY 17 (JULY 2023)

Plate 1-400 Puffin survey 17 best fitting model scaled Pearson's residuals




Plate 1-401 Puffin survey 17 fitted versus observed




Plate 1-402 Puffin survey 17 COVRATIO statistic




Plate 1-403 Puffin survey 17 PRESS statistic





Plate 1-404 Puffin survey 17 mean-variance relationship



1.6.10 SURVEY 18 (AUGUST 2023)

Plate 1-405 Puffin survey 18 best fitting model scaled Pearson's residuals




Plate 1-406 Puffin survey 18 fitted versus observed




Plate 1-407 Puffin survey 18 COVRATIO statistic




Plate 1-408 Puffin survey 18 PRESS statistic





Plate 1-409 Puffin survey 18 mean-variance relationship



1.6.11 SURVEY 19 (SEPTEMBER 2023)

Plate 1-410 Puffin survey 19 best fitting model scaled Pearson's residuals




Plate 1-413 Puffin survey 19 PRESS statistic





Plate 1-414 Puffin survey 19 mean-variance relationship



1.6.12 SURVEY 20 (OCTOBER 2023)

Plate 1-415 Puffin survey 20 best fitting model scaled Pearsons residuals




Plate 1-416 Puffin survey 20 fitted versus observed





Plate 1-419 Puffin survey 20 mean-variance relationship



1.6.13 SURVEY 21 (NOVEMBER 2023)

Plate 1-420 Puffin survey 21 best fitting model scaled Pearson's residuals




Plate 1-421 Puffin survey 21 fitted versus observed




Plate 1-422 Puffin survey 21 COVRATIO statistic




Plate 1-423 Puffin survey 21 PRESS statistic





Plate 1-424 Puffin survey 21 mean-variance relationship



1.7 GLOSSARY OF TERMS AND ABBREVIATIONS

1.7.1.1 A list of key terms and glossary used in this appendix is provided in **Table 1-1** and **Table 1-2**.

Table 1-1 Acronyms and Abbreviations

Term	Meaning
LCL	Lower confidence limit
UCL	Upper confidence limit
SD	Standard Deviation

Table 1-2 Glossary

Term	Meaning
COVRATIO	This statistic signals the change in the precision of the parameter estimates when each block is omitted. Values greater than 1 signal removing the block inflates parameter standard errors. Values less than 1 signal standard errors are smaller when that block is excluded.
Lower confidence limit	Represents the lower bound of a confidence interval
PRESS	This statistic is the sum of the squared PRESS residuals in a deletion set (block ID). The PRESS residuals are the difference between the observed value and the predicted mean, where the predicted value is obtained without the observations in question.
Upper confidence limit	Represents the upper bound of a confidence interval
Standard Deviation	A statistic measuring the dispersion of a dataset relative to its mean. It is calculated as the square root of the variance

This page is left intentionally blank