

T: +44 (0)300 244 5046

E: MD.MarineRenewables@gov.scot

Ms. Rhona MacDonald
Bowdun Offshore Wind Farm Limited
Capital Building
12-13 St Andrew Square
Edinburgh
EH2 2AF

Our Ref: MD-00011668

Date: 15 May 2026

Dear Ms MacDonald,

MARINE (SCOTLAND) ACT 2010, PART 4 MARINE LICENSING

Bowdun Offshore Wind Farm Limited - Borehole Backfilling - Between Johnshaven and Gourdon

I refer to your application for a marine licence in respect of the above proposal.

I am pleased to inform you that Marine Directorate – Licensing Operations Team (MD-LOT), acting on behalf of the Scottish Ministers, has determined your marine licence application and granted you the enclosed marine licence MD-00011668. You are advised to carefully check the licence, and if you notice any errors please inform MD-LOT immediately.

Your marine licence includes a condition requiring a written report to be submitted to MD-LOT detailing all materials used in the construction, alteration or improvement of works under authority of the marine licence. This report can be accessed via the following link:
[Marine+licence+attestation+form+-+construct+alter+or+improve+works+September+2025.pdf](#)

May I also draw your attention to the marine licence conditions relating to amendment of the licence. If circumstances arise which necessitate changes or extension to your licence please apply for a variation as soon as possible. After a marine licence has expired, it cannot be amended or extended. Our target determination period for a marine licence, including any variations, is 14 weeks from receiving the application fee payment.

Under the [Marine Licensing Appeals \(Scotland\) Regulations 2011](#) (S.S.I. 2011/203), you are entitled to appeal if you are dissatisfied with the licensing decision. An appeal may be lodged in any sheriff court in Scotland and must be lodged no later than 21 days after the date of this letter.

To prevent pollution and protect the environment it is vital that good working practice is adopted and appropriate steps taken to prevent water pollution and minimise disturbance to the environment. With regard to construction, alteration or improvement works on the shoreline the applicant should refer to the appropriate sections in the following guidance.

SEPA's Guidance for Pollution Prevention (GPPs): [gpp-5-works-and-maintenance-in-or-near-water.pdf \(netregs.org.uk\)](#). In particular, GPP 5 (section 3) covers working with concrete, cement and grout.

CIRIA Guidance <http://www.ciria.org/>. In particular, C744 - Coastal and Marine Environmental Site Guide:

https://www.ciria.org/CIRIA/CIRIA/Item_Detail.aspx?iProductcode=C744&Category=BOOK.

All waste materials should be removed and disposed of at a licensed onshore site.

All correspondence or communications relating to this letter or the marine licence should be sent to MD.MarineRenewables@gov.scot.

Yours sincerely

Abby Gray
Marine Directorate - Licensing Operations Team

