



MONTROSE

GRAIN SILO(34)

Cooling Towers

Glaxo Wellcome Chemical Works

Cooling Towers

Tanks

Dredged to 5-5m (2015)

Dredged to 5-5m (2015)

River South Esk

Inchcape Quay

Ferryden

C

MONTROSE HARBOUR

SCALE 1: 7500

Magnetic Variation: 2°35' W 2015 (10' E)

DEPTHS

Channel and harbour are dredged and depth is liable to occur, entrance to the navigational channel is on the northern edge of the latest information, consult the latest information, consult

500 0 1000 2000 Feet

500 1000 Metres

© Crown Copyright. All rights reserved. Oceanwise Licence No. EK001-20140401. Ordnance Survey Licence No. 100024655.

ANNAT BANK

Brooks heavily

SCURDIE NESS

LIGHTHOUSE

BEACON I (15)

(9) W BEACON

(3) 20s 38m 23M

Obstr 1g

Scurdie Rocks

Montrose Harbour Limit

Depths (see Note)

Annat FLG.3s

Tod Head

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s

Annat FLG.3s