


OS reference: 411291 E 852249 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 14.3 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 172°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.46 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 15:08


Figure 16.19d
Viewpoint 6: Scotstown Head
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



OS reference: 411291 E 852249 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 14.3 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 262°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.46 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 15:08

Figure 16.19e
Viewpoint 6: Scotstown Head
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Wireline drawing

View flat at a comfortable arm's length

OS reference: 411291 E 852249 N
Eye level: 14.3 mAOD
Direction of view: 82°
Nearest turbine: 34.46 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 15:08

Figure 16.19f
Viewpoint 6: Scotstown Head
Salamander

© Crown copyright, All rights reserved (2023). Licence number 0100031673



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 411291 E 852249 N
Eye level: 14.3 mAOD
Direction of view: 82°
Nearest turbine: 34.46 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 15:08

Figure 16.19g
Viewpoint 6: Scotstown Head
Salamander

© Crown copyright, All rights reserved (2023). Licence number 0100031673





Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference: 411291 E 852249 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 14.3 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 82°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.46 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 15:08

Figure 16.19h
Viewpoint 6: Scotstown Head
Salamander

© Crown copyright, All rights reserved (2023). Licence number 0100031673



Salamander

Figure 16.20a

Viewpoint 7 - Peterhead (Gadle Braes)

- Legend**
- WTG Location
 - Offshore Development Area
 - Offshore Array Area
 - Offshore Export Cable Corridor
 - Indicative Onshore Development Area
 - 10km Radii
 - 60km Study Area
 - Viewpoint
- Cumulative Boundary Status**
- Appeal / Application
 - Consented
 - Operational
 - Scoping
- Cumulative Turbine Status**
- Operational
 - Consented
 - Application
 - Scoping
- Cumulative Turbine Status**
- Panorama with Wireline (90°HFOV)
 - Photomontage and Wireline (53.5°HFOV)
- Blade Tip ZTV**
- No. of Blade Tips Theoretically Visible
- 1 - 2
 - 3 - 4
 - 5 - 6
 - 7



Coordinate System: WGS 1984 UTM Zone 30N
 Vertical Datum: ODN Scale @ A3 : 460,000

0 5 10 20 Kilometers
 0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
 Viewpoint 7: Peterhead (Gadle Braes)
 Doc. No : SWF01OP1016
 Created by : NL
 Checked by : SM
 Approved by : SM

SALAMANDER Powered by Global Wind Simply Blue Group


Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included



Baseline photograph

This image provides landscape and visual context only



Wireline drawing


OS reference: 412696 E 847324 N
 Eye level: 8.5 mAOD
 Direction of view: 344°
 Nearest turbine: 34.60 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm


Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 3.5 m
 Date and time: 07.06.2023 14:32

Figure 16.20b
 Viewpoint 7: Peterhead (Gadle Braes)
 Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



OS reference: 412696 E 847324 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 8.5 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 74°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.60 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 14:32



Wireline drawing

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N
Eye level: 8.5 mAOD
Direction of view: 74°
Nearest turbine: 34.60 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 14:32



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N
Eye level: 8.5 mAOD
Direction of view: 74°
Nearest turbine: 34.60 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 14:32

Figure 16.20e
Viewpoint 7: Peterhead (Gadle Braes)
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 8.5 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 74°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.60 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 14:32


Figure 16.20f
Viewpoint 7: Peterhead (Gadle Braes)
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline photograph

This image provides landscape and visual context only



Wireline drawing

OS reference: 412696 E 847324 N
 Eye level: 8.5 mAOD
 Direction of view: 344°
 Nearest turbine: 34.60 km


Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 3.5 m
 Date and time: 07.06.2023 14:32




Baseline photograph

This image provides landscape and visual context only



Wireline drawing

OS reference: 412696 E 847324 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 8.5 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 74°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.60 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 14:32



Wireline drawing

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N
Eye level: 8.5 mAOD
Direction of view: 74°
Nearest turbine: 34.60 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 14:32

Figure 16.20i
Viewpoint 7: Peterhead (Gadle Braes)
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 8.5 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 74°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.60 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 14:32

Figure 16.20j
Viewpoint 7: Peterhead (Gadle Braes)
Salamander



© Crown copyright. All rights reserved (2023). Licence number 0100031673



Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference: 412696 E 847324 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 8.5 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 74°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 34.60 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 14:32



Salamander
Figure 16.21a
Viewpoint 8 -
Peterhead Bay (South Road)

- Legend**
- WTG Location
 - Offshore Development Area
 - Offshore Array Area
 - Offshore Export Cable Corridor
 - Indicative Onshore Development Area
 - 10km Radii
 - 60km Study Area
 - Viewpoint
- Cumulative Boundary Status**
- Appeal / Application
 - Consented
 - Operational
 - Scoping
- Cumulative Turbine Status**
- Operational
 - Consented
 - Application
 - Scoping
- Blade Tip ZTV**
- Panorama with Wireline (90°HFOV)
 - Photomontage and Wireline (53.5°HFOV)
- No. of Blade Tips Theoretically Visible**
- 1 - 2
 - 3 - 4
 - 5 - 6
 - 7



Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN Scale @ A3: 460,000

0 5 10 20 Kilometers
0 2.5 5 10 Miles


Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
Viewpoint 8: Peterhead Bay (South Road)
Doc. No : SWF01OP1016
Created by : NL
Checked by : SM
Approved by : SM


SALAMANDER Powered by Global and Simply Blue Group

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included



OS reference: 412348 E 845262 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 18.2 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 71°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 35.73 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 13:58



OS reference: 412348 E 845262 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 18.2 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 161°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 35.73 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 13:58



Wireline drawing

View flat at a comfortable arm's length

OS reference: 412348 E 845262 N
Eye level: 18.2 mAOD
Direction of view: 71°
Nearest turbine: 35.73 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 2.5 m
Date and time: 07.06.2023 13:58

Figure 16.21d
Viewpoint 8: Peterhead Bay (South Road)
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline Photograph

OS reference: 412348 E 845262 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 18.2 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 71°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 35.73 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 13:58

Figure 16.21e
Viewpoint 8: Peterhead Bay (South Road)
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Photomontage: Proposed Development

Viewpoint 8: Peterhead Bay (South Road)



Figure 16.21f

Salamander

OS reference: 412348 E 845262 N
 Eye level: 18.2 mAOD
 Direction of view: 71°
 Nearest turbine: 35.73 km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 2.5 m
 Date and time: 07.06.2023 13:58



Salamander
Figure 16.22a
Viewpoint 9 -
Reform Tower, Peterhead

- Legend**
- WTG Location
 - Offshore Development Area
 - Offshore Array Area
 - Offshore Export Cable Corridor
 - Indicative Onshore Development Area
 - 10km Radii
 - 60km Study Area
 - Viewpoint
- Cumulative Boundary Status**
- Appeal / Application
 - Consented
 - Operational
 - Scoping
- Cumulative Turbine Status**
- Operational
 - Consented
 - Application
 - Scoping
- Panorama with Wireline (90°HFOV)**
- Photomontage and Wireline (53.5°HFOV)**
- Blade Tip ZTV**
- No. of Blade Tips Theoretically Visible**
- 1 - 2
 - 3 - 4
 - 5 - 6
 - 7



Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN Scale @ A3: 460,000

0 5 10 20 Kilometers
0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
Viewpoint 9: Reform Tower, Peterhead
Doc. No : SWF01OP1016
Created by : NL
Checked by : SM
Approved by : SM

SALAMANDER Powered by Global Wind Simply Blue Group


Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Blade Tip: 315m Observer height: 2m
DTM: OS T5/T50 Surface features: Excluded
DTM resolution: 10m Earth curvature: Included




Baseline photograph

This image provides landscape and visual context only



Wireline drawing


OS reference: 412170 E 844661 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 54.6 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 340°	Paper size: 841 x 297 mm (half A1)	Camera height: 1.5 m
Nearest turbine: 36.14 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 13:44




OS reference: 412170 E 844661 N
 Eye level: 54.6 mAOD
 Direction of view: 70°
 Nearest turbine: 36.14 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 1.5 m
 Date and time: 07.06.2023 13:44



OS reference: 412170 E 844661 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 54.6 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 160°	Paper size: 841 x 297 mm (half A1)	Camera height: 1.5 m
Nearest turbine: 36.14 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 13:44



Wireline drawing

View flat at a comfortable arm's length

OS reference: 412170 E 844661 N
Eye level: 54.6 mAOD
Direction of view: 70°
Nearest turbine: 36.14 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 1.5 m
Date and time: 07.06.2023 13:44

Figure 16.22e
Viewpoint 9: Reform Tower, Peterhead
Salamander
© Crown copyright, All rights reserved (2023). Licence number 0100031673



Baseline Photomontage

View flat at a comfortable arm's length

OS reference: 412170 E 844661 N
Eye level: 54.6 mAOD
Direction of view: 70°
Nearest turbine: 36.14 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 1.5 m
Date and time: 07.06.2023 13:44

Figure 16.22f
Viewpoint 9: Reform Tower, Peterhead
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673





Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference:	412170 E 844661 N	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS 6D
Eye level:	54.6 mAOD	Principal distance:	812.5 mm	Lens:	Canon EF 50mm f/1.4
Direction of view:	70°	Paper size:	841 x 297 mm (half A1)	Camera height:	1.5 m
Nearest turbine:	36.14 km	Correct printed image size:	820 x 260 mm	Date and time:	07.06.2023 13:44

Figure 16.22g
Viewpoint 9: Reform Tower, Peterhead
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Salamander

Figure 16.23a Viewpoint 10 - Boddam

Legend

- WTG Location
- Offshore Development Area
- Offshore Array Area
- Offshore Export Cable Corridor
- Indicative Onshore Development Area
- 10km Radii
- 60km Study Area
- Viewpoint

Cumulative Boundary Status

- Appeal / Application
- Consented
- Operational
- Scoping

Cumulative Turbine Status

- Operational
- Consented
- Application
- Scoping

Cumulative Boundary Status

- Panorama with Wireline (90°HFOV)
- Photomontage and Wireline (53.5°HFOV)

Blade Tip ZTV

No. of Blade Tips Theoretically Visible

- 1 - 2
- 3 - 4
- 5 - 6
- 7

Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN Scale @ A3 : 460,000


0 5 10 20 Kilometers
0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
Viewpoint 10: Boddam
Doc. No : SWF01OP1016
Created by : NL
Checked by : SM
Approved by : SM


Blade Tip: 315m Observer height: 2m
DTM: OS T5/T50 Surface features: Excluded
DTM resolution: 10m Earth curvature: Included

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 0100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intelmap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



OS reference: 413451 E 842424 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 12.4 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 336°	Paper size: 841 x 297 mm (half A1)	Camera height: 1.5 m
Nearest turbine: 36.03 km	Correct printed image size: 820 x 130 mm	Date and time: 29.06.2023 11:48

Figure 16.23b
Viewpoint 10: Boddam
Salamander



OS reference: 413451 E 842424 N
 Eye level: 12.4 mAOD
 Direction of view: 66°
 Nearest turbine: 36.03 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm


Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 1.5 m
 Date and time: 29.06.2023 11:48

Figure 16.23c
 Viewpoint 10: Boddam
 Salamander



Baseline photograph

This image provides landscape and visual context only




Wireline drawing

OS reference: 413451 E 842424 N
 Eye level: 12.4 mAOD
 Direction of view: 156°
 Nearest turbine: 36.03 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 1.5 m
 Date and time: 29.06.2023 11:48

Figure 16.23d
 Viewpoint 10: Boddam
 Salamander



Wireline drawing

View flat at a comfortable arm's length

OS reference: 413451 E 842424 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 12.4 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 66°	Paper size: 841 x 297 mm (half A1)	Camera height: 1.5 m
Nearest turbine: 36.03 km	Correct printed image size: 820 x 260 mm	Date and time: 29.06.2023 11:48

Figure 16.23e
Viewpoint 10: Boddam
Salamander

© Crown copyright, All rights reserved (2023). Licence number 0100031673



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 413451 E 842424 N
Eye level: 12.4 mAOD
Direction of view: 66°
Nearest turbine: 36.03 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 1.5 m
Date and time: 29.06.2023 11:48

Figure 16.23f
Viewpoint 10: Boddam
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673





Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference:	413451 E 842424 N	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS 6D
Eye level:	12.4 mAOD	Principal distance:	812.5 mm	Lens:	Canon EF 50mm f/1.4
Direction of view:	66°	Paper size:	841 x 297 mm (half A1)	Camera height:	1.5 m
Nearest turbine:	36.03 km	Correct printed image size:	820 x 260 mm	Date and time:	29.06.2023 11:48

Figure 16.23g
Viewpoint 10: Boddam
Salamander



Salamander
Figure 16.24a
Viewpoint 11 -
Stirling Hill

- Legend**
- WTG Location
 - Offshore Development Area
 - Offshore Array Area
 - Offshore Export Cable Corridor
 - Indicative Onshore Development Area
 - 10km Radii
 - 60km Study Area
 - Viewpoint
- Cumulative Boundary Status**
- Appeal / Application
 - Consented
 - Operational
 - Scoping
- Cumulative Turbine Status**
- Operational
 - Consented
 - Application
 - Scoping
- Cumulative Turbine Status**
- Panorama with Wireline (90°HFOV)
 - Photomontage and Wireline (53.5°HFOV)
- Blade Tip ZTV**
- No. of Blade Tips Theoretically Visible**
- 1 - 2
 - 3 - 4
 - 5 - 6
 - 7



Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN Scale @ A3: 460,000

0 5 10 20 Kilometers
0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
Viewpoint 11: Stirling Hill
Doc. No : SWF01OP1016
Created by : NL
Checked by : SM
Approved by : SM


Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 010031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intelmap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



Baseline photograph

This image provides landscape and visual context only



Wireline drawing

OS reference: 412422 E 841784 N
 Eye level: 61.2 mAOD
 Direction of view: 336°
 Nearest turbine: 37.24 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm


Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 1.5 m
 Date and time: 07.06.2023 12:57

Figure 16.24b
 Viewpoint 11: Stirling Hill
 Salamander



Baseline photograph

This image provides landscape and visual context only




Wireline drawing

OS reference: 412422 E 841784 N
 Eye level: 61.2 mAOD
 Direction of view: 66°
 Nearest turbine: 37.24 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 1.5 m
 Date and time: 07.06.2023 12:57



Wireline drawing

View flat at a comfortable arm's length

OS reference: 412422 E 841784 N
Eye level: 61.2 mAOD
Direction of view: 66°
Nearest turbine: 37.24 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 1.5 m
Date and time: 07.06.2023 12:57

Figure 16.24d
Viewpoint 11: Stirling Hill
Salamander

© Crown copyright, All rights reserved (2023). Licence number 0100031673



Baseline Photomontage

View flat at a comfortable arm's length

OS reference: 412422 E 841784 N
Eye level: 61.2 mAOD
Direction of view: 66°
Nearest turbine: 37.24 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 1.5 m
Date and time: 07.06.2023 12:57

Figure 16.24e
Viewpoint 11: Stirling Hill
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673





Photomontage: Proposed Development

View flat at a comfortable arm's length

OS reference: 412422 E 841784 N	Horizontal field of view: 53.5° (planar projection)	Camera: Canon EOS 6D
Eye level: 61.2 mAOD	Principal distance: 812.5 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 66°	Paper size: 841 x 297 mm (half A1)	Camera height: 1.5 m
Nearest turbine: 37.24 km	Correct printed image size: 820 x 260 mm	Date and time: 07.06.2023 12:57

Figure 16.24f
Viewpoint 11: Stirling Hill
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Salamander
Figure 16.25a
Viewpoint 12 -
Bullers of Buchan

Legend

- WTG Location
- Offshore Development Area
- Offshore Array Area
- Offshore Export Cable Corridor
- Indicative Onshore Development Area
- 10km Radii
- 60km Study Area
- Viewpoint

Cumulative Boundary Status

- Appeal / Application
- Consented
- Operational
- Scoping

Cumulative Turbine Status

- Operational
- Consented
- Application
- Scoping

Cumulative Turbine Status

- Panorama with Wireline (90°HFOV)
- Photomontage and Wireline (53.5°HFOV)

Blade Tip ZTV

No. of Blade Tips Theoretically Visible

- 1 - 2
- 3 - 4
- 5 - 6
- 7



Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN Scale @ A3: 460,000

0 5 10 20 Kilometers
0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title: Viewpoint Plan
Viewpoint 12: Bullers of Buchan
Doc. No: SWF01OP1016
Created by: NL
Checked by: SM
Approved by: SM

SALAMANDER Powered by Global Wind Energy Group


Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 0100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



Baseline photograph

This image provides landscape and visual context only



Wireline drawing

OS reference: 411022 E 838129 N
 Eye level: 34.0 mAOD
 Direction of view: 62°
 Nearest turbine: 40.34 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 3.5 m
 Date and time: 07.06.2023 18:58


Figure 16.25b
 Viewpoint 12: Bullers of Buchan
 Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline photograph

This image provides landscape and visual context only




Wireline drawing

OS reference: 411022 E 838129 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 34.0 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 152°	Paper size: 841 x 297 mm (half A1)	Camera height: 3.5 m
Nearest turbine: 40.34 km	Correct printed image size: 820 x 130 mm	Date and time: 07.06.2023 18:58

Figure 16.25c
Viewpoint 12: Bullers of Buchan
Salamander


© Crown copyright, All rights reserved (2023). Licence number 0100031673



OS reference: 411022 E 838129 N
 Eye level: 34.0 mAOD
 Direction of view: 242°
 Nearest turbine: 40.34 km

Horizontal field of view: 90° (cylindrical projection)
 Principal distance: 522 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D
 Lens: Canon EF 50mm f/1.4
 Camera height: 3.5 m
 Date and time: 07.06.2023 18:58



Wireline drawing

View flat at a comfortable arm's length

OS reference: 411022 E 838129 N
Eye level: 34.0 mAOD
Direction of view: 62°
Nearest turbine: 40.34 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 18:58

Figure 16.25e
Viewpoint 12: Bullers of Buchan
Salamander
© Crown copyright, All rights reserved (2023). Licence number 0100031673



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 411022 E 838129 N
Eye level: 34.0 mAOD
Direction of view: 62°
Nearest turbine: 40.34 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 18:58

Figure 16.25f
Viewpoint 12: Bullers of Buchan
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Photomontage: Proposed Development

View flat at a comfortable arm's length



OS reference: 411022 E 838129 N
Eye level: 34.0 mAOD
Direction of view: 62°
Nearest turbine: 40.34 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 3.5 m
Date and time: 07.06.2023 18:58

Figure 16.25g
Viewpoint 12: Bullers of Buchan
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Salamander

Figure 16.26a

Viewpoint 13 - Slains Castle

- Legend**
- WTG Location
 - Offshore Development Area
 - Offshore Array Area
 - Offshore Export Cable Corridor
 - Indicative Onshore Development Area
 - 10km Radii
 - 60km Study Area
 - Viewpoint
- Cumulative Boundary Status**
- Appeal / Application
 - Consented
 - Operational
 - Scoping
- Cumulative Turbine Status**
- Operational
 - Consented
 - Application
 - Scoping
- Blade Tip ZTV**
- Panorama with Wireline (90°HFOV)
 - Photomontage and Wireline (53.5°HFOV)
- No. of Blade Tips Theoretically Visible**
- 1 - 2
 - 3 - 4
 - 5 - 6
 - 7



Coordinate System: WGS 1984 UTM Zone 30N
 Vertical Datum: ODN Scale @ A3 : 460,000


0 5 10 20 Kilometers
 0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
 Viewpoint 13: Slains Castle
 Doc. No : SWF01OP1016
 Created by : NL
 Checked by : SM
 Approved by : SM

Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 0100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



OS reference: 410156 E 836042 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 22.1 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 60°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 42.19 km	Correct printed image size: 820 x 130 mm	Date and time: 08.06.2023 17:00


Figure 16.26b
Viewpoint 13: Slains Castle
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline photograph


This image provides landscape and visual context only



Wireline drawing

OS reference: 410156 E 836042 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 22.1 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 150°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 42.19 km	Correct printed image size: 820 x 130 mm	Date and time: 08.06.2023 17:00


Figure 16.26c
Viewpoint 13: Slains Castle
Salamander



OS reference: 410156 E 836042 N	Horizontal field of view: 90° (cylindrical projection)	Camera: Canon EOS 6D
Eye level: 22.1 mAOD	Principal distance: 522 mm	Lens: Canon EF 50mm f/1.4
Direction of view: 240°	Paper size: 841 x 297 mm (half A1)	Camera height: 2.5 m
Nearest turbine: 42.19 km	Correct printed image size: 820 x 130 mm	Date and time: 08.06.2023 17:00

Figure 16.26D
Viewpoint 13: Slains Castle
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Wireline drawing

View flat at a comfortable arm's length

OS reference: 410156 E 836042 N
Eye level: 22.1 mAOD
Direction of view: 60°
Nearest turbine: 42.19 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 2.5 m
Date and time: 08.06.2023 17:00

Figure 16.26e
Viewpoint 13: Slains Castle
Salamander
© Crown copyright. All rights reserved (2023). Licence number 0100031673



Baseline Photograph

View flat at a comfortable arm's length

OS reference: 410156 E 836042 N
Eye level: 22.1 mAOD
Direction of view: 60°
Nearest turbine: 42.19 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 2.5 m
Date and time: 08.06.2023 17:00

Figure 16.26f
Viewpoint 13: Slains Castle
Salamander



Photomontage: Proposed Development

View flat at a comfortable arm's length



OS reference: 410156 E 836042 N
Eye level: 22.1 mAOD
Direction of view: 60°
Nearest turbine: 42.19 km

Horizontal field of view: 53.5° (planar projection)
Principal distance: 812.5 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
Lens: Canon EF 50mm f/1.4
Camera height: 2.5 m
Date and time: 08.06.2023 17:00

Figure 16.26g
Viewpoint 13: Slains Castle
Salamander

© Crown copyright. All rights reserved (2023). Licence number 0100031673



Salamander Figure 16.27a Viewpoint 14 - Cruden Bay (East Sandend)

Legend

- WTG Location
- Offshore Development Area
- Offshore Array Area
- Offshore Export Cable Corridor
- Indicative Onshore Development Area
- 10km Radii
- 60km Study Area
- Viewpoint

Cumulative Boundary Status

- Appeal / Application
- Consented
- Operational
- Scoping

Cumulative Turbine Status

- Operational
- Consented
- Application
- Scoping

Cumulative Turbine Status

- Panorama with Wireline (90°HFOV)
- Photomontage and Wireline (53.5°HFOV)

Blade Tip ZTV

No. of Blade Tips Theoretically Visible

- 1 - 2
- 3 - 4
- 5 - 6
- 7

Coordinate System: WGS 1984 UTM Zone 30N
Vertical Datum: ODN
Scale @ A3: 460,000

0 5 10 20 Kilometers
 0 2.5 5 10 Miles

Rev	Description	Date
00	FINAL	04/03/2024
----	----	----

Doc. Title : Viewpoint Plan
 Viewpoint 14: Cruden Bay (East Sandend)
 Doc. No : SWF01OP1016
 Created by : NL
 Checked by : SM
 Approved by : SM

SALAMANDER Powered by Global Wind Simply Blue Group

Contains OS data © Crown copyright and database right (2023). © Crown copyright and database rights (2023) Ordnance Survey 0100031673. Contains public sector information licensed under the Open Government Licence v3.0. Sources: Esri, HERE, Garmin, Intelmap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Blade Tip:	315m	Observer height:	2m
DTM:	OS T5/T50	Surface features:	Excluded
DTM resolution:	10m	Earth curvature:	Included