MUIR MHÒR
OFFSHORE WIND FARM

A joint venture between Fred. Olsen Seawind & Vattenfall

Additional Information Report

Muir Mhòr Offshore Wind Farm

Additional Environmental Information Report

Appendix 1: Updated Apportioning Tables



Revision No.	Date	Reason for Issue	Author	Reviewer	Approver
01	19/09/2025	Final	Natural Power Ltd.	MM OWF Ltd.	MM OWF Ltd.

Document Information

Document ID	**MMH-GBE-A004-CNT-0005-009**
Revision	1
Date	19/09/2025

Contents

1. Appendix I: Updated Apportioning Tables ____ 4

Tables

Table 1.1 Apportioning Weights Calculated for Each Kittiwake Colony ____ 4
Table 1.2 Apportioning Weights Calculated for Each Guillemot Colony ____ 10
Table 1.3 Apportioning Weights Calculated for Each Razorbill Colony ____ 11
Table 1.4 Apportioning Weights Calculated for Each Puffin Colony ____ 13

1. UPDATED APPORTIONING TABLES

Table 1.1 Apportioning Weights Calculated for Each Kittiwake Colony

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
SPA Colonies				
Buchan Ness to Collieston Coast SPA	27094	76.08	0.7183	0.3105
Calf of Eday SPA	286	239.14	0.8566	0.0003
Cape Wrath SPA	6616	313.76	0.7973	0.0040
Copinsay SPA	592	206.50	0.8300	0.0008
East Caithness Cliffs SPA	48958	188.47	0.7694	0.0854
Fair Isle SPA	896	243.23	0.9102	0.0008
Farne Islands SPA	7166	209.48	0.6136	0.0127
Forth Islands SPA	13708	199.04	0.5969	0.0276
Foula SPA	850	315.61	0.9497	0.0004
Fowlsheugh SPA	40156	112.45	0.6700	0.2258
Hoy SPA	608	228.80	0.8171	0.0007
Marwick Head SPA	2878	255.05	0.8364	0.0025
North Caithness Cliffs SPA	16424	219.61	0.8009	0.0203
Noss SPA	172	304.40	0.9672	0.0001
Rousay SPA	660	247.98	0.8464	0.0006
St Abb's Head to Fast Castle SPA	9158	193.63	0.6019	0.0193
Sumburgh Head SPA	1932	274.94	0.9432	0.0013
Troup, Pennan and Lion's Heads SPA	27344	107.56	0.7315	0.1540
West Westray SPA	4838	255.47	0.8563	0.0041

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Non-SPA Colonies				
Auchmithie (Lunan Bay to Arbroath)	7	150.3	0.6433	0.0000
Baltic Flour Mill (River Tyne to Seaton Sluice)	164	285.52	0.5620	0.0002
Black Slough to Burn of Daff (Burn of Daff)	606	101.01	0.6811	0.0042
Broad Stack to Stack of Barons Geo (Sumburgh to Peerie Voe of Spiggie)	94	279.21	0.9430	0.0001
Brough of Birsay (Brough of Birsay)	2	260.15	0.8386	0.0000
Buckiemill (Montrose to Lunan Bay)	740	144.36	0.6487	0.0026
Burgh Head 1 (Stronsay)	8	219.13	0.8483	0.0000
Burn of Daff to Newtonhill (Burn of Daff)	1580	103.12	0.6792	0.0104
Carlin Geo 1 (Stronsay)	188	219.02	0.8477	0.0002
Cleit An t-Seabhaig (Smoo to Melvich)	100	290.31	0.7944	0.0001
Compass Head (Sumburgh Head Quarries)	70	276	0.9437	0.0000
Coquet Island	1038	239.59	0.5963	0.0014
Corbie Geo to Whale Stack (Sumburgh to Peerie Voe of Spiggie)	2	285.27	0.9468	0.0000
Costa Head (Costa Head)	46	253.73	0.8413	0.0000
Cove Bay (Girdle Ness to Hare Ness)	2646	96.61	0.6865	0.0197
Cove to Hare Ness (Girdle Ness to Hare Ness)	722	97.57	0.6853	0.0053
Covesea (Hopeman Bay)	1120	176.04	0.7229	0.0024
Cullernose Point (Howick - Cullornose Point - Dunstanburgh Castle Point)	184	226.85	0.6025	0.0003
Darn Bay (Catterline to Inverbervie)	20	119.21	0.6656	0.0001
Deerness 10 (Deerness)	10	210.43	0.8321	0.0000
Dunstanburgh Castle (Howick - Cullornose Point - Dunstanburgh Castle Point)	672	223.85	0.6046	0.0011

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Eilean Iosal (North Sutherland Islands)	141	280.81	0.7927	0.0001
Eyemouth to Burnmouth 1 (Eyemouth to Burnmouth)	120	195.92	0.6040	0.0002
Eyemouth to Burnmouth 2 (Eyemouth to Burnmouth)	342	196.91	0.6036	0.0007
Eyemouth to Burnmouth 3 (Eyemouth to Burnmouth)	12	196.81	0.6036	0.0000
Eyemouth to Burnmouth 4 (Eyemouth to Burnmouth)	124	196.83	0.6035	0.0003
Eyemouth to Burnmouth 5 (Eyemouth to Burnmouth)	228	196.6	0.6037	0.0005
Eyemouth to Burnmouth 6 (Eyemouth to Burnmouth)	316	196.4	0.6038	0.0006
Eyemouth to Burnmouth 7 (Eyemouth to Burnmouth)	276	196.19	0.6039	0.0006
Eynhallow (Eynhallow)	76	246.83	0.8422	0.0001
Faraid Head 2 (Faraid Head/ Balnakeil)	60	303.9	0.7963	0.0000
Faraid Head 3 (Faraid Head/ Balnakeil)	364	303.77	0.7959	0.0002
Faraid Head 4 (Faraid Head/ Balnakeil)	232	303.52	0.7959	0.0002
Findlater (Portsoy to Cullen)	158	136.68	0.7233	0.0006
Findon Ness to Black Slough (Findon Ness - Hare Ness)	160	99.85	0.6823	0.0011
Fraserburgh Harbour (Fraserburgh)	162	90.71	0.7376	0.0013
Garron Point (Portsoy to Cullen)	434	136	0.7227	0.0015
Gateshead Kittiwake Tower (River Tyne to Seaton Sluice)	180	284.84	0.5626	0.0002
Greg Ness - Seals Hole (Girdle Ness to Hare Ness)	782	94.83	0.6888	0.0060
Grid Square HY2112 (Yesnaby - Ness Point, Stromness)	12	249.7	0.8277	0.0000
Griskerry to Taing of Maywick (Bigton to Maywick)	44	291.5	0.9510	0.0000
Gultak (Holm)	22	210.59	0.8277	0.0000
Hare Ness to Seal's Cove (Findon Ness - Hare Ness)	1624	98.3	0.6844	0.0117
Head of Garness (Rosehearty to Bay of Cullen)	6	118.21	0.7252	0.0000
Hich Holm (St. Ninian's Isle)	56	288.86	0.9493	0.0000
Holm 4 (Scapa Bay to St. Marys)	46	221.06	0.8282	0.0001

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Horse Island (HU30) (Horse Island, Colsay, Little and Ladies Holm to Fitful Head)	24	274.41	0.9416	0.0000
Horse of Copinsay (Horse of Copinsay)	314	206.66	0.8314	0.0004
Howick (Howick - Cullornose Point - Dunstanburgh Castle Point)	1280	227.73	0.6020	0.0020
HOY22 (Hoy and Southwalls)	66	216.75	0.8131	0.0001
Inchcolm (Carr Craig, Eyebroughy and Haystack)	152	233.04	0.5760	0.0002
Inchkeith (Carr Craig, Eyebroughy and Haystack)	960	222.73	0.5812	0.0016
International Coatings (River Tyne to Seaton Sluice)	306	283.8	0.5636	0.0003
Kettlaness (KI & SA only) (West Burra - Shetland)	72	297.06	0.9547	0.0000
Kineff (Catterline to Inverbervie)	222	118.14	0.6662	0.0011
Little John's Haven (Catterline to Inverbervie)	12	118.53	0.6660	0.0001
Marsden Cliffs (Marsden Bay)	4776	275.04	0.5759	0.0052
Muckle Green Holm (Green Holms)	64	232.04	0.8451	0.0001
Mull Head - cliff-nesters (Deerness)	0	214.16	0.8355	0.0000
Ness of Ireland (Maywick to St. Ninians Isle)	84	291.89	0.9515	0.0000
Newcastle Quayside Buildings (River Tyne to Seaton Sluice)	258	286.15	0.5614	0.0003
Newtonhill - May Craig (Newtonhill - Hall Bay)	578	104.33	0.6782	0.0037
Noness (No Ness to Levenwick and Boddam to Virkie)	76	288.79	0.9536	0.0000
North Shields Warehouse (River Tyne to Seaton Sluice)	24	274.27	0.5735	0.0000
North Sutor Of Cromarty/Castlecraig (North Sutor to Shandwick)	904	210.62	0.7241	0.0013
Noss Head (Caithness - Wick Bay to Freshwick Bay)	90	187.94	0.7894	0.0002
Old Hall Bay - Castle Haven (Stonehaven to Wine Cove)	534	111.86	0.6714	0.0030
Pentland Firth Islands	353	205.06	0.8121	0.0005
Perthumie Bay 1 (Hall Bay to Craigeven Bay)	158	107.44	0.6754	0.0010
Peterhead South Harbour (urban) (Peterhead)	66	73.53	0.7279	0.0008

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Portknockie (Portknockie)	62	142.82	0.7232	0.0002
Quindry - Hoxa - Dam of Hoxa (South Ronaldsay)	2	215.69	0.8185	0.0000
Redhythe Point (Portsoy to Cullen)	440	135.32	0.7226	0.0016
Rerwick Head 2 (Rerwick Head to Mirkady Point)	6	219.63	0.8352	0.0000
Rothiesholm Head 2 (Stronsay)	98	224.71	0.8449	0.0001
Rouen Bay (Catterline to Inverbervie)	348	116.82	0.6670	0.0018
Row Head (Yesnaby to Marwick (West Mainland))	2	254.7	0.8315	0.0000
Rubha Thormaid (Smoo to Melvich)	50	288.04	0.7934	0.0000
Seahouses 1 (Seahouses)	412	214.82	0.6090	0.0007
Seal's Cove to Findon Ness (Findon Ness - Hare Ness)	570	99.64	0.6828	0.0040
Shapinsay 8 (Shapinsay (Coastal))	26	223.84	0.8376	0.0000
Shapinsay 9 (Shapinsay (Coastal))	8	223.68	0.8384	0.0000
Snow Craig (Rosehearty to Bay of Cullen)	50	116.33	0.7260	0.0002
South Havra (Maywick to Scalloway)	10	294.8	0.9533	0.0000
South Sutor 3 (South Sutor)	132	210.67	0.7227	0.0002
St. Ninian's Isle (St. Ninian's Isle)	78	289.15	0.9496	0.0000
Starrie Geo (Sanday - Stove to Kettletoft)	102	233.74	0.8537	0.0001
Strathlethan Bay (Stonehaven to Wine Cove)	26	110.99	0.6720	0.0001
Sule Skerry and Sule Stack	186	293.97	0.8262	0.0001
Swirl Cove (Catterline to Inverbervie)	166	117.27	0.6667	0.0009
The Altar - Quindry (South Ronaldsay)	68	211.55	0.8169	0.0001
The Ord (Bressay)	92	301.74	0.9637	0.0000
The Slainges (Catterline to Inverbervie)	1934	115.94	0.6676	0.0103
Troswick Beach to Boddam (No Ness to Levenwick and Boddam to Virkie)	42	283.16	0.9485	0.0000

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Troswick Ness (No Ness to Levenwick and Boddam to Virkie)	40	282.91	0.9483	0.0000
Trumland RSPB (Rousay - South East)	254	241.26	0.8437	0.0002
Tyne Bridge North Tower (River Tyne to Seaton Sluice)	780	286.07	0.5614	0.0008
Tyne Bridge South Tower (River Tyne to Seaton Sluice)	310	286.03	0.5614	0.0003
Tynemouth (River Tyne to Seaton Sluice)	492	272.35	0.5761	0.0005
West Burra (West Burra - Shetland)	130	298.94	0.9559	0.0001
Whale Wick to Sandwick (incl. Ramna Geo) (West Burra - Shetland)	58	301.04	0.9568	0.0000
Whistleberry (Catterline to Inverbervie)	862	117.56	0.6666	0.0045
Whiting Ness to Ethie Haven 1 (Lunan Bay to Arbroath)	500	154	0.6403	0.0016
Whiting Ness to Ethie Haven 4 (Lunan Bay to Arbroath)	820	151.34	0.6425	0.0027
Windwick - Burwick (South Ronaldsay)	32	205.1	0.8160	0.0000
Yellow Ark (Catterline to Inverbervie)	244	119.73	0.6654	0.0012

Table 1.2 Apportioning Weights Calculated for Each Guillemot Colony

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
SPA Colonies				
Buchan Ness to Collieston Coast SPA	40,763	76.08	0.715834	0.607268
Troup, Pennan and Lion's Heads SPA	47,719	107.56	0.692211	0.367806
Non-SPA Colonies				
Black Slough to Burn of Daff (Burn of Daff)	16	101.01	0.593387	0.000164
Burn of Daff to Newtonhill (Burn of Daff)	449	103.12	0.583564	0.004465
Cove Bay (Girdle Ness to Hare Ness)	225	96.61	0.612348	0.002431
Cove to Hare Ness (Girdle Ness to Hare Ness)	72	97.57	0.608630	0.000771
Hare Ness to Seal's Cove (Findon Ness – Hare Ness)	842	98.30	0.605087	0.008884
Sands of Forvie	46	86.15	0.658196	0.000576
Seal's Cove to Findon Ness (Findon Ness - Hare Ness)	736	99.64	0.599042	0.007635

Table 1.3 Apportioning Weights Calculated for Each Razorbill Colony

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
SPA Colonies				
Troup, Pennan and Lion's Heads SPA	8,801	107.56	0.6634	0.1739
Fowlsheugh SPA	20,869	112.45	0.5936	0.4215
Non-SPA Colonies				
Black Slough to Burn of Daff (Burn of Daff)	54	101.01	0.6391	0.0012
Buchan Ness to Collieston Coast	7,654	76.08	0.7407	0.2707
Burn of Daff to Newtonhill (Burn of Daff)	145	103.12	0.6309	0.0033
Cove Bay (Girdle Ness to Hare Ness)	194	96.61	0.6550	0.0048
Cove to Hare Ness (Girdle Ness to Hare Ness)	202	97.57	0.6519	0.0049
Darn Bay (Catterline to Inverbervie)	76	119.21	0.5638	0.0014
Doonie Point to Hall Bay (Newton Hill)	72	106.39	0.6177	0.0016
Findon Ness to Black Slough (Findon Ness - Hare Ness)	60	99.85	0.6436	0.0014
Greg Ness - Seals Hole (Girdle Ness to Hare Ness)	1	94.83	0.6607	0.0000
Hare Ness to Seal's Cove (Findon Ness - Hare Ness)	340	98.30	0.6491	0.0082
Head of Garness (Rosehearty to Bay of Cullen)	109	118.21	0.6113	0.0019
Kineff (Catterline to Inverbervie)	95	118.14	0.5685	0.0018
Little John's Haven (Catterline to Inverbervie)	316	118.53	0.5669	0.0060
May Craig - Muchalls (Newtonhill - Hall Bay)	16	104.90	0.6240	0.0004
Muchalls (Newton Hill)	115	105.61	0.6210	0.0025
Newtonhill - May Craig (Newtonhill - Hall Bay)	200	104.33	0.6263	0.0044
Old Hall Bay - Castle Haven (Stonehaven to Wine Cove)	340	111.86	0.5950	0.0069
Perthumie Bay 1 (Hall Bay to Craigeven Bay)	7	107.44	0.6132	0.0001
Rouen Bay (Catterline to Inverbervie)	638	116.82	0.5743	0.0123

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Sands of Forvie	217	86.15	0.7008	0.0063
Seal's Cove to Findon Ness (Findon Ness - Hare Ness)	844	99.64	0.6443	0.0200
Snow Craig (Rosehearty to Bay of Cullen)	0	116.33	0.6207	0.0000
Strathlethan Bay (Stonehaven to Wine Cove)	35	110.99	0.5987	0.0007
Swirl Cove (Catterline to Inverbervie)	169	117.27	0.5724	0.0033
The Slainges (Catterline to Inverbervie)	331	115.94	0.5783	0.0065
Whistleberry (Catterline to Inverbervie)	1,400	117.56	0.5712	0.0269
Yellow Ark (Catterline to Inverbervie)	360	119.73	0.5614	0.0068

Table 1.4 Apportioning Weights Calculated for Each Puffin Colony

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
SPA Colonies				
Coquet Island	50,058	239.59	0.5797	0.1511
Fair Isle	13,332	243.23	0.9218	0.0246
Farne Islands	87,504	209.48	0.5896	0.3397
Forth Islands	90,291	199.04	0.5548	0.4126
Hoy	860	228.80	0.8000	0.0021
North Caithness Cliffs	6,102	219.61	0.7786	0.0163
Non-SPA Colonies				
Auchmithie (Lunan Bay to Arbroath)	10	150.3	0.5871	0.0001
Black Slough to Burn of Daff (Burn of Daff)	14	101.01	0.6423	0.0002
Brough of Birsay (Brough of Birsay)	10	260.15	0.8315	0.0000
Buchan Ness to Collieston Coast	352	76.08	0.6968	0.0088
Calf of Eday	168	239.14	0.8600	0.0003
Castle o' Burrian (Westray - Rapness)	3,068	248.26	0.8592	0.0058
Cava (Rysa Little and Cava)	2	226.42	0.8054	0.0000
Copinsay	1,756	206.5	0.8218	0.0050
Costa Head (Costa Head)	38	253.73	0.8360	0.0001
Costa Hill Cliffs (Costa Head)	8	251.53	0.8370	0.0000
Deerness 4 (Rerwick Head to Mirkady Point)	2	215.6	0.8230	0.0000
Doonie Point to Hall Bay (Newton Hill)	4	106.39	0.6353	0.0001
East Caithness Cliffs	368	188.47	0.7448	0.0014
Eynhallow (Eynhallow)	174	246.83	0.8375	0.0003
Findon Ness to Black Slough (Findon Ness - Hare Ness)	4	99.85	0.6439	0.0001

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Flotta 5 (Flotta & Calf of Flotta)	4	216.08	0.8015	0.0000
Flotta 6 (Flotta & Calf of Flotta)	8	214.76	0.8001	0.0000
Fowlsheugh	318	112.45	0.6241	0.0040
Garron Point (Portsoy to Cullen)	32	136	0.6913	0.0003
Grid Square HY2217 (Yesnaby to Marwick (West Mainland))	10	254.03	0.8187	0.0000
Grid Square HY2221 (Yesnaby to Marwick (West Mainland))	4	257.69	0.8230	0.0000
Hare Ness to Seal's Cove (Findon Ness - Hare Ness)	20	98.3	0.6468	0.0003
Horse of Copinsay (Horse of Copinsay)	16	206.66	0.8241	0.0000
HOY 01 - Tysties (Hoy and South Walls - Tysties)	50	217	0.7979	0.0001
HOY 02 - Tysties (Hoy and South Walls - Tysties)	126	214.53	0.7968	0.0003
HOY 03 - Tysties (Hoy and South Walls - Tysties)	10	218.66	0.7949	0.0000
HOY 04 - Tysties (Hoy and South Walls - Tysties)	2	218.97	0.7945	0.0000
HOY 06 - Tysties (Hoy and South Walls - Tysties)	4	220.63	0.7935	0.0000
Inchcolm (Carr Craig, Eyebroughy and Haystack)	62	233.04	0.5354	0.0002
Inchkeith (Carr Craig, Eyebroughy and Haystack)	5220	222.73	0.5401	0.0196
Marwick Head	2	255.05	0.8277	0.0000
Melvich 5 (Smoo to Melvich)	12	256.78	0.7651	0.0000
Muckle Green Holm (Green Holms)	66	232.04	0.8436	0.0001
Mull Head - cliff-nesters (Deerness)	4	214.16	0.8293	0.0000
Newtonhill - May Craig (Newtonhill - Hall Bay)	6	104.33	0.6382	0.0001
Noss Head (Caithness - Wick Bay to Freshwick Bay)	6	187.94	0.7693	0.0000
Old Hall Bay - Castle Haven (Stonehaven to Wine Cove)	2	111.86	0.6266	0.0000
Papa Westray (North Hill and Holm)	72	256.48	0.8713	0.0001
Papa Westray 1 - Tysties (Papa Westray - Tysties)	50	271.2	0.8704	0.0001
Rouen Bay (Catterline to Inverbervie)	4	116.82	0.6188	0.0000

Colony	Population Estimates (breeding adults)	Distance from Colony to Array Area (km)	Proportion of Foraging Range Which is Sea	Proportional Weight of SPA
Rousay	202	247.98	0.8443	0.0004
Sanday 5 (Sanday)	16	247.11	0.8622	0.0000
Seal's Cove to Findon Ness (Findon Ness - Hare Ness)	14	99.64	0.6447	0.0002
Shapinsay 10 (Shapinsay (Coastal))	6	223.32	0.8336	0.0000
Shapinsay 9 (Shapinsay (Coastal))	12	223.68	0.8327	0.0000
Skipi Geo to Whitaloo Point (Birsay Cliffs - Point of Buckquoy to Loop of Cruie)	6	258.81	0.8321	0.0000
South Walls (South Walls)	2	218.69	0.7964	0.0000
St Johns Point (Melvich to Duncansby Stacks SSSI)	10	208.64	0.7833	0.0000
Strathy 1 (Smoo to Melvich)	30	259.25	0.7648	0.0001
Sumburgh Head	2320	274.94	0.9598	0.0032
Switha (Whole Island) (Switha)	112	214.35	0.7984	0.0003
The Altar - Quindry (South Ronaldsay)	32	211.55	0.7999	0.0001
The Slainges (Catterline to Inverbervie)	10	115.94	0.6198	0.0001
Troup, Pennen and Lion's Heads	60	107.56	0.7083	0.0007
Ushat Head 1 (Melvich to Duncansby Stacks SSSI)	8	239.83	0.7726	0.0000
West Westray	76	255.47	0.8590	0.0001
Westray 6 - Tysties (Westray and adjacent Holms - Tysties)	22	269.8	0.8665	0.0000
Whistleberry (Catterline to Inverbervie)	6	117.56	0.6179	0.0001
Whitaloo Point to Loop of Cruie (Birsay Cliffs - Point of Buckquoy to Loop of Cruie)	70	257.31	0.8331	0.0001
Whiting Ness to Ethie Haven 4 (Lunan Bay to Arbroath)	12	151.34	0.5866	0.0001
Whiting Ness to Ethie Haven 7 (Lunan Bay to Arbroath)	12	147.9	0.5886	0.0001
Whiting Ness to Ethie Haven 8 (Lunan Bay to Arbroath)	6	146.86	0.5894	0.0000

MUIR MHÒR
OFFSHORE WIND FARM

A joint venture between Fred. Olsen Seawind & Vattenfall

Muir Mhòr Offshore Wind Farm Ltd
120 Bath Street,
Glasgow,
G2 2EN
muirmhor.co.uk