



Do not scale from this drawing.

SAFETY HEALTH AND ENVIRONMENTAL INFORMATION	
IN ADDITION TO THE HAZARD/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING RISKS AND INFORMATION.	
RISKS LISTED HERE ARE NOT EXHAUSTIVE. REFER TO DESIGN ASSESSMENT FORM NO.	
CONSTRUCTION	DISEASE FROM RATS
WELLS DISEASE	
UNDERGROUND SERVICES	
DEMOLITION	
FOR INFORMATION RELATING TO USE, CLEANING AND MAINTENANCE SEE THE HEALTH AND SAFETY FILE.	
IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT.	

Rev.	Date	Description	Drawn	Checked	Approved
B	06/11/19	DOLPHIN & WALKWAY ETC DELETED	SB	MC	MC
A	17/05/19	CLOUDED REVISIONS	NA	ME	SB

Notes:
For details of RORO berth suspended deck see 130143/4113.

KEY	
	Indicates combi wall consisting of 1220x25 (S355) tubular piles @ 2070 C/C with 2 No. GU16-400 sheet piles between.
	Indicates combi wall consisting of 1220x25 (S355) tubular piles @ 3070 C/C with 3 No. PU18 sheet piles between.
	Indicates combi wall consisting of 1220x25 (S355) tubular piles @ 3670 C/C with 4 No. GU16-400 sheet piles between.



Project Title:
**PORT OF DUNDEE
DUNDEE EAST REDEVELOPMENT**

Drawing Title:
**RORO BERTH
COMBI WALL
GENERAL ARRANGEMENT**

FAIRHURST
1 Arngrove Court, Barrack Road,
Newcastle-upon-Tyne, NE4 6QB
Tel: 0191 221 9505 Fax: 0844 381 4412

Scale at:	Status:	
AS SHOWN	For Information	
Drawn:	Checked:	Approved:
SB	MC	SB
Date:	Date:	Date:
18/04/19	18/04/19	18/04/19
Drawn No.:	Revision:	
130143/4107	B	