

7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

2 No Steel box sections

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel Box (2No.)	Steel	11.5	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall & 4No. UC guide rails	

(e) Total length of pontoon including any access bridge

23m (RNLI owned pontoon only, access bridge and adjacent pontoons are 3rd party owned)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Aberdeen Lifeboat Station, Aberdeen Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	7	°	0	8	.	6	2	2	'N
5	7	°	0	8	.	6	3	1	'N
5	7	°	0	8	.	6	4	7	'N
5	7	°	0	8	.	6	3	5	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	2	°	0	4	.	7	4	6	'W
0	2	°	0	4	.	8	1	9	'W
0	2	°	0	4	.	8	0	4	'W
0	2	°	0	4	.	7	3	6	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

GA drawing attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. Single section comprising 2No. 1524mm diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
1.524m diameter CHS (2No.)	Steel	24	4

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall, ladder, restraint piles and guides	

(e) Total length of pontoon including any access bridge

24m

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Aith Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
6	0	°	1	7	.	2	0	4	'N
6	0	°	1	7	.	1	9	8	'N
6	0	°	1	7	.	2	0	8	'N
6	0	°	1	7	.	2	1	5	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N

Longitude									
0	1	°	2	2	.	4	6	7	'W
0	1	°	2	2	.	4	5	4	'W
0	1	°	2	2	.	4	3	1	'W
0	1	°	2	2	.	4	3	8	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan and Section Attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES		NO	X
-----	--	----	---



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. 24m x 5m steel frame with plastic floats

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Pontoon Frame	Steel	24	5
Pontoon Floats	Plastic (24No.)		

(d) Any other deposits

Deposit	Quantity & Dimensions
GRP deck, fenderwall, ladders, pile guide and brackets	

(e) Total length of pontoon including any access bridge

24m

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Campbetton Lifeboat Station, Campbetton Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	5	°	2	5	.	5	1	3	'N
5	5	°	2	5	.	5	1	9	'N
5	5	°	2	5	.	5	2	6	'N
5	5	°	2	5	.	5	1	8	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	5	°	3	6	.	1	5	0	'W
0	5	°	3	6	.	1	1	8	'W
0	5	°	3	6	.	1	2	4	'W
0	5	°	3	6	.	1	5	0	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan, Elevation and Sections attached.

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

1 No. Single section comprising 2 No. large diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
CHS floats with steel deck	Steel	20m	3m

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall, ladder, restraint piles and guides	
GRP deck, anodes, plastic floating dock sections	

(e) Total length of pontoon including any access bridge

26m (20m steel pontoon with 6m Versadock)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Eyemouth Lifeboat Station, Eyemouth Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	5	°	5	2	.	3	7	8	'N
5	5	°	5	2	.	3	5	8	'N
5	5	°	5	2	.	3	6	5	'N
5	5	°	5	2	.	3	8	2	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	2	°	0	5	.	1	8	8	'W
0	2	°	0	5	.	1	7	3	'W
0	2	°	0	5	.	1	6	0	'W
0	2	°	0	5	.	1	7	7	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Basic plan attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Steel box sections each 9m x 3m

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel box (2No.)	Steel	9	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall, ladders, restraint piles and guides	
Anodes	

(e) Total length of pontoon including any access bridge

18m

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Girvan Lifeboat Station, Girvan Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	5	°	1	4	.	6	5	2	'N
5	5	°	1	4	.	6	4	7	'N
5	5	°	1	4	.	6	4	2	'N
5	5	°	1	4	.	6	4	8	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	4	°	5	1	.	5	5	2	'W
0	4	°	5	1	.	5	5	5	'W
0	4	°	5	1	.	5	3	3	'W
0	4	°	5	1	.	5	2	8	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Basic plan attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO
-----	---	----



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. Single section comprising 2No. 1150mm diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
1.15m dia CHS (2No.)	Steel	17.5	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall, ladder, restraint piles and guides	

(e) Total length of pontoon including any access bridge

17.5m (RNLI owned pontoon only, access bridge and adjacent pontoons are 3rd party owned)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Invergordon Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	7	°	4	1	.	1	3	4	'N
5	7	°	4	1	.	2	0	0	'N
5	7	°	4	1	.	1	9	3	'N
5	7	°	4	1	.	1	7	5	'N
5	7	°	4	1	.	1	5	5	'N
5	7	°	4	1	.	1	5	4	'N
5	7	°	4	1	.	1	3	4	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N

Longitude									
0	4	°	1	0	.	0	3	4	'W
0	4	°	1	0	.	0	3	3	'W
0	4	°	1	0	.	0	5	4	'W
0	4	°	1	0	.	0	4	7	'W
0	4	°	1	0	.	0	4	7	'W
0	4	°	1	0	.	0	0	6	'W
0	4	°	1	0	.	0	5	8	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan of pontoon floats attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Steel box sections each 12m x 3m

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel box (2No.)	Steel	12	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Guide rails & brackets, fenderwall, ladders	

(e) Total length of pontoon including any access bridge

29m (Pontoon is 24m and gangway extends 5m)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Kirkwall Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	8	°	5	9	.	1	1	3	'N
5	8	°	5	9	.	1	1	4	'N
5	8	°	5	9	.	1	3	2	'N
5	8	°	5	9	.	1	3	1	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N

Longitude									
0	2	°	5	7	.	6	0	3	'W
0	2	°	5	7	.	6	2	0	'W
0	2	°	5	7	.	6	1	7	'W
0	2	°	5	7	.	6	0	1	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

(j) Is the Pontoon within the jurisdiction of a SHA

YES		NO	
-----	--	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Steel box sections each 12m x 3m

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel Box (2No.)	Steel	12	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Restraint piles, brackets, ladders, fenders	

(e) Total length of pontoon including any access bridge

42m (24m pontoon, 18m gangway)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Lochinver Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	8	°	0	8	.	8	1	5	'N
5	8	°	0	8	.	8	4	2	'N
5	8	°	0	8	.	8	4	5	'N
5	8	°	0	8	.	8	1	7	'N
		°							'N
		°							'N
		°							'N
		°							'N
		°							'N
		°							'N
		°							'N
		°							'N


Longitude									
0	5	°	1	4	.	8	7	6	'W
0	5	°	1	4	.	9	0	0	'W
0	5	°	1	4	.	8	8	1	'W
0	5	°	1	4	.	8	5	9	'W
		°							'W
		°							'W
		°							'W
		°							'W
		°							'W
		°							'W
		°							'W
		°							'W

(i) Drawings

Plan and GA attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO
-----	---	----



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Steel box sections each 12m x 3m

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel Box (2No.)	Steel	12	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Restraint piles, brackets, ladders, fenderwall	

(e) Total length of pontoon including any access bridge

24m

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Longhope Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	8	°	4	8	.	0	6	1	'N
5	8	°	4	8	.	0	6	7	'N
5	8	°	4	8	.	0	8	0	'N
5	8	°	4	8	.	0	7	5	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	3	°	1	2	.	3	6	1	'W
0	3	°	1	2	.	3	4	9	'W
0	3	°	1	2	.	3	6	7	'W
0	3	°	1	2	.	3	8	2	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan and elevation attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. 24m x 5m steel frame with plastic floats

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Pontoon Frame	Steel	8	2.9
Pontoon Frame (2No.)	Steel	8	2.5
Pontoon Frame	Steel	6	2.5
Pontoon Frame	Steel	8	2
Pontoon Frame (2No.)	Steel	8	2
Pontoon Frame	Steel	6	2
Pontoon Floats	Plastic		

(d) Any other deposits

Deposit	Quantity & Dimensions
GRP deck, fenders, ladders, 3No. piles with guide & brackets	

(e) Total length of pontoon including any access bridge

52m (access gangway in parallel)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Mallaig Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	7	°	0	0	.	3	4	9	'N
5	7	°	0	0	.	3	5	3	'N
5	7	°	0	0	.	3	6	7	'N
5	7	°	0	0	.	3	6	2	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N

Longitude									
0	5	°	4	9	.	6	1	8	'W
0	5	°	4	9	.	5	9	7	'W
0	5	°	4	9	.	6	0	9	'W
0	5	°	4	9	.	6	3	0	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

GA & Sections attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

1 No. Single section comprising 2 No. large diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
CHS floats with steel deck	Steel	24	3.7

(d) Any other deposits

Deposit	Quantity & Dimensions
Fender wall, ladder, restraint piles and guides	
GRP Deck	

(e) Total length of pontoon including any access bridge

60m (24m pontoon with 36m access pier/gangway)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Montrose Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude									
5	6	°	4	2	.	4	0	1	'N
5	6	°	4	2	.	3	7	7	'N
5	6	°	4	2	.	3	7	5	'N
5	6	°	4	2	.	4	0	0	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	2	°	2	8	.	3	1	2	'W
0	2	°	2	8	.	3	0	5	'W
0	2	°	2	8	.	3	4	1	'W
0	2	°	2	8	.	3	4	4	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan & Elevation attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonal
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Sections, each comprising 2No. large diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
1.524m dia CHS (2No.)	Steel	12	3.7

(d) Any other deposits

Deposit	Quantity & Dimensions
Fenderwall, ladders, pile restraints & brackets	

(e) Total length of pontoon including any access bridge

36m (pontoon is 24m, gangway is approx. 12m)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Portpatrick Lifeboat Station, Portpatrick Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	4	°	5	0	.	5	0	8	'N
5	4	°	5	0	.	5	1	5	'N
5	4	°	5	0	.	5	2	5	'N
5	4	°	5	0	.	5	1	6	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	5	°	0	7	.	1	8	5	'W
0	5	°	0	7	.	1	4	0	'W
0	5	°	0	7	.	1	4	8	'W
0	5	°	0	7	.	1	8	4	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

Plan & Elevations attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES		NO	X
-----	--	----	---



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. Steel box section

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
Steel box	Steel	24	4

(d) Any other deposits

Deposit	Quantity & Dimensions
Guide rails & brackets, fenderwall, ladders	

(e) Total length of pontoon including any access bridge

24m

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Stromness Lifeboat Station

Latitude and Longitude Co-ordinates

Latitude							
5	8	°	5	7	.	7	0 8 'N
5	8	°	5	7	.	7	4 0 'N
5	8	°	5	7	.	7	4 0 'N
5	8	°	5	7	.	7	1 3 'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N
		°			.		'N


Longitude							
0	3	°	1	7	.	8	2 1 'W
0	3	°	1	7	.	8	1 6 'W
0	3	°	1	7	.	8	3 5 'W
0	3	°	1	7	.	8	3 7 'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W
		°			.		'W

(i) Drawings

GA & Details attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

2No. Steel box sections

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
2No. Steel box	Steel	12	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Guide rails & brackets, fenders, ladders	

(e) Total length of pontoon including any access bridge

29m (Pontoon is 24m, additional 5m access gangway)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Thurso Lifeboat Station, Scrabster Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	8	°	3	6	.	7	0	4	'N
5	8	°	3	6	.	7	0	6	'N
5	8	°	3	6	.	7	3	0	'N
5	8	°	3	6	.	7	2	7	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N


Longitude									
0	3	°	3	2	.	8	3	7	'W
0	3	°	3	2	.	8	2	0	'W
0	3	°	3	2	.	8	3	8	'W
0	3	°	3	2	.	8	5	5	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

GA attached

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--



7. Pontoon Details

(a) Type of Deposit

Permanent	Temporary	Seasonat
-----------	-----------	----------

(b) Number of Pontoon Sections

1No. Single section comprising 2No. 1000mm diameter steel tubes supporting a steel deck.

(c) Dimensions of Pontoon Sections:

Pontoon Section	Type of Deposit	Length (m)	Width(m)
CHS float and steel deck	Steel	22	3

(d) Any other deposits

Deposit	Quantity & Dimensions
Guide rails & brackets, fenderwall and ladders	

(e) Total length of pontoon including any access bridge

24m (Pontoon is 22m and gangway extends 2m)

(f) Proposed Start Date

N/A - Existing pontoon

(g) Proposed End Date

N/A - ongoing maintenance of existing pontoon

(h) Location

Wick Lifeboat Station, Wick Harbour

Latitude and Longitude Co-ordinates

Latitude									
5	8	°	2	6	.	3	6	3	'N
5	8	°	2	6	.	3	6	5	'N
5	8	°	2	6	.	3	7	2	'N
5	8	°	2	6	.	3	7	1	'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N
		°			.				'N

Longitude									
0	3	°	0	4	.	9	9	2	'W
0	3	°	0	4	.	9	6	1	'W
0	3	°	0	4	.	9	6	3	'W
0	3	°	0	4	.	9	9	2	'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W
		°			.				'W

(i) Drawings

(j) Is the Pontoon within the jurisdiction of a SHA

YES	X	NO	
-----	---	----	--

